INTELLITWIN: AI-DRIVEN DIGITAL TWIN FRAMEWORK FOR PREDICTIVE MAINTENANCE

B.Tech Project Synopsis — Phase 4: Literature Survey

Department: Information Technology
Institution: Ajay Kumar Garg Engineering College, Ghaziabad
Affiliation: Dr. A.P.J. Abdul Kalam Technical University, Lucknow

Academic Session: 2026–2027
Project Guide: Dr. Ruchi Gupta
Group ID: CSIT 4 2023-27/IT/SECTION/GID

Project Team: Shiksha Pandey (2300270110112) | Mayank Singh (2300270310115)

4. Literature Survey

4.1 Thematic Overview and Survey Taxonomy

The rapid convergence of cyber-physical systems, advanced sensory instrumentation, and artificial intelligence has catalyzed a fundamental paradigm shift in industrial reliability engineering and asset lifecycle management [1]–[3]. In mission-critical environments—most prominently commercial aviation turbofan propulsion, high-capacity energy generation, and automated industrial tooling—preventing unexpected mechanical failure while eliminating premature maintenance waste represents a paramount economic and operational objective [1], [4]. Achieving this balance requires transitioning from traditional calendar-based preventative overhauls and reactive corrective repairs toward condition-based predictive maintenance (PdM) governed by prognostic Digital Twins [2], [5].

To establish an authoritative empirical baseline for the IntelliTwin project, a systematic literature review was conducted across 25 verified scholarly works cataloged in the repository's literature matrix alongside five foundational methodological papers. The analyzed corpus bifurcates into two distinct, complementary investigative domains:

1. **Local Repository Literature Corpus (15 Studies, LOC-01 to LOC-15):** Encompasses peer-reviewed journal articles, comprehensive domain surveys, and doctoral dissertations evaluating multi-tier Digital Twin architectures, IoT telemetry integration, industrial failure classification, and operational maintenance economics across smart manufacturing, civil infrastructure, and renewable energy platforms [2], [4]–[16].
2. **Supplemental Closest-Work Corpus (10 Studies, SUP-01 to SUP-10):** Comprises peer-reviewed prognostic publications and verified software artifacts

investigating continuous Remaining Useful Life (RUL) regression, distribution-free conformal prediction intervals, conditional coverage calibration across degradation stages, and risk-directed maintenance scheduling heuristics on benchmark datasets [17]–[26].

To synthesize these scholarly contributions systematically, the literature is organized into four core thematic pillars:

- *Theme 1: Cyber-Physical Digital Twins and Predictive Maintenance Systems*
- *Theme 2: Data-Driven RUL Estimation and Prognostic Regression*
- *Theme 3: Distribution-Free Conformal Prediction and Uncertainty Calibration*
- *Theme 4: Decision-Aware Maintenance Optimization and Cost Modeling*

4.2 Critical Thematic Review of Prior Art

Theme 1: Cyber-Physical Digital Twins in Predictive Maintenance

A Digital Twin (DT) is conceptually defined as an evolving, multi-scale computational model of a physical asset that continuously mirrors its physical state, operating kinematics, and degradation trajectory through bi-directional data synchronization [2], [3]. Comprehensive surveys by Huang et al. (2021) [3], Hasan and Crawford (2025) [13], and Pathri and Ganduri (2025) [14] document the historical evolution of industrial DTs from static computer-aided design (CAD) representations into dynamic, data-driven decision frameworks within Industry 4.0. These surveys formalize a consensus four-tier architectural taxonomy comprising: (i) Physical Perception and Sensor Telemetry Ingestion, (ii) Virtual Twin Modeling and State Synchronization, (iii) Computational Analytics and Machine Learning, and (iv) Operational Decision Support Services [3], [12].

In civil and industrial infrastructure, Diana et al. (2025) [2], Mazzetto (2024) [4], Mousavi et al. (2024) [9], and Mahmud et al. (2025) [12] investigate AI-augmented DT frameworks linking IoT sensor networks with predictive structural maintenance, demonstrating how synchronized virtual counterparts enhance operational resilience. Similarly, Wei (2024) [5] presents a doctoral investigation at Nanyang Technological University detailing the physical deployment of an AI-driven digital twin for HVAC and chiller plant maintenance, addressing telemetry synchronization and automated fault detection. Bello et al. (2024) [6] and Shehadeh (2024) [8] examine the operational and macroeconomic rationale for proactive maintenance, with Shehadeh providing empirical evidence that transitioning from reactive to proactive maintenance in power generation facilities reduces unscheduled breakdown frequency by 35% and lowers total maintenance expenditure by over 20%. Belay et al. (2026) [16] explore communication-efficient federated anomaly detection leveraging DT

simulation to generate synthetic training streams for distributed Industrial IoT (IIoT) networks.

Most critically within the local corpus, Wu et al. (2026) [15] formulate an empirical Digital Twin maintenance-support platform for equipment RUL estimation, evaluated on CS2_35 lithium-ion battery laboratory data. Their framework couples a genetic algorithm (GA) ensemble—combining Relevance Vector Machines (RVM), Random Forests (RF), Elastic Net, Autoregression (AR), and Long Short-Term Memory (LSTM) networks—with an interactive operational dashboard. However, the authors explicitly conclude that their framework operates purely on deterministic point predictions, formally designating the quantification of prediction uncertainty and confidence bounds as critical future work [15].

Methodological Synthesis: The literature conclusively establishes that constructing a Digital Twin architecture for industrial asset monitoring is mature prior art [3], [13]. However, existing DT platforms predominantly treat machine learning components as black-box point estimators, lacking calibrated uncertainty quantification and risk-directed decision policies [14], [15].

Theme 2: Data-Driven RUL Estimation and Prognostic Regression

Data-driven prognostic modeling seeks to estimate an asset's Remaining Useful Life ($y_i(t) = T_i - t$) directly from historical degradation sensor observations without requiring explicit physical partial differential equations [1], [7]. The foundational benchmark in this field is the Commercial Modular Aero-Propulsion System Simulation (C-MAPSS) dataset developed by Saxena et al. (2008) at NASA Ames Research Center [1]. Generating run-to-failure degradation trajectories for commercial turbofan engines under varying flight altitudes, Mach numbers, and throttle resolver angles, Saxena et al. also formulated an asymmetric scoring metric to reflect industrial reality, penalizing late prognostic estimates (which risk catastrophic breakdown) far more severely than early estimates [1].

In the contemporary literature, hundreds of machine learning studies have investigated RUL regression on C-MAPSS. Within the local corpus, Hosseinzadeh et al. (2023) [7] benchmarked Random Forests, Support Vector Machines, Multilayer Perceptrons, and LSTMs for early failure detection on manufacturing telemetry, establishing that deep temporal architectures systematically outperform shallow classifiers in capturing non-linear wear dynamics. In broader literature, Zheng et al. (2017) and Ma and Mao (2021) established Convolutional Neural Networks (CNNs) and deep LSTMs as state-of-the-art baselines for temporal feature extraction from multivariate sensor sequences.

Methodological Synthesis: Data-driven RUL point prediction is thoroughly investigated in the reliability literature. However, deterministic point estimators optimize symmetric loss functions (such as MSE or RMSE) that treat positive and negative prediction errors identically [1], [7]. In real-world aviation and energy operations, an overestimation error of +10 cycles leads to catastrophic in-service engine failure, whereas an underestimation error of −10 cycles merely results in premature maintenance [1]. Point predictors are fundamentally incapable of communicating tail risk or epistemic uncertainty to human operators.

Theme 3: Distribution-Free Conformal Prediction and Uncertainty Calibration

Recognizing the hazards of deterministic forecasting, reliability researchers have developed probabilistic prognostic methods, such as Gaussian Process regression, Bayesian Neural Networks, and Monte Carlo dropout [18], [21]. However, traditional Bayesian and parametric techniques depend heavily upon restrictive distributional assumptions (e.g., Gaussian noise priors) that rarely hold across severe, non-linear machine degradation dynamics [21], [23].

To provide distribution-free statistical validity, Inductive Conformal Prediction (ICP)—founded on algorithmic learning theory by Vovk et al.—has gained significant momentum in prognostics [23], [29]. Javanmardi and Hüllermeier (2023) [23] provided the first systematic evaluation of split conformal prediction for RUL estimation on NASA C-MAPSS, utilizing CNN and Gradient Boosted Decision Tree (GBDT) predictors to construct prediction intervals with guaranteed marginal coverage under exchangeability assumptions. Diao et al. (2026) [19] advanced this paradigm by combining LSTM-based Quantile Regression with Conformalized Quantile Regression (CQR) on C-MAPSS FD001 and FD002, demonstrating that conformal calibration corrects empirical undercoverage and incorporating degradation life-stage analysis. Robinson (2026) [25] introduced asymmetric CQR across all four C-MAPSS subsets, establishing risk-aware intervals that adjust coverage bounds to reflect operational risk. BenAbdennour (2026) [26] evaluated interval-safety calibration and leakage-controlled grouped validation across engine, battery, and bearing degradation benchmarks, emphasizing the critical importance of preventing temporal data leakage.

Despite these advancements, standard conformal prediction assumes data exchangeability, which is fundamentally violated by industrial time-series telemetry exhibiting strong temporal autocorrelation and discrete operating regime shifts [22], [29]. Yang et al. (2026) [22] investigated bearing RUL degradation under operating regime shifts, proposing empirical residual calibration and revealing that global conformal calibration frequently masks severe conditional miscalibration across

distinct operational regimes. Similarly, Hong Yan (2026) [24] deposited a comprehensive software reproducibility artifact auditing conformal prediction intervals across C-MAPSS operating regimes, exposing localized coverage vulnerabilities. To address clustered data structures, Lee, Barber, and Willett (2023) [29] established theoretical bounds for distribution-free hierarchical inference, providing mathematical foundations for multi-level calibration.

Methodological Synthesis: Conformal prediction offers mathematically rigorous, finite-sample marginal coverage guarantees [23]. However, existing applications in prognostics either evaluate global marginal coverage in isolation or examine conditional diagnostics post-hoc without establishing how conditional calibration influences downstream operational decisions [19], [22].

Theme 4: Decision-Aware Maintenance Optimization and Cost Modeling

Prognostic models derive operational value exclusively through the maintenance decisions they inform [17], [18]. Chen et al. (2022) [17] investigated data-driven predictive maintenance strategies that explicitly account for RUL prediction uncertainty, modeling maintenance scheduling thresholds. Zhu et al. (2025) [18] investigated aero-engine predictive maintenance strategies on C-MAPSS by generating prediction intervals via deep-learning Monte Carlo dropout and integrating them into a maintenance-cost optimization model that weighs preventive replacement against unscheduled failure costs. Walia and Kumar (2026) [20] coupled quantile regression (CNN/GRU) with Proximal Policy Optimization (PPO) reinforcement learning to formulate an optimal sequential maintenance scheduling policy on NASA turbofan telemetry.

In structural reliability, Brighenti et al. (2024) [10] developed a decision support system (DSS) integrating Markov Chain damage forecasting to prioritize maintenance interventions under budget constraints. Hisamuddin et al. (2026) [11] emphasized the necessity of integrating predictive models directly with multi-criteria maintenance decision engines in urban infrastructure. From a statistical decision-theoretic perspective, Cortes-Gomez et al. (2025) [30] introduced "Utility-Directed Conformal Prediction" at ICLR 2025, formulating a framework where conformal nonconformity scores are calibrated directly against downstream utility and decision loss rather than generic symmetric interval width. Standard scoring rules, such as the Winkler interval score analyzed by Gneiting and Raftery (2007) [28], provide statistical penalization for interval width and coverage breaches, while Lakens (2017) [27] formalizes statistical equivalence testing necessary for non-inferiority comparisons.

Methodological Synthesis: Prior work demonstrates that linking uncertainty to maintenance decisions is vital [17], [18], [20]. However, existing frameworks either

optimize decision heuristics using uncalibrated parametric intervals or evaluate calibrated conformal intervals using purely statistical loss metrics (MPIW/Winkler score) decoupled from sequential operational costs [18], [19], [30]. Furthermore, the literature lacks rigorous controls to verify whether observed maintenance benefits stem from genuine uncertainty calibration or merely reflect trivial over-conservatism (e.g., arbitrarily replacing components early) [17], [20].

4.3 Comparative Synthesis and Closest-Work Comparison Matrix

To delineate the precise boundaries between existing literature and the IntelliTwin framework, Table 1 provides a multi-dimensional comparative synthesis of the ten closest verified works cataloged in the repository corpus.

Table 1: Comparative Synthesis of Closest Works vs. IntelliTwin Framework

Study & Citation	Asset Benchmark	Base Model Architecture	Uncertainty / Calibration Method	Cond. Cov.?	Cost Sim.?	DT Comp.?	Primary Stated Boundary / Gap
Wu et al. (2026) [15]	CS2_35 Battery	GA-Ensemble (RVM, RF, AR, LSTM)	None (Deterministic Point Prediction)	No	No	Yes	Uncertainty quantification formally identified as future work.
Chen et al. (2022) [17]	Industrial Assets	Parametric Regression	Variance Modeling	No	Yes	No	Relies on parametric uncertainty; no distribution-free guarantees.
Zhu et al. (2025) [18]	C-MAPSS Aero-Engine	Deep Learning	Monte Carlo Dropout Intervals	No	Yes	No	Parametric Gaussian assumptions; lacks conformal calibration.
Diao et al. (2026) [19]	C-MAPSS FD001, FD002	LSTM Quantile Regression	Conformalized Quantile Regression (CQR)	Yes	No	No	Upstream of decision support; no maintenance cost simulation.
Walia & Kumar (2026) [20]	NASA Turbofan	CNN / GRU	Quantile Regression + PPO Scheduling	No	Yes	No	Lacks finite-sample conformal calibration guarantees.
Xu et al. (2026) [21]	Degradation Data	Deep Neural Network	Uncertainty Quantification & Calibration	No	No	No	Framework focused on UQ; uncoupled from maintenance policy.
Yang et al. (2026) [22]	PHME Bearings	Representation Model	Empirical Residual Calibration	Yes	Retros.	No	Post-hoc diagnostics; lacks prospective sequential policy.
Javanmardi et al. (2023) [23]	C-MAPSS Benchmark	CNN & GBDT	Split Conformal Prediction (ICP)	No	No	No	Strictly marginal coverage; no regime or maintenance modeling.
Robinson (2026) [25]	C-MAPSS FD001–FD004	Gradient Boosting	Asymmetric CQR Conformal Calibration	Yes	No	No	Lacks hierarchical engine weighting and matched controls.
BenAbdennour (2026) [26]	Engine, Battery, Bearing	Multi-Domain ML	Interval-Safety Calibration	Yes	Safety	No	Diagnostic safety scoring; lacks economic policy optimization.
IntelliTwin (Proposed)	**C-MAPSS FD001, FD002, FD004**	**HistGBR & PyTorch LSTM**	**Decision-Aware Engine-Weighted Conformal**	**Yes**	**Yes (SCU)**	**Yes (Replay)**	**Jointly evaluates condition-adaptive calibration, sequential utility, and matched-conservatism controls.**

4.4 Critical Methodological Observations and Research Gap Formulation

A rigorous analysis of Table 1 and the broader literature synthesis yields four foundational methodological observations that formally establish the research gap addressed by IntelliTwin:

1. **Fragmentation between Conformal Calibration and Operational Economics:** Prior research has treated conformal RUL prediction [19], [23], [25] and uncertainty-aware maintenance optimization [17], [18], [20] as completely

decoupled disciplines. Studies developing conformal prediction intervals evaluate their performance exclusively against statistical metrics such as Mean Prediction Interval Width (MPIW) or Winkler scores [19], [23], which do not reflect the asymmetric economic reality where catastrophic in-service engine failure costs dramatically outweigh scheduled overhaul expenses ($C_{\mathrm{FAIL}} \gg C_{\mathrm{PM}}$) [1], [18]. Conversely, studies evaluating maintenance cost policies rely on parametric distributions (e.g., Gaussian assumptions in MC dropout) or heuristic quantile regression that lack finite-sample, distribution-free statistical coverage guarantees [18], [20].

2. **Vulnerability of Marginal Conformal Guarantees Under Operational Shifts:** Standard split conformal prediction provides guaranteed marginal coverage over the entire data population under the assumption of exchangeability [23], [29]. However, machine degradation telemetry violates exchangeability due to operating regime transitions (e.g., 6 distinct flight conditions in C-MAPSS FD002) and non-stationary wear accumulation [1], [22]. As demonstrated by Diao et al. [19] and Yang et al. [22], global calibration can satisfy a nominal 90% marginal coverage requirement across a fleet while simultaneously exhibiting severe, systematic undercoverage during high-stress operational regimes or critical terminal life stages ($t \to T_i$). In safety-critical aerospace operations, a localized failure rate of 30% during terminal wear stages is unacceptable, regardless of whether fleet-wide marginal coverage reaches 90%.
3. **Absence of Matched-Conservatism Attribution Controls:** In prognostic decision frameworks that utilize lower prediction bounds $L_i(t)$ as replacement triggers, simple heuristic policies—such as arbitrarily widening prediction intervals, enforcing ad-hoc safety margins, or systematically shifting maintenance interventions to earlier flight cycles—can artificially eliminate catastrophic failures [17], [18]. However, this safety is purchased through extreme conservatism that squanders massive usable component life (C_{WASTE}) and inflates lifecycle expenditure [8], [18]. Existing prognostic literature almost universally fails to include matched-conservatism control baselines, leaving it fundamentally unverified whether observed maintenance improvements stem from genuine decision-aware uncertainty calibration or merely reflect trivial over-conservative early replacement [20].
4. **Disconnection between Machine Learning Models and Digital Twin Platforms:** While industrial surveys emphasize the transformative potential of Digital Twins for predictive maintenance [3], [13], deployed and prototype DT platforms (such as Wu et al. [15]) remain reliant on deterministic point

predictions, treating uncertainty quantification as an unresolved future problem [14], [15]. There is an absence of reproducible Digital Twin architectures that integrate continuous telemetry streaming, causal feature windowing, and calibrated conformal uncertainty intervals into an actionable operator dashboard [3], [15].

The Identified Research Gap

Synthesizing these observations confirms the precise research gap formulated in the project's pre-registered research design (ADR-018):

> *"Existing RUL research has separately studied conformal uncertainty calibration, condition/regime-aware calibration, and uncertainty-aware maintenance decision-making. What remains insufficiently established is a RUL-specific method that jointly adapts calibration to operating conditions and downstream sequential maintenance consequences while preserving reliable uncertainty coverage. Our study will therefore investigate whether decision-aware, condition-adaptive conformal calibration can improve maintenance utility without sacrificing subgroup reliability or merely becoming more conservative."*

In strict adherence to academic integrity, IntelliTwin does not assert global novelty for conformal prediction, deep learning prognostics, or Digital Twin architectures individually. Rather, the project's scientific contribution lies in the **method-level integration** and rigorous empirical investigation of condition-adaptive conformal calibration coupled directly to sequential maintenance economics and audited against matched-conservatism baselines [19], [23], [30].

References

1. A. Saxena, K. Goebel, D. Simon, and N. Eklund, “Damage propagation modeling for aircraft engine run-to-failure simulation,” in *Proc. 2008 Int. Conf. Prognostics and Health Management (PHM)*, IEEE, 2008, pp. 1–9.
2. D. Diana, Putri, and A. A. Mukti, “AI-Driven Digital Twin for predictive maintenance in urban infrastructure: Enhancing structural resilience and sustainability,” *Civil Eng. Sci. Technol.*, vol. 1, no. 1, pp. 63–74, 2025.
3. Z. Huang, Y. Shen, J. Li, M. Fey, and C. Brecher, “A survey on AI-driven digital twins in Industry 4.0: Smart manufacturing and advanced robotics,” *Sensors*, vol. 21, no. 19, p. 6340, 2021.
4. S. Mazzetto, “A review of urban digital twins integration, challenges, and future directions in smart city development,” *Sustainability*, vol. 16, no. 19, p. 8337, 2024.
5. H. Wei, “Digital twin and AI enabled predictive maintenance in building industry,” Ph.D. dissertation, School of Mech. and Aerospace Eng., Nanyang Technological Univ., Singapore, 2024.

6. S. F. Bello, I. U. Wada, O. B. Ige, E. C. Chianumba, and S. A. Adebayo, “AI-driven predictive maintenance and optimization of renewable energy systems for enhanced operational efficiency and longevity,” *Int. J. Sci. Res. Archive*, vol. 13, no. 1, pp. 2823–2837, 2024.
7. A. Hosseinzadeh, F. F. Chen, M. Shahin, and H. Bouzary, “A predictive maintenance approach in manufacturing systems via AI-based early failure detection,” *Manufacturing Letters*, vol. 35, pp. 1179–1186, 2023.
8. H. K. Shehadeh, “Evaluating the impact of transitioning maintenance strategy from reactive to proactive in power generation companies: An empirical analysis,” *WSEAS Trans. Bus. Econ.*, vol. 21, pp. 838–856, 2024.
9. V. Mousavi, M. Rashidi, M. Mohammadi, and B. Samali, “Evolution of digital twin frameworks in bridge management: Review and future directions,” *Remote Sens.*, vol. 16, no. 11, p. 1887, 2024.
10. F. Brighenti, M. F. Bado, F. Romeo, and D. Zonta, “Forecasting bridge damage within a predictive structural reliability-based DSS,” *Autom. Constr.*, vol. 168, p. 105740, 2024.
11. M. Hisamuddin, M. T. Hussain, and R. Fatima, “AI-driven digital twins for smart urban infrastructure: A comparative survey of monitoring and predictive maintenance methodologies,” Khaja Bandanawaz University, Research Report, 2026.
12. A. K. M. R. Mahmud, R. I. Hriti, M. M. Hasan, M. N. Uddin, and A. R. Roy, “AI-augmented digital twin architecture for predictive maintenance in smart urban infrastructure: A cross-domain engineering framework,” *Eur. J. Appl. Sci. Eng. Technol.*, vol. 3, no. 5, pp. 45–58, 2025.
13. S. K. K. Hasan and C. W. Crawford, “A new era for digital twins: Progress and industry adoption,” *Digital Twin*, vol. 2, no. 4, p. 2555877, 2025.
14. B. P. Pathri and K. V. Ganduri, “From smart cities to manufacturing: A comprehensive study on digital twin applications and barrier,” *IET Digit. Twins Appl.*, vol. 2, p. e70014, 2025.
15. J. Wu, Y. Zhou, X. Wang, C. Chen, Y. Ma, and C. Zhang, “Research on remaining useful life prediction of equipment based on digital twins,” *Sensors*, vol. 26, no. 4, p. 1240, 2026.
16. M. A. Belay, A. Rasheed, and P. S. Rossi, “Digital twin-driven communication-efficient federated anomaly detection for industrial IoT,” Preprint submitted to IEEE / NTNU, 2026.
17. C. Chen, J. Shi, N. Lu, Z. H. Zhu, and B. Jiang, “Data-driven predictive maintenance strategy considering the uncertainty in remaining useful life prediction,” *Neurocomputing*, vol. 494, pp. 79–88, 2022.
18. Z. Zhu, L. Wang, M. Chen, and X. Zhao, “Predictive maintenance strategies for aero-engines considering remaining useful life prediction interval,” *Qual. Reliab. Eng. Int.*, 2025.
19. R. Diao, M. Zhou, G. Meng, and S. Wang, “Turbofan engine remaining useful life prediction with reliable prediction intervals via LSTM-based quantile regression and conformal calibration,” *Sensors*, vol. 26, no. 7, p. 2249, 2026.
20. G. K. Walia and M. Kumar, “Uncertainty-aware remaining useful life prediction and PPO based optimal maintenance scheduling in industrial IoT,” *Reliab. Eng. Syst. Saf.*, p. 112356, 2026.
21. W. Xu, S. Gao, Z. Wang, and E. Zio, “A novel uncertainty-aware framework for remaining useful life prediction integrating uncertainty quantification and calibration,” *Reliab. Eng. Syst. Saf.*, vol. 275, p. 112763, 2026.
22. S. Yang, J. Wang, and Y. Wang, “Empirical calibration and conditional-reliability diagnostics for bearing RUL prediction under operating-regime shift,” *arXiv preprint arXiv:2607.08273*, 2026.
23. A. Javanmardi and E. Hüllermeier, “Conformal prediction intervals for remaining useful lifetime estimation,” *Int. J. Progn. Health Manag.*, vol. 14, no. 2, pp. 1–14, 2023.

24. H. Yan, “Conformal prediction intervals for turbofan remaining useful life: An audit across operating regimes (code and run artifacts),” Zenodo reproducibility artifact, DOI: 10.5281/zenodo.21330745, 2026.
25. C. D. Robinson, “Remaining useful life estimation for aircraft engines with risk-aware prediction intervals via conformalized quantile regression,” *Int. J. Progn. Health Manag.*, vol. 17, no. 1, p. 4724, 2026.
26. A. BenAbdennour, “Leakage-controlled grouped validation and interval-safety calibration for RUL/SOH prediction using engine, battery, and bearing degradation data,” *Machines*, vol. 14, no. 10, p. 1124, 2026.
27. D. Lakens, “Equivalence tests: A practical primer for t tests, correlations, and meta-analyses,” *Soc. Psychol. Personal. Sci.*, vol. 8, no. 4, pp. 355–362, 2017.
28. T. Gneiting and A. E. Raftery, “Strictly proper scoring rules, prediction, and estimation,” *J. Am. Stat. Assoc.*, vol. 102, no. 477, pp. 359–378, 2007.
29. Y. Lee, R. F. Barber, and R. Willett, “Distribution-free inference with hierarchical data,” *arXiv preprint arXiv:2306.06342*, 2023.
30. S. Cortes-Gomez, C. M. Patiño, Y. Byun, S. Wu, E. Horvitz, and B. Wilder, “Utility-directed conformal prediction: A decision-aware framework for actionable uncertainty quantification,” in *Int. Conf. Learn. Represent. (ICLR)*, 2025.