Software Engineering of Distributed Systems, KTH

Programming Web Services Homework 3

Lab of UDDI

1. A short description of your activities for installation of the tools (what problems did you face)

Answer:

1.1 Installation of Java EE SDK

step 1: go to http://java.sun.com/javaee/downloads/index.jsp

step 2: click "Download with JDK"

step 3: select Windows as Platform, English as Language, confirm the license and continue

step 4: click <u>java_ee_sdk-5_04-windows.exe</u> and run

step5: follow the instruction to install Java EE SDK

1.2 Installation of Netbeans and GlassFish

step 1: go to http://download.netbeans.org/netbeans/6.0/final/

step 2: download "java and web EE" edition

step 3: install Netbeans with GlassFish

1.3 Installation of AXIS 1.4

step 1: go to http://apache.dataphone.se/ws/axis/1_4/

step 2: download "axis-bin-1 4.zip" and unzip to local disk

step 3: copy %AXIS_HOME%/webapps/axis to %TOMECAT_HOME%/webapps

step 4: copy %AXIS_HOME%/lib/* to my project lib

1.4 Installation of MySQL

step 1: go to http://dev.mysql.com/downloads/mysql/5.0.html#win32

step 2: download "Windows ZIP/Setup.EXE (x86)" and run setup

step 3: follow the install guide and install MySQL

2. A short description of your activities for installation the UDDI registry.

Answer:

step 1: go to http://ws.apache.org/juddi/releases.html

step 2: download juddi-web-2.0rc5.war

step 3: rename juddi-web-2.0rc5.war to juddi.war

step 4: copy juddi.war to %GLASSFISH_HOME%/domains/domain1/autodeploy

step 5: create a database named "juddi" in MySQL

step 6: dump "create_database.sql" from juddi_home into DATABASE juddi

step 7: start GlassFish and configure a JNDI Datasource with a name of 'jdbc/juddiDB' in the GlassFish

step 8: start GlassFish and use http://localhost:8080/juddi to visit juddi home page

3. A protocol of compilation and execution of FindBusinessEntity.java

Answer:

3.1 compile:

go to PROJECT_HOME and use follow command to compile FindBusinessEntity.java

"C:\Program Files\Java\jdk1.6.0_04\bin\javac" -classpath "C:\Documents and Settings\Tom\.IntelliJIdea70\system\webservices\axis-1.4.0\wsdl4j-1.5.1.jar;C:\Documents and Settings\Tom\.IntelliJIdea70\system\webservices\axis-1.4.0\log4j-1.2.8.jar;C:\Documents and Settings\Tom\.IntelliJIdea70\system\webservices\axis-1.4.0\saaj.jar;C:\Documents and Settings\Tom\.IntelliJIdea70\system\webservices\axis-1.4.0\jaxrpc.jar;C:\Documents and Settings\Tom\.IntelliJIdea70\system\webservices\axis-1.4.0\commons-logging-1.0.4.jar;C:\Documents and Settings\Tom\.IntelliJIdea70\system\webservices\axis-1.4.0\commons-discovery-0.2.jar;C:\Documents and Settings\Tom\.IntelliJIdea70\system\webservices\axis-1.4.0\axis.jar;C:\Program Files\Java\jdk1.6.0_04\jre\lib\charsets.jar;C:\Program Files\Java\jdk1.6.0_04\jre\lib\javaws.jar;C:\Program Files\Java\jdk1.6.0_04\jre\lib\javaws.jar;C:\Program Files\Java\jdk1.6.0_04\jre\lib\javaws.jar;C:\Program Files\Java\jdk1.6.0_04\jre\lib\javaws.jar;C:\Program Files\Java\jdk1.6.0_04\jre\lib\javaws.jar;C:\Program Files\Java\jdk1.6.0_04\jre\lib\javaws.jar;C:\Program Files\Java\jdk1.6.0_04\jre\lib\javaws.jar;C:\Program Files\Java\jdk1.6.0_04\jre\lib\javaws.jar;C:\Program

Files\Java\jdk1.6.0_04\jre\lib\jsse.jar;C:\Program Files\Java\jdk1.6.0_04\jre\lib\management-

agent.jar;C:\Program Files\Java\jdk1.6.0_04\jre\lib\plugin.jar;C:\Program

Files\Java\jdk1.6.0 04\jre\lib\resources.jar;C:\Program

Files\Java\jdk1.6.0_04\jre\lib\rt.jar;C:\Program

Files\Java\jdk1.6.0 04\jre\lib\ext\dnsns.jar;C:\Program

Files\Java\jdk1.6.0 04\jre\lib\ext\localedata.jar;C:\Program

Files\Java\jdk1.6.0_04\jre\lib\ext\sunjce_provider.jar;C:\Program

Files\Java\jdk1.6.0 04\jre\lib\ext\sunmscapi.jar;C:\Program

 $Files \label{libextsunpkcs11.jar;C:\ldeaProjects\PWS_HW2\out\production\PWS_HW2\out\produ$

_HW2;C:\IntelliJ_IDEA_7.0.2\lib\javaee.jar;C:\sun_mail;C:\sun_mail\mail.jar;C:\activation;C:\acti

vation\activation.jar;C:\junit4.4;C:\junit4.4\junit-4.4-src.jar;C:\junit4.4\junit-

4.4.jar;C:\juddi2_client;C:\juddi2_client\juddi-2.0rc5.jar;C:\juddi2_client\juddi-client-

 $2.0 rc 5. jar; C: \label{lij_IDEA_7.0.2} lib idea_rt. jar ". \labe$

3.2 execute:

go to PROJECT_HOME and use follow command to execute FindBusinessEntity.java

"C:\Program Files\Java\jdk1.6.0_04\bin\java" -classpath "C:\Documents and

Settings\Tom\.IntelliJIdea70\system\webservices\axis-1.4.0\wsdl4j-1.5.1.jar;C:\Documents and

Settings\Tom\.IntelliJIdea70\system\webservices\axis-1.4.0\log4j-1.2.8.jar;C:\Documents and

Settings\Tom\.IntelliJIdea70\system\webservices\axis-1.4.0\saaj.jar;C:\Documents and

Settings\Tom\.IntelliJIdea70\system\webservices\axis-1.4.0\jaxrpc.jar;C:\Documents and

Settings\Tom\.IntelliJIdea70\system\webservices\axis-1.4.0\commons-logging-

1.0.4.jar;C:\Documents and Settings\Tom\.IntelliJIdea70\system\webservices\axis-

1.4.0\commons-discovery-0.2.jar;C:\Documents and

Settings\Tom\.IntelliJIdea70\system\webservices\axis-1.4.0\axis.jar;C:\Program

Files\Java\jdk1.6.0_04\jre\lib\charsets.jar;C:\Program

Files\Java\jdk1.6.0_04\jre\lib\deploy.jar;C:\Program

Files\Java\jdk1.6.0 04\jre\lib\javaws.jar;C:\Program

Files\Java\jdk1.6.0_04\jre\lib\jce.jar;C:\Program

 $Files \label{libine} Files \label{libine} Files \label{libine} I ava \label{libine} I ava \label{libine} Files \label{libine} I ava \label{libine} Files \label{libine} I ava \$

agent.jar;C:\Program Files\Java\jdk1.6.0_04\jre\lib\plugin.jar;C:\Program

Files\Java\jdk1.6.0_04\jre\lib\resources.jar;C:\Program

Files\Java\jdk1.6.0_04\jre\lib\rt.jar;C:\Program

Files\Java\jdk1.6.0_04\jre\lib\ext\localedata.jar;C:\Program

Files\Java\jdk1.6.0_04\jre\lib\ext\sunjce_provider.jar;C:\Program

Files\Java\jdk1.6.0_04\jre\lib\ext\sunmscapi.jar;C:\Program

Files\Java\jdk1.6.0 04\jre\lib\ext\sunpkcs11.jar;C:\ldeaProjects\PWS HW2\out\production\PWS

_HW2;C:\IntelliJ_IDEA_7.0.2\lib\javaee.jar;C:\sun_mail;C:\sun_mail\mail.jar;C:\activation;C:\acti

vation\activation.jar;C:\junit4.4;C:\junit4.4\junit-4.4-src.jar;C:\junit4.4\junit-

 $2.0 rc 5. jar; C: \label{lij_IDEA} 2.0. 2 \lib \liber{liber} idea_rt. jar" com. biibles of t. pws. hw 3. Find Business Entity and the liberal com. biibles of t. pws. hw 3. Find Business Entity and the liberal com. biibles of t. pws. hw 3. Find Business Entity and the liberal com. biibles of t. pws. hw 3. Find Business Entity and the liberal com. biibles of t. pws. hw 3. Find Business Entity and the liberal com. biibles of t. pws. hw 3. Find Business Entity and the liberal com. biibles of t. pws. hw 3. Find Business Entity and the liberal com. biibles of t. pws. hw 3. Find Business Entity and the liberal com. biibles of t. pws. hw 3. Find Business Entity and the liberal com. biibles of t. pws. hw 3. Find Business Entity and the liberal com. biibles of t. pws. hw 3. Find Business Entity and the liberal com. biibles of t. pws. hw 3. Find Business Entity and the liberal com. biibles of t. pws. hw 3. Find Business Entity and the liberal com. biibles of t. pws. hw 3. Find Business Entity and the liberal com. biibles of the lib$

3.3 output

Follow table are output of FindBusinessEntity.java (formatted)

Name of Business found:

SkatesTown

url -> http://localhost:8080/juddi/uddiget.jsp?businesskey=5A2EA9D0-D7F1-11DC-B811-9565EF1EBB50

SkatesTown

url -> http://localhost:8080/juddi/uddiget.jsp?businesskey=127ACC40-D7F1-11DC-B811-E0E565F9AFB2

SkatesTown

url -> http://localhost:8080/juddi/uddiget.jsp?businesskey=B4273E80-D7DC-11DC-AD8A-F895A8E56DDB

SkatesTown

url -> http://localhost:8080/juddi/uddiget.jsp?businesskey=699B86F0-D3F9-11DC-A71E-E2123889688B

SkatesTown

url -> http://localhost:8080/juddi/uddiget.jsp?businesskey=2EAC3D00-D3EA-11DC-BD00-94A260B3E523

SkatesTown

url -> http://localhost:8080/juddi/uddiget.jsp?businesskey=0D0FA790-D3EA-11DC-A790-A15B2B6B5F04

SkatesTown

url -> http://localhost:8080/juddi/uddiget.jsp?businesskey=07F7A370-D3EA-11DC-A370-E9E593D3F496

SkatesTown

url -> http://localhost:8080/juddi/uddiget.jsp?businesskey=F7F520B0-D3E9-11DC-A0B0-FEFB25DBB03D

SkatesTown

url -> http://localhost:8080/juddi/uddiget.jsp?businesskey=ED087F30-D3E9-11DC-BF30-F7214F2A11F8

SkatesTown

url -> http://localhost:8080/juddi/uddiget.jsp?businesskey=D97C1260-D3E9-11DC-9260-D81FED3C1103

done.

4. Source code for finding all business entities that have name "SkatesTown".

Answer:

check the source file:

%PROJECT_HOME% \src\com\biiblesoft\pws\hw3\FindBusinessEntityNamedSkatesTown.java

5. Results of running PublishBusinessEntity.java and publishing you CalculatorService from homework 2 in the UDDI registry.

Answer:

5.1 Result of Publishing Business Entity

Follows are the output of PublishBusinessEntity.java

Successful get AuthToken!

AuthToken = authToken:0602E820-D7F7-11DC-B811-AE6221A292FA

Registry Successful!

Published businessEntity key: 0613B100-D7F7-11DC-B811-FDD191A23C31.

and we can use this link to find the business we just published:

 $\frac{\text{http://localhost:}8080/\text{juddi/uddiget.jsp?businesskey=}0613B100-D7F7-11DC-B811-FDD191A23C31}{\text{butter:}}$

done.

5.2 Result of Publishing WSDL to UDDI registry

To publish a WSDL to UDDI we have to create a tModel of our Calculator Service and bind the tModel to a BusinessService

5.2.1 Result of Publishing WSDL tModel

Follows are the output of SaveCalcTModel.java

save_CalculatorService_tModel
-----userID: jdoe
password:

AuthToken: authToken:79ED1850-D810-11DC-9850-BE6818908C25
TModel Key: uuid:79FB7030-D810-11DC-B030-A69DA691C47F

5.2.2 Result of Publish a business service and associated binding template above

Before we run the PublishWSDLService.java we have to copy the tModel Key which we get when we save Calculator Service as tModel to *PublishWSDLService.java*.

And use this code to set the tModel Key:

tModelInstanceInfo.setTModelKey("uuid:79FB7030-D810-11DC-B030-A69DA691C47F");

Follows are the output of PublishWSDLService.java

userID: jdoe password:

AuthToken: authToken:C38306E0-D811-11DC-86E0-A168D21CE7CC

Successful Publish the following Service

Name = Calculator Service

Business Key = 4C3F8BC0-D3D5-11DC-B283-E46ED1945E25

Service Key = C393CFC0-D811-11DC-8FC0-E45591460515

Description = A Calculator Service By BiibleSoft

Binding Template:

Binding Key = C39619B0-D811-11DC-99B0-AD0F8837075E

Service Key = C393CFC0-D811-11DC-8FC0-E45591460515

Access Point = http://localhost:8080/axis/services/CalculatorService

TModel Instance Info:

TModel Key = uuid:79FB7030-D810-11DC-B030-A69DA691C47F

Instance Details:

Description = CalculatorService by BiibleSoft

Overview URL = http://localhost:8080/axis/services/CalculatorService?wsdl

done.

And we can use this link to check the WSDL on UDDI:

http://localhost:8080/juddi/uddiget.jsp?businesskey=4C3F8BC0-D3D5-11DC-B283-

E46ED1945E25

Screenshot:

```
Address 🎒 http://localhost:8080/juddi/uddiget.jsp?businesskey=4C3F8BC0-D3D5-11DC-B283-E46ED1945E25
💃 🤷 IT News 🦳 KTH. 🤭 Links. 📾 YouTube. 📾 百度 👝 Design. 📾 Google.cn. 📾 Lexin - Swedish-English dictionary. 📾 -Cannot Open the File- Mk-@MSITStore-C--Windows-Help-Windows.chn
http://localhost:808
            <br/>susinessService businessKey="4C3F8BC0-D3D5-11DC-B283-E46ED1945E25" serviceKey="08620670-D7FA-11DC-B811-C5E23FEDE6E6">
                <name>Calculator Service<
                 <description>A Calculator Service By BiibleSoft</description>
                - \documents - \do
                    <accessPoint URLType="http">http://localhost:8080/axis/services/CalculatorService</acces
- <tModelInstanceDetails>
                        - <tModelInstanceInfo tModelKev="uuid:4E49A8D6-D5A2-4FC2-93A0-0411D8D19E88">
                            - <instanceDetails:
                               - <overviewDoc>
                                       <description xml:lang="en">en</description:</pre>
                                        <overviewURL>http://localhost:8080/axis/services/CalculatorService?wsdl</overviewURL>
                                    </overviewDoc
                            </instanceDetails>
</tModelInstanceInfo>
                        /tModelInstanceDetails>
                     </bindingTemplate>
                 </br></bindingTemplates>
             </businessService
            - dusinessService businessKey="4C3F8BC0-D3D5-11DC-B283-E46ED1945E25" serviceKey="15FBE110-D80F-11DC-A110-98F32EE9D7AB"
                 <name >Calculator Service 
                  <description>A Calculator Service By BiibleSoft</description>
                <bindingTemplates:</pre>
                    debindingTemplate bindingKey="15FBE110-D80F-11DC-A110-FC281A87B6CF" serviceKey="15FBE110-D80F-11DC-A110-98F32EE9D7AB"
                        <accessPoint URLType="http">http://localhost:8080/axis/services/CalculatorService</access

    <tModelInstanceDetails:</li>

                        - <tModelInstanceInfo tModelKey="uuid:4E49A8D6-D5A2-4FC2-93A0-0411D8D19E88"</p>
                           - <instanceDetails>
                                       <description xml:lang
                                                                                    "en">en</description:
                                    <overviewURL>http://localhost:8080/axis/services/CalculatorService?wsdl</overviewURL>
</overviewDoc>
                                </instanceDetails>
                        </tModelInstanceInfo>
</tModelInstanceDetails>
                     </bindingTemplate>
```