

DualServe Complete Data Dictionary

This document outlines the complete data structures for the DualServe system.

AssetModel Data Table

FIELD NAME	DATA TYPE	FORMAT	LENGTH	DESCRIPTION
id	String	Alphanumeric	Varies	Unique identifier for this document.
name	String	Text	100-255	Full name or title of the AssetModel.
category	String	ISO 8601	—	High-level grouping classification.
type	AssetType	Enum/Custom	Varies	Type detail associated with the AssetModel.
status	AssetStatus	ISO 8601	—	Current status lifecycle state of the AssetModel.
plateNumber	String	ISO 8601	—	Plate number detail associated with the AssetModel.
assignedTo	String	Text	100-255	Assigned to detail associated with the AssetModel.
providerName	String	Text	100-255	Provider name detail associated with the AssetModel.
lastMaintenance	Timestamp	Varies	Varies	Last maintenance detail associated with the AssetModel.
nextMaintenance	Timestamp	Varies	Varies	Next maintenance detail associated with the AssetModel.
jobsCompleted	int	Numeric	—	Jobs completed detail associated with the AssetModel.
quantity	int	Numeric	—	Quantity detail associated with the AssetModel.
isConsumable	bool	Boolean	—	Is consumable detail associated with the AssetModel.
currentTaskId	String	Alphanumeric	Varies	Current task id detail associated with the AssetModel.
currentTaskLabel	String	Text	100-255	Current task label detail associated with the AssetModel.
ownerId	String	Alphanumeric	Varies	Owner id detail associated with the AssetModel.

AssetUsageLog Data Table

FIELD NAME	DATA TYPE	FORMAT	LENGTH	DESCRIPTION
id	String	Alphanumeric	Varies	Unique identifier for this document.
providerId	String	Alphanumeric	Varies	Reference ID to the associated Provider.
providerName	String	Text	100-255	Provider name detail associated with the AssetUsageLog.
taskId	String	Alphanumeric	Varies	Reference ID to the associated Task.
taskLabel	String	Text	100-255	Task label detail associated with the AssetUsageLog.
crewCount	int	Numeric	—	Crew count detail associated with the AssetUsageLog.
vehicleAssetId	String	Alphanumeric	Varies	Vehicle asset id detail associated with the AssetUsageLog.
vehicleName	String	Text	100-255	Vehicle name detail associated with the AssetUsageLog.
toolAssetIds	List<String>	JSON/Array	Varies	Tool asset ids detail associated with the AssetUsageLog.
toolNames	List<String>	JSON/Array	Varies	Tool names detail associated with the AssetUsageLog.
equipmentAssetIds	List<String>	JSON/Array	Varies	Equipment asset ids detail associated with the AssetUsageLog.
equipmentNames	List<String>	JSON/Array	Varies	Equipment names detail associated with the AssetUsageLog.
driverId	String	Alphanumeric	Varies	Reference ID to the assigned Driver.
driverName	String	Text	100-255	Driver name detail associated with the AssetUsageLog.
crewAssetIds	List<String>	JSON/Array	Varies	Crew asset ids detail associated with the AssetUsageLog.
crewNames	List<String>	JSON/Array	Varies	Crew names detail associated with the AssetUsageLog.
notes	String	Text	100-255	Additional context, instructions, or remarks.
createdAt	Timestamp	ISO 8601	—	Timestamp of when the record was initially created.

Booking Data Table

FIELD NAME	DATA TYPE	FORMAT	LENGTH	DESCRIPTION
id	String	Alphanumeric	Varies	Unique identifier for this document.
customerId	String	Alphanumeric	Varies	Reference ID to the associated Customer.
assignedProviderId	String	Alphanumeric	Varies	Assigned provider id detail associated with the Booking.
assignedDriverId	String	Alphanumeric	Varies	Assigned driver id detail associated with the Booking.
serviceType	String	Enum	Varies	Category or type of service requested (e.g., Towing, Household).
address	String	Text	100-255	Physical address text.
latitude	double	ISO 8601	—	Geographic latitude coordinate.
longitude	double	Numeric	—	Geographic longitude coordinate.
scheduledDate	Timestamp	ISO 8601	—	Scheduled date detail associated with the Booking.
scheduledTime	String	ISO 8601	—	Scheduled time detail associated with the Booking.
notes	String	Text	100-255	Additional context, instructions, or remarks.
status	BookingStatus	ISO 8601	—	Current status lifecycle state of the Booking.
createdAt	Timestamp	ISO 8601	—	Timestamp of when the record was initially created.
acceptedAt	Timestamp	ISO 8601	—	Accepted at detail associated with the Booking.
providerNotes	String	Text	100-255	Provider notes detail associated with the Booking.
estimatedCost	double	ISO 8601	—	Estimated cost detail associated with the Booking.
estimatedDurationMinutes	int	ISO 8601	—	Estimated duration minutes detail associated with the Booking.
specificService	String	Text	100-255	Specific service detail associated with the Booking.

Driver Data Table

FIELD NAME	DATA TYPE	FORMAT	LENGTH	DESCRIPTION
id	String	Alphanumeric	Varies	Unique identifier for this document.
providerId	String	Alphanumeric	Varies	Reference ID to the associated Provider.
name	String	Text	100-255	Full name or title of the Driver.
phone	String	Numeric/String	11-15	Primary contact phone number.
email	String	Email format	255	Primary email address used for contact/authentication.
status	DriverStatus	ISO 8601	—	Current status lifecycle state of the Driver.
latitude	double	ISO 8601	—	Geographic latitude coordinate.
longitude	double	Numeric	—	Geographic longitude coordinate.
createdAt	Timestamp	ISO 8601	—	Timestamp of when the record was initially created.

IncidentModel Data Table

FIELD NAME	DATA TYPE	FORMAT	LENGTH	DESCRIPTION
id	String	Alphanumeric	Varies	Unique identifier for this document.
title	String	Text	100-255	Title detail associated with the IncidentModel.
description	String	Text	100-255	Description detail associated with the IncidentModel.
type	IncidentType	Enum/Custom	Varies	Type detail associated with the IncidentModel.
latitude	double	ISO 8601	—	Geographic latitude coordinate.

longitude	double	Numeric	—	Geographic longitude coordinate.
createdAt	Timestamp	ISO 8601	—	Timestamp of when the record was initially created.
reportedBy	String	Text	100-255	Reported by detail associated with the IncidentModel.

Message Data Table

FIELD NAME	DATA TYPE	FORMAT	LENGTH	DESCRIPTION
id	String	Alphanumeric	Varies	Unique identifier for this document.
bookingId	String	Alphanumeric	Varies	Reference ID to the associated Booking.
senderId	String	Alphanumeric	Varies	Sender id detail associated with the Message.
receiverId	String	Alphanumeric	Varies	Receiver id detail associated with the Message.
text	String	Text	100-255	Text detail associated with the Message.
timestamp	Timestamp	ISO 8601	—	Timestamp detail associated with the Message.
isRead	bool	Boolean	—	Boolean flag indicating if a message/notification has been viewed.
imageUrl	String	URL	255	Image url detail associated with the Message.
senderRole	String	Enum	Varies	Sender role detail associated with the Message.

Provider Data Table

FIELD NAME	DATA TYPE	FORMAT	LENGTH	DESCRIPTION
id	String	Alphanumeric	Varies	Unique identifier for this document.
name	String	Text	100-255	Full name or title of the Provider.
email	String	Email format	255	Primary email address used for contact/authentication.
phone	String	Numeric/String	11-15	Primary contact phone number.
specialty	String	Text	100-255	Specialty detail associated with the Provider.
status	ProviderStatus	ISO 8601	—	Current status lifecycle state of the Provider.
rating	double	ISO 8601	—	Average or given score (e.g., out of 5).
totalReviews	int	Numeric	—	Total reviews detail associated with the Provider.
jobsCompleted	int	Numeric	—	Jobs completed detail associated with the Provider.
serviceType	String	Enum	Varies	Category or type of service requested (e.g., Towing, Household).
serviceTypes	List<String>	JSON/Array	Varies	Service types detail associated with the Provider.
blockOutDates	List<String>	ISO 8601	—	Block out dates detail associated with the Provider.
maxTasksPerDay	int	Numeric	—	Max tasks per day detail associated with the Provider.
createdAt	Timestamp	ISO 8601	—	Timestamp of when the record was initially created.
updatedAt	Timestamp	ISO 8601	—	Timestamp of when the record was last modified.
latitude	double	ISO 8601	—	Geographic latitude coordinate.
longitude	double	Numeric	—	Geographic longitude coordinate.
bio	String	Text	100-255	Bio detail associated with the Provider.
licenseNumber	String	Text	100-255	License number detail associated with the Provider.
yearsOfExperience	int	Numeric	—	Years of experience detail associated with the Provider.
totalEarnings	double	Numeric	—	Total earnings detail associated with the Provider.
totalRides	int	Numeric	—	Total rides detail associated with the Provider.
lastLocation	String	ISO 8601	—	Last location detail associated with the Provider.
profileImageUrl	String	URL	255	Profile image url detail associated with the Provider.
documentsVerified	bool	Boolean	—	Documents verified detail associated with the Provider.
backgroundCheckPassed	bool	Boolean	—	Background check passed detail associated with the Provider.
businessPermitUrl	String	URL	255	Business permit url detail associated with the Provider.
governmentIdUrl	String	URL	255	Government id url detail associated with the Provider.
verificationStatus	String	ISO 8601	—	Verification status detail associated with the Provider.
rejectionReason	String	Text	100-255	Rejection reason detail associated with the Provider.
inviteCode	String	Text	100-255	Invite code detail associated with the Provider.
serviceArea	String	Text	100-255	Service area detail associated with the Provider.

ProviderPricing Data Table

FIELD NAME	DATA TYPE	FORMAT	LENGTH	DESCRIPTION
providerId	String	Alphanumeric	Varies	Reference ID to the associated Provider.
cleaningMultiplier	double	Numeric	—	Cleaning multiplier detail associated with the ProviderPricing.
towingMultiplier	double	Numeric	—	Towing multiplier detail associated with the ProviderPricing.
useNightDifferential	bool	Boolean	—	Use night differential detail associated with the ProviderPricing.
notes	String	Text	100-255	Additional context, instructions, or remarks.
createdAt	Timestamp	ISO 8601	—	Timestamp of when the record was initially created.
updatedAt	Timestamp	ISO 8601	—	Timestamp of when the record was last modified.
nightSurchargeStartHour	int	Numeric	—	Night surcharge start hour detail associated with the ProviderPricing.
nightSurchargeEndHour	int	Numeric	—	Night surcharge end hour detail associated with the ProviderPricing.
nightSurchargePercent	double	Numeric	—	Night surcharge percent detail associated with the ProviderPricing.

Review Data Table

FIELD NAME	DATA TYPE	FORMAT	LENGTH	DESCRIPTION
id	String	Alphanumeric	Varies	Unique identifier for this document.
bookingId	String	Alphanumeric	Varies	Reference ID to the associated Booking.
customerId	String	Alphanumeric	Varies	Reference ID to the associated Customer.
providerId	String	Alphanumeric	Varies	Reference ID to the associated Provider.
rating	double	ISO 8601	—	Average or given score (e.g., out of 5).
comment	String	Text	100-255	Comment detail associated with the Review.
createdAt	Timestamp	ISO 8601	—	Timestamp of when the record was initially created.

ServiceDefinition Data Table

FIELD NAME	DATA TYPE	FORMAT	LENGTH	DESCRIPTION
type	ServicePricingType	Enum/Custom	Varies	Type detail associated with the ServiceDefinition.
flatRatePrice	double	ISO 8601	—	Flat rate price detail associated with the ServiceDefinition.
minPrice	double	Numeric	—	Min price detail associated with the ServiceDefinition.
pricePerSqm	double	Numeric	—	Price per sqm detail associated with the ServiceDefinition.
minSqm	int	Numeric	—	Min sqm detail associated with the ServiceDefinition.
addons	List<ServiceAddon>	JSON/Array	Varies	Addons detail associated with the ServiceDefinition.
subtypes	List<ServiceSubtype>	JSON/Array	Varies	Subtypes detail associated with the ServiceDefinition.
category	String	ISO 8601	—	High-level grouping classification.

ServiceAddon Data Table

FIELD NAME	DATA TYPE	FORMAT	LENGTH	DESCRIPTION
name	String	Text	100-255	Full name or title of the ServiceAddon.
price	double	Numeric	—	Price detail associated with the ServiceAddon.
pricingType	String	Enum	Varies	Pricing type detail associated with the ServiceAddon.

ServiceSubtype Data Table

FIELD NAME	DATA TYPE	FORMAT	LENGTH	DESCRIPTION
name	String	Text	100-255	Full name or title of the ServiceSubtype.
price	double	Numeric	—	Price detail associated with the ServiceSubtype.

TaskMilestone Data Table

FIELD NAME	DATA TYPE	FORMAT	LENGTH	DESCRIPTION
id	String	Alphanumeric	Varies	Unique identifier for this document.
title	String	Text	100-255	Title detail associated with the TaskMilestone.
isCompleted	bool	Boolean	—	Boolean flag indicating successful completion.
completedAt	Timestamp	ISO 8601	—	Completed at detail associated with the TaskMilestone.

Task Data Table

FIELD NAME	DATA TYPE	FORMAT	LENGTH	DESCRIPTION
id	String	Alphanumeric	Varies	Unique identifier for this document.
customerId	String	Alphanumeric	Varies	Reference ID to the associated Customer.
assignedProviderId	String	Alphanumeric	Varies	Assigned provider id detail associated with the Task.
assignedDriverId	String	Alphanumeric	Varies	Assigned driver id detail associated with the Task.
assignedDriverName	String	Text	100-255	Assigned driver name detail associated with the Task.
serviceType	String	Enum	Varies	Category or type of service requested (e.g., Towing, Household).
location	String	ISO 8601	—	Location detail associated with the Task.
latitude	double	ISO 8601	—	Geographic latitude coordinate.
longitude	double	Numeric	—	Geographic longitude coordinate.
scheduledDate	Timestamp	ISO 8601	—	Scheduled date detail associated with the Task.
description	String	Text	100-255	Description detail associated with the Task.
status	TaskStatus	ISO 8601	—	Current status lifecycle state of the Task.
priority	TaskPriority	Enum/Custom	Varies	Priority detail associated with the Task.
createdAt	Timestamp	ISO 8601	—	Timestamp of when the record was initially created.
updatedAt	Timestamp	ISO 8601	—	Timestamp of when the record was last modified.
estimatedCost	double	ISO 8601	—	Estimated cost detail associated with the Task.
finalCost	double	Numeric	—	Total computed final cost charged to the customer.
estimatedDurationMinutes	int	ISO 8601	—	Estimated duration minutes detail associated with the Task.
bookingId	String	Alphanumeric	Varies	Reference ID to the associated Booking.
completedImageUrl	String	URL	255	Completed image url detail associated with the Task.
completedAt	Timestamp	ISO 8601	—	Completed at detail associated with the Task.
barangay	String	Text	100-255	Barangay detail associated with the Task.
zone	String	Text	100-255	Zone detail associated with the Task.
landmarkDescription	String	Text	100-255	Landmark description detail associated with the Task.
problemCategory	String	ISO 8601	—	Problem category detail associated with the Task.
issueCategory	String	ISO 8601	—	Issue category detail associated with the Task.
adminFee	double	Numeric	—	Admin fee detail associated with the Task.
assignedTruckId	String	Alphanumeric	Varies	Assigned truck id detail associated with the Task.
assignedTruckName	String	Text	100-255	Assigned truck name detail associated with the Task.
assignedPersonnelIds	List<String>	JSON/Array	Varies	Assigned personnel ids detail associated with the Task.
assignedPersonnelNames	List<String>	JSON/Array	Varies	Assigned personnel names detail associated with the Task.
preTowPhotoUrls	List<String>	URL	255	Pre tow photo urls detail associated with the Task.
customerSignatureUrl	String	URL	255	Customer signature url detail associated with the Task.
milestones	List<TaskMilestone>	JSON/Array	Varies	Milestones detail associated with the Task.
progress	double	Numeric	—	Completion percentage or fractional progress (0.0 to 1.0).

Transaction Data Table

FIELD NAME	DATA TYPE	FORMAT	LENGTH	DESCRIPTION
id	String	Alphanumeric	Varies	Unique identifier for this document.
taskId	String	Alphanumeric	Varies	Reference ID to the associated Task.
bookingId	String	Alphanumeric	Varies	Reference ID to the associated Booking.
customerId	String	Alphanumeric	Varies	Reference ID to the associated Customer.
providerId	String	Alphanumeric	Varies	Reference ID to the associated Provider.
serviceType	String	Enum	Varies	Category or type of service requested (e.g., Towing, Household).
specificService	String	Text	100-255	Specific service detail associated with the Transaction.
basePrice	double	Numeric	—	Starting base cost before additions or multipliers.
distanceTraveled	double	Numeric	—	Distance traveled detail associated with the Transaction.
costPerKm	double	Numeric	—	Cost per km detail associated with the Transaction.
distanceSurcharge	double	Numeric	—	Distance surcharge detail associated with the Transaction.
finalCost	double	Numeric	—	Total computed final cost charged to the customer.
adminFee	double	Numeric	—	Admin fee detail associated with the Transaction.
additionalCost	double	Numeric	—	Additional cost detail associated with the Transaction.
status	TransactionStatus	ISO 8601	—	Current status lifecycle state of the Transaction.
paymentStatus	PaymentStatus	ISO 8601	—	Payment status detail associated with the Transaction.
providerNotes	String	Text	100-255	Provider notes detail associated with the Transaction.
completedAt	Timestamp	ISO 8601	—	Completed at detail associated with the Transaction.
recordedAt	Timestamp	ISO 8601	—	Recorded at detail associated with the Transaction.
createdAt	Timestamp	ISO 8601	—	Timestamp of when the record was initially created.