



Website Hosting & Domain Setup

Complete Step-by-Step User Manual

Domain Registration on BigRock • Web Hosting on MrHost (Plesk) • SSL • Git Deployment

DOMAIN PROVIDER

BigRock.in

HOSTING PROVIDER

MrHost (Plesk Panel)

VERSION

1.0 — Sept 2026

Complete Hosting Workflow Overview




Table of Contents

Prerequisites & Requirements

01

What you need before starting

02

Register a Domain on BigRock

Purchase and manage your domain name

03

Set Up Hosting Account on MrHost

Plesk control panel login and overview

04

Connect Domain to Hosting (DNS Setup)

Point your BigRock domain to MrHost server

05

Add Domain in Plesk Panel

Configure domain in hosting control panel

06

Deploy Website Files via Git

Push code from GitHub to live server

07

Install SSL Certificate (HTTPS)

Secure your site with free Let's Encrypt SSL

08

Set Up HTTP to HTTPS Redirect

Force all traffic through secure HTTPS

09

Verify & Test Your Website

Final checks and testing procedures

10

Troubleshooting & FAQ

Common issues and solutions

Prerequisites & Requirements

What you need before you begin the hosting setup process

Before setting up your website hosting, make sure you have the following ready:

- ✓ **Domain Name** — A registered domain (e.g., yourdomain.com) from BigRock
- ✓ **Hosting Account** — An active hosting plan from MrHost (Plesk-based)
- ✓ **Hosting Login Credentials** — Plesk URL, username, and password from MrHost
- ✓ **BigRock Login Credentials** — Email and password for your BigRock account
- ✓ **Website Files** — Your project code (HTML, CSS, JS, PHP, etc.) ready for deployment
- ✓ **GitHub Repository** (Optional) — If deploying via Git, push your code to GitHub first



Hosting Credentials Example (from MrHost):

Plesk URL: `http://YOUR_SERVER_IP:8880/login_up.php`

Username & Password: Provided by MrHost via email

Nameserver 1: `ns1.server.ayiarak.in`

Nameserver 2: `ns2.server.ayiarak.in`

Register a Domain on BigRock

How to purchase and manage your domain name at bigrock.in

1 Go to BigRock Website

Open your browser and navigate to:

```
https://www.bigrock.in
```

2 Search for Your Domain

In the search bar on the homepage:

1. Type your desired domain name (e.g., **yourdomain.com**)
2. Click "**Search**"
3. BigRock will show if the domain is available
4. Select the domain extension you want (.com, .in, .org, etc.)

3 Purchase the Domain

1. Click "**Add to Cart**" next to your chosen domain
2. Choose registration period (1 year, 2 years, etc.)
3. Review the cart and click "**Proceed to Checkout**"
4. Create a BigRock account (or log in if you already have one)
5. Complete payment via Credit Card / Debit Card / UPI / Net Banking



Tip: Skip any additional add-ons (hosting, email, etc.) offered during checkout — you already have hosting from MrHost.

4

Access Your Domain Management

After purchase, manage your domain:

<https://myorders.bigrock.in>

Log in with your BigRock email and password. You will see your domain listed under **"My Orders"**.

Set Up Hosting Account on MrHost

Log in to your Plesk control panel and understand the dashboard

1 Log in to Plesk Control Panel

Use the credentials provided by MrHost:

FIELD	VALUE
Plesk URL	<code>http://YOUR_SERVER_IP:8880/login_up.php</code>
Username	Your MrHost username
Password	Your MrHost password



Security: Change your password immediately after first login. Go to *My Profile* → *Change Password* in Plesk.

2 Understand the Plesk Dashboard

After logging in, you'll see the main Plesk dashboard with these key sections:

SECTION	PURPOSE
Websites & Domains	Manage domains, subdomains, and hosting settings
Files	File Manager — upload, edit, and manage website files
Databases	Create and manage MySQL / PostgreSQL databases
Mail	Set up email accounts for your domain
SSL/TLS Certificates	Install and manage SSL certificates
Git	Deploy code directly from GitHub/GitLab
FTP	FTP connection details for file upload

3 Note Your Server Details

Find and save these important details from Plesk (you'll need them later):

DETAIL	WHERE TO FIND
Server IP Address	Shown next to your domain in Websites & Domains
System User	Shown under domain details
Document Root	Hosting Settings → Document Root field

Connect Domain to Hosting (DNS Setup)

Point your BigRock domain to MrHost server using nameservers



Important: This is the most critical step. Without this, your domain won't connect to your hosting server. You have **2 options** — choose one.

Option A: Change Nameservers (Recommended)

This hands over full DNS control to your hosting provider.

1

Log in to BigRock

Go to <https://myorders.bigrock.in> and log in.

2

Open Domain Settings

Click on your domain name to open the management page.

[My Orders](#) → [yourdomain.com](#) → [Name Servers & DNS](#)

3 Update Nameservers

Replace the existing BigRock nameservers with MrHost nameservers:

OLD NAMESERVER (REMOVE)	NEW NAMESERVER (ENTER)
dns1.bigrock.in	ns1.server.ayiarak.in
dns2.bigrock.in	ns2.server.ayiarak.in
dns3.bigrock.in	(Remove — leave blank)
dns4.bigrock.in	(Remove — leave blank)

Click **"Update"** / **"Save"** to apply changes.

Option B: Add A Records (Faster Alternative)

Keep BigRock's nameservers but point the domain to your server IP via A records.

1 Go to DNS Records in BigRock

[My Orders](#) → [yourdomain.com](#) → [DNS Management](#) → [Manage DNS Records](#)

2

Add A Records

Click "+ Add A Record" and add these two records:

HOST	POINTS TO (IP ADDRESS)	TTL
@	YOUR_SERVER_IP	14400
www	YOUR_SERVER_IP	14400



Tip: Replace YOUR_SERVER_IP with the actual server IP from your Plesk panel (e.g., 94.136.187.4).

**DNS Propagation Time:**

- **Option A (Nameservers):** Takes 24–72 hours for full global propagation
- **Option B (A Records):** Usually propagates within minutes to a few hours

Check propagation status at: <https://www.whatsmydns.net>

Add Domain in Plesk Panel

Configure your domain inside the Plesk hosting control panel

1 Navigate to Websites & Domains

In the Plesk dashboard, go to:

[Plesk Dashboard](#) → [Websites & Domains](#)

2 Add Your Domain

If your hosting plan supports multiple domains:

1. Click **"Add Domain"**
2. Enter your domain name (e.g., yourdomain.com)
3. Set hosting type to **"Website hosting"**
4. Set document root (default: httpdocs)
5. Click **"OK"**



Single Domain Plan? If you don't see "Add Domain" option, your plan only supports one domain. Instead:

1. Go to **"Hosting Settings"** of the existing domain
2. Change the domain name to your new domain
3. Or add it as a **"Domain Alias"** under Hosting & DNS

3

Configure Hosting Settings

[Websites & Domains](#) → [yourdomain.com](#) → [Hosting Settings](#)

Verify these settings:

SETTING	RECOMMENDED VALUE
Document Root	<code>httpdocs</code> (or your project subfolder path)
SSL/TLS Support	☒ Enabled
Permanent redirect to HTTPS	☒ Enabled (after SSL setup)
PHP Version	Latest stable (8.x recommended)

Deploy Website Files via Git

Push your code from GitHub directly to the live server

Part A: Push Code to GitHub (Local Computer)

1 Initialize Git Repository

Open terminal/command prompt in your project folder and run:

```
# Initialize a new git repository
git init

# Add the remote GitHub repository
git remote add origin https://github.com/YOUR_USERNAME/YOUR_REPO.git

# Stage all files
git add .

# Create initial commit
git commit -m "Initial commit"

# Rename branch to main
git branch -M main

# Push to GitHub
git push -u origin main
```

Part B: Connect Git in Plesk (Server)

2 Open Git in Plesk

Websites & Domains → yourdomain.com → Dev Tools → Git

Click on **"Git"** under the Dev Tools section.

3 Add Repository

1. Click **"Add Repository"** or **"Clone Repository"**
2. Fill in the following details:

FIELD	VALUE
Remote Git Repository URL	<code>https://github.com/YOUR_USERNAME/YOUR_REPO.git</code>
Deploy to	<code>httpdocs</code> (your document root)
Branch	<code>main</code>
Auto-deploy	☒ Enable for automatic updates

Click **"OK"** to clone the repository.

4 Deploy the Code

1. After cloning is complete, click **"Pull now"** to get the latest code
2. Click **"Deploy now"** to deploy files to the document root
3. Verify files in **File Manager** → `httpdocs`



Auto-deploy: With auto-deploy enabled, every time you `git push` from your local computer, Plesk will automatically pull and deploy the latest changes!

5

Verify Document Root

Make sure the document root in **Hosting Settings** matches where your `index.html` file is located.



Common Issue: If the deployment creates a subfolder (e.g., `httpdocs/ProjectName/ProjectName`), update the document root in Hosting Settings to match this path.

Part C: Future Updates

When you make changes to your website locally:

```
# Stage changed files
git add .

# Commit with a descriptive message
git commit -m "Updated homepage design"

# Push to GitHub
git push origin main
```

Then in Plesk → Git → click **"Pull now"** → **"Deploy now"**

Install SSL Certificate (HTTPS)

Secure your website with a free Let's Encrypt SSL certificate



Prerequisite: DNS must be fully propagated (domain must resolve to your server IP) before SSL can be issued. Check at <https://www.whatsmydns.net>

1 Navigate to SSL/TLS Certificates

Websites & Domains → [yourdomain.com](#) → Security → SSL/TLS Certificates

2 Install Let's Encrypt Certificate

1. Click "Install" next to **Let's Encrypt**
2. Select these options:

OPTION	ACTION
☒ Secure the domain name	yourdomain.com — Check this
☒ Include "www" subdomain	www.yourdomain.com — Check this
☒ Secure wildcard domain	*.yourdomain.com — Uncheck
☒ Secure webmail	webmail.yourdomain.com — Uncheck (unless needed)
☒ Secure mail	mail.yourdomain.com — Uncheck (unless needed)

3 Choose Validation Method

METHOD	WHEN TO USE
DNS (dns-01)	 Recommended — Use when your nameservers point to the hosting server
HTTP (http-01)	Use when domain already resolves to your server via A records

4 Get the Certificate

1. Click "**Get it free**"
2. Wait for Let's Encrypt to verify and issue the certificate
3. Once done, you'll see "**Secured**" next to your domain



Auto-Renewal: Let's Encrypt certificates are valid for 90 days but Plesk automatically renews them 30 days before expiration. No manual action needed!

Expected Result After SSL Setup

 yourdomain.com — **Secured**

 www.yourdomain.com — **Secured**

Set Up HTTP to HTTPS Redirect

Force all website traffic through secure HTTPS connection

After installing SSL, visitors who type `http://yourdomain.com` still see "Not Secure". You need to redirect HTTP → HTTPS.

Method 1: Via Plesk Hosting Settings (Easiest)

1 Enable HTTPS Redirect

Websites & Domains → `yourdomain.com` → Hosting Settings

Enable these checkboxes:



SSL/TLS support — Enables HTTPS



Permanent SEO-safe 301 redirect from HTTP to HTTPS

Click **"OK"** to save.

Method 2: Via .htaccess File (Manual)

If Method 1 is not available, create a `.htaccess` file in your document root:

1

Create .htaccess File

Create a file named `.htaccess` in your website's root folder (where `index.html` is located) with this content:

```
RewriteEngine On
RewriteCond %{HTTPS} off
RewriteRule ^(.*)$ https://%{HTTP_HOST}%{REQUEST_URI} [L,R=301]
```



Git Method: Add this file to your project, commit and push to GitHub, then deploy via Plesk Git.

Verify & Test Your Website

Final checks to ensure everything is working correctly

Verification Checklist

✓	CHECK	HOW TO VERIFY
☐	DNS Resolution	Visit https://www.whatsmydns.net and search for your domain
☐	Website Loads	Open https://yourdomain.com in a browser
☐	HTTPS Works	Look for the  lock icon in the address bar
☐	WWW Works	Visit https://www.yourdomain.com — should also load
☐	HTTP Redirects	Visit http://yourdomain.com — should redirect to HTTPS
☐	Mobile Responsive	Open on a mobile phone or use Chrome DevTools (F12 → Mobile view)
☐	All Pages Load	Click through all links and pages on the site
☐	No Mixed Content	Open Chrome DevTools (F12) → Console → Check for warnings



Test in Incognito Mode: Always test your site in an incognito/private browser window to avoid cache issues. Press **Ctrl + Shift + N** (Chrome) or **Ctrl + Shift + P** (Firefox).



If site shows "Not Secure" in regular browser but works in Incognito:

Clear your browser cache: **Ctrl + Shift + Delete** → Select "All time" → Clear "Cached images and files" → Reload.

Troubleshooting & FAQ

Common issues and their solutions

? "Domain is not resolvable" in Plesk

Cause: DNS hasn't propagated yet after changing nameservers.

Solution: Wait 24–72 hours. Check status at whatsmydns.net. You can still deploy files during this time.

? SSL Certificate Installation Fails

Cause: DNS hasn't propagated to the server IP.

Solution: Wait for DNS propagation to complete, then try installing SSL again. Try the DNS (dns-01) validation method instead of HTTP.

? Website Shows Plesk Default Page

Cause: Document root is pointing to the wrong folder.

Solution: Go to Hosting Settings and verify the document root points to the folder containing your `index.html` file. Check File Manager to confirm file locations.

? Browser Shows "Not Secure" Warning

Cause 1: HTTP to HTTPS redirect is not enabled.

Solution: Enable "Permanent 301 redirect to HTTPS" in Hosting Settings or add `.htaccess` redirect.

Cause 2: Browser cache.

Solution: Clear cache (Ctrl + Shift + Delete) or test in Incognito mode.

? Git Deployment Creates Nested Folders

Cause: Repository name creates extra subdirectory during deployment.

Solution: Update the document root in Hosting Settings to match the actual file path. For example: `httpdocs/ProjectName/ProjectName`

? "Add Domain" Option Not Available in Plesk

Cause: Your hosting plan only supports a single domain.

Solution: Either change the primary domain name in Hosting Settings, or add your domain as a Domain Alias.

? PHP Files Not Working / Showing Code

Cause: PHP is not enabled or wrong version selected.

Solution: Go to Websites & Domains → PHP → Enable PHP and select version 8.x.

Support Contacts

PROVIDER	CONTACT
BigRock Support	Visit https://www.bigrock.in/support or call their helpline
MrHost Support	Contact via the hosting dashboard or support email
Let's Encrypt	Community forum: https://community.letsencrypt.org

QUICK REFERENCE

Summary Cheat Sheet

Everything at a glance — pin this page for quick access

Important URLs

SERVICE	URL
BigRock Login	https://myorders.bigrock.in
Plesk Login	http://YOUR_SERVER_IP:8880/login_up.php
DNS Check	https://www.whatsmydns.net
SSL Check	https://www.ssllabs.com/ssltest/

MrHost Nameservers

NAMESERVER	VALUE
NS1	ns1.server.ayiarak.in
NS2	ns2.server.ayiarak.in

Quick Git Commands

```
git add . # Stage all changes
git commit -m "your message" # Commit changes
git push origin main # Push to GitHub
```

Complete Setup Checklist

- ☐ Domain registered on BigRock
- ☐ Hosting account active on MrHost (Plesk)
- ☐ Nameservers updated at BigRock
- ☐ DNS propagated (check [whatsmydns.net](https://www.whatsmydns.net))

- ☐ Domain added/configured in Plesk
- ☐ Website files deployed (Git or FTP)
- ☐ Document root set correctly
- ☐ SSL certificate installed (Let's Encrypt)
- ☐ HTTP → HTTPS redirect enabled
- ☐ Website tested in Incognito mode
- ☐ Website tested on mobile

Website Hosting & Domain Setup — User Manual v1.0

Domain: BigRock.in • Hosting: MrHost (Plesk Panel)

Created: September 2026

This document is for internal use. Keep your credentials secure and never share them publicly.