

教育超市





目桦北岛

浙大20秋JAD W5作业

% 判断题 17

A. 单选题 27

fn 函数题 3

- 2-1 假设方法unsafe()将抛出IOException,可以填入如下代码段第1行的选项是()。(2分)
 - 1)
 - 2) { if(unsafe()){//do something...}
 - 3) else if(safe()){//do the other...}
 - 4) }
 - A. public IOException methodName()
 - B. public void methodName()
 - C. public void methodName() throw IOException
 - D. public void methodName() throws IOException

◎ 作者

王从银

单位

吉首大学

- 2-1 答案正确 (2 分) ♀ 创建提问
- 2-2 下列哪种异常是检查型异常,需要在编写程序时声明 (). (2分)
 - A. NullPointerException
 - B. ClassCastException
 - C. FileNotFoundException
 - D. IndexOutOfBoundsException



◎ 作者


王从银

单位

吉首大学




教育超市



2-3 getCustomerInfo()方法如下,ury中可以拥续二种关型的开吊,如果住该力法运行中广生 」一口 (4刀)IOException,将会输出什么结果()。

- A. IOException!
- B. IOException!Exception!
- C. FileNotFoundException!IOException!
- D. FileNotFoundException!IOException!Exception!



- 2-3 答案正确 (2 分) ♀ 创建提问
- 2-4 Which of the following could possibly cause a runtime error? 分值为2分。(2分
 - A. misspelled keyword
 - B. missing semicolon
 - C. divide by zero
 - D. incorrect class modifier







2-4	答案正确	(2	分)
	口木山州	(~	73 /

- 2-5 What is the syntax for a mul
 - A. * muli-line comment
 - B. /** multi-line comme
 - C. // multi-line comme
 - D. \ multi-line commen

作者

单位

- 2-5 答案正确 (2分)
- 2-6 What must be done when tl
 - A. Integers cannot be t
 - B. Declare integers as t
 - C. Import the exception
 - O. Encapsulate the inte

作者

- 2-6 答案正确 (2分)
- 2-7 What is an exception? 分值为
 - A. a representation of a







- C. unexpected results a
- D. untrusted code such

作者

- 2-7 答案正确 (2分)
- 2-8 For the code below:

```
public class MyProgram {
    public void main() {
        try {
            System.out.pri
        }
    }
}
```

Which statement is right? ()

- A. Code compiles
- B. Code does NOT com
- C. Code does NOT com
- D. Code does NOT con

作者单位

- 2-8 答案正确 (2分)
- 2-9 About the Java language, w
 - A. Other than the class
 - B. The .length of an arr



教育超市



D. All primitive number

作者单位

2-9 答案正确 (2分)

- 2-10 Exceptions that are not de
 - A. Must be either cau-
 - B. Need not be caugh
 - C. Must not be caugh
 - D. Must not be specifi

作者

2-10 答案错误 ① (0分)

2-11 Suppose there is no file Hε

```
import java.io.*;
public class ABC {
   public static void ma
        ABC m=new ABC();
        System.out.printl
   }

   public int ff() {
        try {
            FileInputStre
        } catch (FileNotF
            System.out.pr
            throw fne;
        } finally {
                System.out.pr
            }
        return 0;
```







- A. No such file found,
- B. No such file found
- C. No such file found,
- D. No such file found,

作者

单位

- 2-11 答案正确 (2分)
- 2-12 Which one below is checke
 - A. NullPointerExceptic
 - B. ClassCastException
 - C. FileNotFoundExcep
 - D. IndexOutOfBounds

作者

- 2-12 答案正确 (2分)
- 2-13 What must be done when
 - A. Integers cannot be
 - B. Declare integers as
 - C. Import the exception



教育超市



作者

单位

- 2-13 答案正确 (2分)
- 2-14 For exception, which state:
 - A. It is possible to hav
 - B. It is possible to hav
 - C. It is possible to hav
 - D. To re-throw the excout the name of the

作者

单位

- 2-14 答案正确 (2分)
- 2-15 下面哪个流类属于面向字符的
 - A. BufferedWriter
 - B. FileInputStream
 - C. ObjectInputStream
 - D. InputStreamReader

◎ 作者

单位

2-15 答案正确 (2分) ♀ 创建提问



教育超市



- A. name
- B. radius
- C. color
- O. type

◎ 作者

单位

2-16 答案正确 (2分) ♀ 创建提问

2-17 要创建一个新目录,可以用下

- A. FileInputStream
- B. FileOutputStream
- C. RandomAccessFile
- D. File

♀ 作者

单位

2-17 答案正确 (2分) ♀ 创建提问







- A. Cloneable
- B. Serializable
- C. Runnable
- D. Throwable
- E. Comparable



单位

2-18 答案正确 (2分) ♀ 创建提问

- 2-19 如果你被要求写一段代码读取
 - A. DataInputStream
 - B. ObjectInputStream
 - C. FileReader
 - D. FileInputStream



- 2-19 答案错误 ① (0分) ♀ 创建
- 2-20 如果需要从文件中读取数据,
 - A. FileInputStream
 - B. FileOutputStream



教育超市



O. FileWriter

作者

单位

- 2-20 答案正确 (2分)
- 2-21 Which of the following cor
 - A. monitor, keyboard,
 - B. mouse, CPU, and p
 - C. monitor, CPU, and I
 - D. keyboard, program

作者

单位

- 2-21 答案正确 (2分)
- 2-22 For PipedInputStream and
 - A. An object of Piped(PipedInputStream
 - B. An object of Pipedl PipedOutputStream
 - C. Objects of PipedInp and to be connecte
 - O. Data flows from Pig

作者



教育超市



2-22 答案错误 ① (0分)

- 2-23 Object of which class below
 - A. File
 - B. String
 - C. FilterInputStream
 - D. FileOutputStream

作者

单位

2-23 答案正确 (2分)

2-24 Given:

After executing the functic

- A. 4
- B. 8
- © C. 5
- D. Depends on the OS

作者







2-25 Below is the function head

void write(int b)

. Now given code below, w

int i=0xcafebabe;
FileOutputStream out = ne
out.write(i);

- A. 1 byte and 0xbe
- B. 1 byte and 0xca
- C. 4 bytes as 0xcafeba
- D. 4 bytes as 0xbebafe

作者

单位

2-25 答案正确 (2分)

- 2-26 For InputStream.read(), the
 - A. read() returns int, b
 - B. read() returns byte,
 - C. read() returns char,
 - D. read() returns int, a

作者

单位

2-26 答案正确 (2分)



教育超市



```
DataOutputStream out

new BufferedOutpu

new FileOutpu

new File(

out.writeInt(123456);

out.close();

}
```

After executing the functic

- A. 4
- O B. 6
- C. 7
- D. Depends on the OS

作者
単位

2-27 答案正确 (2分)