 PTA　考试练习　　教育超市　　🔔　目桦北岛

浙大20秋JAD W2作业

❌ 判断题 7　　A. 单选题 16　　📋 程序填空题 2　　fn 函数题 2

2-1　For code below:　　　　　　　　　　　　(2分)

```java
public class TestRoom {
    TestDoor t = new TestDoor();
    TestRoom() {}
    public static void main(String[] args) {
        TestRoom tt = new TestRoom();
    }
}
class TestDoor {
    TestRoom t = new TestRoom();
    TestDoor() {}
    public static void main(String[] args) {
        TestDoor tt = new TestDoor();
    }
}
```

which one is correct?

◉ A. It does not compile because there are two main()s in one .java file

○ B. It does not compile because they refer to each other

○ C. It compiles and runs smothly

○ D. It compiles and raises exception at running for stack overflow

作者　　　　　　　　　　　　　　　　　　　　　　　　翁恺
单位　　　　　　　　　　　　　　　　　　　　　　　　浙江大学

2-1　答案错误 ⓘ　(0 分)

2-2　To serialize an object of some class, which one below is not nessasary?　(2分)

○ A. That class should implement Serializable

◉ B. That class should override writeObject()

PTA   **考试练习**   教育超市   目桦北岛

○ D. An object of Object.

作者	翁恺
单位	浙江大学

2-2 答案正确 (2 分)

2-3   For the code below: (2分)

```java
class Test {
    private int m;
    public static void fun(  ) {
        // some code…
    }
}
```

How to make the member variable `m` be visited by the function `fun()` ?

○ A. Change `private int m` to `protected int m`

○ B. Change `private int m` to `public int m`

◉ C. Change `private int m` to `static int m`

○ D. Change `private int m` to `int m`

作者	翁恺
单位	浙江大学

2-3 答案正确 (2 分)

2-4   Which line is the right sequence to declare in one compile unit? ( ) (2分)

◉ A. package, import, class

○ B. class, import, package

○ C. import, package, class

作者

单位

2-4 答案正确 （2 分）

2-5 For the code below, which s

```
public class MyClass {
    static int myArg = 1;
    public static void mai
    int myArg;
        System.out.println
    }
}
```

○ A. Compiles, result is 1

○ B. Compiles, result is 0

◉ C. Compile error for no

○ D. Compile error for lo

作者

单位

2-5 答案正确 （2 分）

2-7 About object variables, like

○ A. Object variable is ex

◉ B. Object variable looks

○ C. Object variable hold

○ D. Each object can be n

2021/12/29 下午6:17

題目列表 - 单选题 - 浙大20秋JAD W2作业

PTA 考试练习 教育超市 目桦北岛

2-7 答案正确 （2 分）

2-8 About the Java language, w

- ● A. Other than the class

- ○ B. The .length of an arr

- ○ C. It is possible to have

- ○ D. All primitive number

作者

单位

2-8 答案正确 （2 分）

2-9 About access control in Java

- ○ A. A member without a

- ○ B. A member without a

- ○ C. A member without a

- ● D. Classes in the same

作者

单位

2-9 答案正确 （2 分）

2-10 Given code below:

```
class A {
    private int m;
```

https://pintia.cn/problem-sets/1305805479067643904/problems/type/2#p-1305805586844479495   4/8

```
        static void f() {}
}
```

Which variable is accessibl

○ A. m

○ B. k

◉ C. g

○ D. h

作者

单位

2-10 答案正确 （2 分）

2-11 About the Java language, v

○ A.A redefinition of a su
   as the superclass me
   example of method

○ B.A constructor is a sp
   tialize the members
   classes are instantia

◉ C.A method declared
   this reference, static

○ D.An array subscript m
   pression as a subscr
   ement of the array.

作者

单位

2-12　About "import java.util.Sc

○ A. Scanner class belon

○ B. Scanner.class is in t

○ C. The compiler need

● D. The compiler need

作者

单位

2-12　答案正确　(2 分)

2-13　For code below, which stat

```
import static haha.Haha.*
    …
public class Lala {
public void mian(String[]
        …
        take(args);
        …
    }
}
```

○ A. take() is a global fu

○ B. take() is a non-stati

○ C. take() is a static me

● D. take() is a static me

作者

PTA　　　考试练习　　　教育超市　　　　　　　　目桦北岛

2-13　答案错误 ⓘ （0 分）

2-14　Given code below:

```
package his;
public class My {}
```

Which statement below is

○ A. It has to be in a file

○ B. It has to be in a dir

◉ C. It can be in any file

○ D. Any non-public cla

作者

单位

2-14　答案正确　（2 分）

2-15　About inner class, which st

◉ A. Objects of an inner

○ B. Static methods can

○ C. Inner class can acce

○ D. Inner class can be o

作者

单位

2-15　答案正确　（2 分）

2-16　下列关于使用包中的类哪个说

○ B. 类可以使用其他包中

◉ C. 类可以使用其他包中

○ D. 以上说法都不正确

作者

单位

2-16　答案正确　(2 分)

2-17　一个*.java文件中可以包含多

◉ A. 最多1个

○ B. 最少1个

○ C. 只能是0个

○ D. 不限制

作者

单位

2-17　答案正确　(2 分)