CHITTAGONG MEDICAL UNIVERSITY
1st Professional MBBS Examination May-2025 (New Curriculum)
Subject: Anatomy
Paper: I, MCQ (MFT and SBA)

Total Marks: 20 **Time: 30 minutes**

Instructions: Use OMR sheet as answer script. Fill up the appropriate circle in OMR sheet for True (T) or False (F) answer for question no. 1 to 10 and single answer by filling the single appropriate circle for question no. 11 to 20 provided in the OMR sheet. Return the question paper with answer script.

1.	**Following are fibrous joint**
T.	a) Coronal suture
F.	b) Temporomandibular joint
T.	c) Inferior tibiofioular joint
F.	d) Intervertebral joint
F.	e) Menubriostemal joint
2.	**Collagen fibers are abundant in**
T.	a) Bone
F.	b) Lymph node
T.	c) Lung
T.	d) Tendon
F	e) Spleen
3.	**Spermatogenesis**
F.	a) Produce single haploid sperm
F.	b) Starts before birth
T.	c) Stars from puberty
T.	d) Occurs in seminiferous tubule
F.	e) Is called reduction division
4.	**Middle ear communication with**
F.	a) Oral cavity
F.	b) Nasal cavity
T.	c) Inner ear
T.	d) Nasolpharynx
T.	e) Mastoid antrum
5.	**Extra pyramidal tracts are**
F.	a) Corticospinal
T.	b) Reticulospinal
T.	c) Rubrospinal
F.	d) Spinotectal
T.	e) Vestibulospinal
6.	**Limbic system includes**
T.	a) Hypothalamus
T.	b) Hippocampus
T.	c) Amygdala
T.	d) Mammillary body
F.	e) Claustrum
7.	**Uniaxial joint is/are**
F.	a) Pivot
F.	b) Ball and socket
F.	c) Plane
F.	d) Hinge
F.	e) Ellipsoid
8.	**Middle cerebral artery supplies following area**
T.	a) Brocas area
T.	b) Primary motor area
F.	c) Occipital lobo
F.	d) Basal ganglia
F.	e) Internal capsule
9.	**Following is/are central lymphoid organ:**
T.	a) Bone marrow
F.	b) Lymph node
F.	c) Palatine tonsil
F.	d) Spleen
T.	e) Thymus
10.	**Pterion is the meeting point of following bones**
T.	a) Frontal
T.	b) Parietal
T.	c) Temporal
F.	d) Maxilla
F.	e) Zygomatic

11.	**Following are muscles of facial expression**
	a) Temporalis
T.	b) Buccinator
	c) Masseter
	d) Sternohyoid
	e) Omohyoid
12.	**Following are parasympathetic nucleus**
	a) Vestibular nucleus
T.	b) Cochlear nucleus
	c) Red nucleus
	d) Edinger-Westphal nucleus
	e) Spinal nucleus
13.	**Endocrine gland**
	a) Has duct
T.	b) Has rich blood supply
	c) Has rich nerve supply
	d) Secretes mucus fluid
	e) Secretes serous fluid
14.	**Retina**
T.	a) Inner most layer contains pigment epithelium
	b) Bipolar cell form the optic nerve
	c) Blind spot has no photoreceptors
	d) Can regenerate
	e) Is avascular structure
15.	**Cerebellum**
	a) Parts of brain stem
	b) Controls opposite side of the body
	c) Directly controls the motor activity.
	d) Arranged outer white matter and inner grey matter
T.	e) ..... with the brain stem
16.	**Mast cells**
T.	a) Participate in allergic reaction
	b) Participate in phagocytosis
	c) Produce antibody
	d) Provide nutrition to epithelial tissue
	e) Synthesize ground substance
17.	**Skeletal muscle fiber**
	a) Branching with intercalated discs
	b) Involuntary control with no striations
T.	c) Multinucleated fibers with striations
	d) Single central nucleus with no striations
	e) Spindle shaped fibers with central nuclei
18.	**Mature neurons are**
T.	a) Permanent cell
	b) Undergo call division
	c) Develops from all three germ layers
	d) Contain centriole
	e) Stable cell
19.	**Nerve that pass through cavernous sinus is**
T.	a) Abducent
	b) Optic
	c) Facial
	d) Vestibulocochlerar
	e) Mandibular
20.	**Following are basal nuciei**
	a) Medial geniculate body
	b) Palvinar
	c) Red nucleus
	d) Amygdalcid nucleus
T.	e) Caudate nucleus

CamScanner

CHITTAGONG MEDICAL UNIVERSITY
1ª Professional MBBS Examination May-2025 (New Curriculum)
Subject: Anatomy
Paper: II, MCQ (MFT and SBA)

Total Marks: 20 **Time: 30 minutes**

Instructions: Use OMR sheet as answer script: Fill up the appropriate circle in OMR sheet for True (T) or False (F) answer for question no. 1 to 10 and single best answer by filling the single appropriate circle for question no. 11 to 20 provided in the OMR sheet. Return the question paper with answer script.

1.	**Female urinary bladder is supplied by following arteries**
T.	a) Superior vesical artery
F.	b) Inferior vesical artery
T.	c) Uterine artery
T.	d) Vaginal artery
F.	e) Ovarian artery
2.	**Modifications of gastrointestinal mucosa are**
T.	a) Rugae
F.	b) Pyloric sphincter
T.	c) Microvilli
T.	d) Villi
T.	e) Plica circulares
3.	**I ateral branches of abdominal aorta supplies**
T.	a) Gonads
T.	b) Kidneys
F.	c) Liver
F.	d) Large intestine
T.	e) The diaphragm
4.	**Contents of adductor canal are**
T.	a) Femoral artery
T.	b) Femoral vein
F.	c) Femoral nerve
T.	d) Saphenous nerve
F.	e) Great saphenous vein
5.	**Dorsiflexion of foot is done by following muscles**
T.	a) Tibialis anterior
F.	b) Extensor digitorum longus
T.	c) Flexor hallucis longus
T.	d) Peroneus tertius
F.	e) Peroneus brevis
6.	**Posterior wall of axilla is formed by**
F.	a) Serratus anterior
T.	b) Teres major
F.	c) Pectoralis major
F.	d) Subscapularis
T.	e) Latissimus Dorsi
7.	**Vena caval opening of diaphragm**
T.	a) Tendinous in nature
F.	b) Muscular in nature
T.	c) Closes during contraction of diaphragm
T.	d) Lies at 8th thotacic vertebra
F.	e) Transmits superior vena cava
8.	**Intercostal nerves**
F.	a) 11 in number
T.	b) 11 in pairs
F.	c) Supplies only thoracic wall
T.	d) Located at upper part of corresponding intercostal space
T.	e) Atypical ntercostal nerves are more in number then typical ones
9.	**Conducting system of heart includes**
T.	a) SA node
T.	b) AV node
F.	c) Papillary muscle
T.	d) A V bundle
F.	e) Musculo pectinate
10.	**Muscle supplied by axillary nerve are**
T.	a) Duttoid
T.	b) Teres major
T.	c) Teres minor
T.	d) Coracobrachailis
F.	e) Brachialis

11.	**In which layer of abdominal wall, deep inguinal**
	a) External oblique aponeurosls
	b) Internal oblique aponeurosls
	c) Transversus abdominus aponeurnsls
T.	d) Fascia gansversalis
	e) Fascia illica
12.	**Ligament preventing backward falling of trunk**
	a) Ileo femoral ligament
T.	b) Ischio femoral ligament
	c) Inguinal ligament
	d) Pubofemoral ligament
	e) Transverso acetabular ligament
13.	**Which muscle connects vertebral column with lower limb?**
	a) Biceps femorls
	b) Illiacus
	c) Rectus femoris
T.	d) Psoas major
	e) Quadratus lumborum
14.	**If urethral fold fails to fuse it leads to**
	a) Epispadias
	b) Ectopic vesicae
T.	c) Hypospadias
	d) Rectovesical fistula
	e) Phimosis
15.	**Which organ is completely covered by peritoneum?**
	a) Kidney
	b) Pancreas
	c) Ascending colon
T.	d) Spleen
	e) Rectum
16.	**Artery present is superior mediastinum is**
	a) Ascending aorta
	b) Descending thoracie aorta
	c) Internal thoracie artery
T.	d) Left subclavian artery
	e) Pulmonary trunk
17.	**Phrenic nerve supplies**
T.	a) Diaphragm
	b) Heart
	c) Interostal muscles
	d) Pulmonary pleura
	e) Visceral pericardium
18.	**Vertebrosternal sets of ribs are**
T.	a) 3, 4, 5
	b) 6, 7, 8
	c) 7, 8, 9
	d) 9, 10, 11
	e) 10, 11, 12
19.	**Submucous coat is absent is**
T.	a) Gall bladder
	b) Oesophagus
	c) Duodenum
	d) Vermiform appendix
	e) Ileum
20.	**Multipennate muscle is**
	a) Biceps brachii
	b) Brachialis
	c) Flexor digitorum profundus
	d) Pectoralis major
T.	e) Subscapularis

CamScanner

CHITTAGONG MEDICAL UNIVERSITY
1st Professional MBBS Examination Nov-2025 (New Curriculum)
Subject: Anatomy
Paper: I, MCQ (MFT and SBA)

Total Marks: 20 **Time: 30 minutes**

Instructions: Use OMR sheet as answer script. Fill up the appropriate circle in OMR sheet for True (T) or False (F) answer for question no. 1 to 10 and single best answer by filling the single appropriate circle for question no. 11 to 20 provided in the OMR sheet. Return the question paper with answer script.

1.	**Pterion is the meeting place of the following bones**
F.	a) Frontal
T.	b) Ternporal
F.	c) Maxilla
T.	d) Zygomatic
T.	e) Parietal
2.	**Simple columnar epithelium present in**
F.	a) Alveoli
T.	b) Duodenum
T.	c) Stomach
F.	d) Esophagus
F.	e) Tongue
3.	**Extra pyramidal tracts are**
F.	a) Corticospinal
T.	b) Reticulospinal
T.	c) Rubrospinal
F.	d) Spinotectal
F.	e) Vestibulospinal
4.	**Refractive media of eyeball**
F.	a) Sclern
T.	b) Cornea
F.	c) Retina
F.	d) Iris
F.	e) Choroid
5.	**Mitosis**
T.	a) Occurs in somatic cell
F.	b) Occurs in mature germ cell
T.	c) Produce two cells of same chromosome number
T.	d) Is called reduction division
F.	e) Responsible for genetic variability
6.	**Derivatives of mesderm**
F.	a) Epidermis
T.	b) Cardiac msucle
F.	c) Lung
F.	d) Gall bladder
T.	e) Connective tissue
7.	**Content of carotid sheath are**
T.	a) Common carotid artery
T.	b) External carotid artery
T.	c) External jugular vein
T.	d) Internal jugular vein
F.	e) Vagus nerve
8.	**Following is/are parely motor cranial nerve**
F.	a) Facial
F.	b) Glosspharyngeal
T.	c) Hypoglossal
T.	d) Trochlear
F.	e) Vestibulocochlear
9.	**Following is/are central lymphoid organ**
T.	a) Bone marrow
F.	b) Lymph node
F.	c) Palatine tonsil
F.	d) Spleen
T.	e) Thymus
10.	**Deep cerebellar nuclei are**
F.	a) Caudate nucleus
T.	b) Dentate nucleus
T.	c) Globose
F.	d) Posteromedial nucleus
F.	e) Ventromedial nucleus

11.	**Hard palate is formed by the following bone**
	a) Ethmoid
	b) Frontal
T.	c) Maxilla
	d) Zygomatic
	e) Lacrimal
12.	**Muscle that opens laryngeal intel is**
	a) Aryepiglottic
	b) Cricothyroid
	c) Oblique arytenoid
	d) Thyroarytenoid
T.	e) Thyroepiglottic
13.	**Following are parasympathetic nucleus**
	a) Nucleus ambigus
	b) Vestibular
	c) Mesencephalic
	d) Red
T.	e) Spinal
14.	**Which one of the following is the effect of sympathetic system?**
	a) Bronchoconstriction
	b) Cardio inhibition
	c) Coronary vasoconstriction
T.	d) Decrease peristalsis
	e) Decrease sweating
15.	**Recticular fiber found in**
	a) Bone
	b) Tendon
T.	c) Lymphoid organ
	d) Cartilage
	e) Muscle
16.	**Epithelial tissue**
T.	a) Is avascular
	b) Develops from ectoderm only
	c) Intercelluar substance is maximum
	d) Has nerve supply
	e) Consists of cell, fiber and ground substance
17.	**Principle muscle of mastication is**
	a) Buccinator
	b) Digastric
	c) Genohyoid
T.	d) Masseter
	e) Mylohyoid
18.	**Cell present in the lacuna of haversian system is**
	a) Chonodroblast
	b) Osteoblast
	c) Osteoclast
	d) Osteoprogenitor
T.	e) Osteocyte
19.	**Nerve that pass through cavernous sinus is**
T.	a) Abducent
	b) Occulomotor
	c) Optic
	d) Ophthalmic
	e) Troachlear
20.	**Following layer of scalp is known as safety value haematoma**
	a) Apponeurosis
	b) Connective tissue
T.	c) Loose areolar tissue
	d) Pericranium
	e) Skin

CamScanner

ANATOMY

CHITTAGONG MEDICAL UNIVERSITY
1st Professional MBBS Examination Nov-2025 (New Curriculum)
Subject: Anatomy
Paper: II, MCQ (MFT and SBA)

Total Marks: 20 **Time: 30 minutes**

Instructions: Use OMR sheet as answer script: Fill up the appropriate circle in OMR sheet for True (T) or False (F) answer for question no. 1 to 10 and single best answer by filling the single appropriate circle for question no. 11 to 20 provided in the OMR sheet. Return the question paper with answer script.

1.	**Branches of axillary artery**
T.	a) Superior thoracic artery
F.	b) Profunda brachii artery
T.	c) Subscapular artery
T.	d) Anterior circumflex humeral artery
F.	e) Ulnar artery
2.	**Parietal pleurs**
T.	a) Lines the thoracic wall and mediastinum
F.	b) Blood supply same asd lung
T.	c) Develops from somatopleuric mesoderm
F.	d) Innervated by autonomic nerves
T.	e) Sensitive to pain
3.	**Abduction of Shoulder joint is done by following muscles**
F.	a) Latissimus dorsi
F.	b) Pectoralis Major
T.	c) Deltoid
T.	d) Supraspinatus
F.	e) Serratus anterior
4.	**Tributaries of coronary sinus :**
T.	a) Great cardiac vein
F.	b) Anterior cardiac vein
F.	c) Venac cordis minimae
T.	d) Middle cardiac vein
F.	e) Right marginal vein
5.	**Retroperitoneal organs**
F.	a) Stomach
F.	b) Ileum
T.	c) Pancreas
T.	d) Kidneys
T.	e) Ureters
6.	**Mediastinal surface of right lung related to**
T.	a) Right atrium
F.	b) Left ventricle
F.	c) Arch of aorta
T.	d) Arch of azygos vein
F.	e) Right phrenic nerve
7.	**Content of spermatic cord are:**
T.	a) Ductus deferens
F.	b) Inferior epigastric artery
T.	c) Testicular arteries
T.	d) Genital branch of genitofemoral nerve
F.	e) Femoral nerve
8.	**Muscles supplied by superior gluteal nerve**
T.	a) Gluteus Medius
F.	b) Gluteus Maximus
T.	c) Gluteus minimus
T.	d) Tensor fascia lata
F.	e) Gemellus Superior
9.	**Submucosal glands present in**
F.	a) Oerophagus
T.	b) Duodenum
F.	c) Stomach
F.	d) Ileum
F.	e) Appendix
10.	**Derivatives of Hindgut**
T.	a) Sigmoid colon
F.	b) Stomach
F.	c) Jejunum
F.	d) Appendix
T.	e) Rectum

11.	**Winging of the scapula caused by paralysis of**
	a) Subclavius Muscle
	b) Supraspinatus
	c) Infraspinatus
	d) Teres Minor
T.	e) Serrntus Anterior
12.	**Which ligament of the liver is the remnant of the umbilical vein?**
	a) Falciform ligament
	b) Coronary ligament
T.	c) Ligamentum teres hepatis
	d) Ligamentum venosum
	e) Triangular ligament
13.	**Branch arising from roots of Brachial plexus**
	a) Median Nerve
	b) Radial nerve
	c) Ulnar nerve
T.	d) Long thoracic nerve
	e) Axillary nerve
14.	**Which diameter of thoracic cavity increased by pump handle movement?**
	a) Oblique diameter
T.	b) Anterior posterior diameter
	c) Transverse diameter
	d) Vertical diameter
	e) All diameter
15.	**Strongest ligament of Hip joint**
	a) Ischiofemoral ligament
	b) Capsular ligament
T.	c) Iliofemoral ligament
	d) Pubofemoral ligament
	e) Ligamentum teres femoris
16.	**Conducting system of heart supplied by left coronary artery**
	a) AV node
T.	b) SA node
	c) Purkinje fibers
	d) Left branch of AV bundle
	e) Right branch of AV bundle
17.	**Viscera to which right kidney is related**
	a) Pancreas
	b) Spleen
	c) Stomach
T.	d) Liver
	e) 3rd part of duodenum
18.	**Which muscle forms the inguinal ligament?**
	a) Iliacus muscle
T.	b) External Oblique muscle
	c) Trnasversus abdominis muscle
	d) Internal oblique muscle
	e) Rectus abdominis
19.	**Primary support of uterus**
T.	a) Pelvic Diaphragm
	b) Broad ligament
	c) Uterovesical fold of peritoneum
	d) Rectovaginal fold of peritoneum
	e) Rectum
20.	**Keystone of medial longitudinal arch of foot**
	a) Calcaneus
	b) Navicular
	c) Medial cuneiform
T.	d) Talus
	e) 1st metatarsal

CamScanner

CHITTAGONG MEDICAL UNIVERSITY

1st professional MBBS Examination May-2024(New Curriculum)

Subject: Anatomy, Subject code: 11

Paper-I, MCQ (MTF and SBA)

Total Marks: 20, Time: 30 minutes

Use OMR sheet as Answer script. Fill up the appropriate circle in OMR sheet for true (T) or false (F) answer for Question no. 1 to 10 and select single best answer by felling the single appropriate circle for Question no.11 to 20 provided in the OMR sheet . Return the question paper with OMR sheet.

1 **Carotid sheath contains**		**11.Avascular structure in the eyeball is**	
a) Internal jugular vein	T	**a)** Retina	
b) External jugular vein	F	b) Lens	T
c) Common carotid artery	T	c) Sclera	
d) External carotid artery	F	d) Irish	
e) Internal carotid artery	T	e) Choroid	
2 **Reticular fiber found it**		**12.Wall of artery is thicker then vain is due to**	
a) Spleen	T	a) Absense of velve	
b) Lymph note	T	b) Presence of internal & external elastic lamina	
c) Tendon	F	c) Presence of oxygenated blood	
d) Ligament	F	d) Presence of vasa vasorum	
e) Lung	F	e) Well developed tunica media	T
3 **Skeletal muscle fiber**		**13. Descending tracts are**	
a) Are spindle in shape	F	a) Fasciculus gracilis	
b) Has multiple nucleus	T	b) Spinotectal	
c) Innervated by autonomic nerve	F	c) Dorsal Spinoserebellar	
d) Voluntary in function	T	d) Tectospinal	T
e) Develops from paraxial mesoderm	F	e) Spinoolivery	
4 **Structural abnormalities of chromosome are**		**14. Which one of the following is the effect of sympathetic system?**	
a) Turner syndrome	F	**a)** Bronchoconstriction	
b) Deletion	T	b) Cardio inhibition	
c) Ring chromosome	F	c) Coronary vasoconstriction	
d) Translocation	T	d) Decrease peristalsis	T
e) Trisomy	F	e) Decrease sweating	
5 **Following are fibrous joint**		**15. Nissls granules are present in**	
a) Coronal suture arteries	T	a) Ependymal cell	
b) Temporomandibuler joint	F	b) Microglia	
c) Inferior tibiofibuler joint	T	c) Oligodendrocyte	
d) Intervertebral joint	F	d) Protoplasmic astrocyte	
e) Manubriosternal joint	F	e) Pyramidal Cell	T
6 **Commissural fibers joint**		**16. Parasympathetic fibers present it**	
a) Internal capsule	F	a) Optic nerve	
b) Corpus callosum	T	b) Oculomotor nerve	T
c) Superior longitudinal	F	c) Trigeminal nerve	
d) Optic Radiation	F	d) Accessory nerve	
e) Anterior commeasure	T	e) Hypoglossal nerve	
7 **Nasopharynx communicate with**		**17.Hard palate is formed by the following bone**	
a) Nasal cavity	T	a) Ethmoid	
b) Middle ear cavity	F	b) Frontal	
c) Oropharynx	T	c) Maxilla	T
d) Oral cavity	F	d) Zygomatic	
e) Larynx	F	e) Lacrimal	
8 **Extra pyramidal tracts are**		**18.Cell present in the lacuna of haversian system is**	
a) Corticospinal	F	a) Chondroblast	
b) Reticulospinaal	T	b) Osteoblast	
c) Rubrospinal	T	c) Osteoclast	
d) Spinotectal	F	d) Osteoprogenitor	
e) Vestibulospinal	T	e) Osteocyte	T
9 **Endodermal derivatives are**		**19.Following are multipolar neuron**	
a) Thyroid gland	T	a) Olfactory cell	
b) Pancreas	T	b) Purkinje cell	T
c) Parathyroid gland	T	c) Dorsal root ganglia	
d) Sweat gland	F	d) Trigeminal ganglia	
e) Adrenal gland	F	e) Vestibular ganglion	
10. **Nasal septum is formed by**		**20. Derivatives of pharyngeal pouch**	
a) Ethmoid bone	T	a) Thyroid gland	
b) Occipital bone	F	b) Thymus	T
c) Septal cartilage	T	c) Parotid gland	
d) Temporal bone	F	d) External auditory meatus	
e) Vomer	T	e) Ear ossicles	

CamScanner

ANATOMY

CHITTAGONG MEDICAL UNIVERSITY

1st professional MBBS Examination May-2024(New Curriculum)

Subject: Anatomy, Subject code: 11

Paper-II, MCQ (MTF and SBA)

Total Marks: 20, Time: 30 minutes

Use OMR sheet as Answer script: Fill up the appropriate circle in OMR sheet for true (T) or false (F) answer for Question no. 1 to 10 and select single best answer by felling the single appropriate circle for Question no.11 to 20 provided in the OMR sheet . Return the question paper with OMR sheet

1.	**Structure crossed by the root of the mesentery**		**11.**	**The groove behind the hilum of right lung lodges**	
a	2nd part of the duodenum	F	a	Descending thoracic aorta	
b	Right psoas major	T	b	azygos vein	
c	Left ureter	F	c	Superior pulmonary vein	
d	Abdominal aorta	T	d	Esophagus	T
e	Left psoes major	F	e	Trachea	
2.	**Veins end into coronary sinus are**		**12.**	**Most common position of vermiform appendix**	
a	Great cardiac vein	T	a	Retro-ileal	
b	Middle cardiac vein	T	b	Retro-caecal	T
c	Anterior cardiac vein	F	c	Pelvic	
d	Small cardiac vein	T	d	Anterior to terminal ileum	
e	venae cordis minimis	F	e	Subcaecal	
3.	**The respiratory zone of bronchial tree**		**13.**	**The most common site of fracture of the clavicle**	
a	Conducts air from nose to alveoli		a	Medial end	
b	Begins from respiratory bronchiole		b	Lateral end	
c	Has abundant goblet cells in its mucosa		c	Midpoint	
d	Supplied by branches of pulmonary artery		d	Junction of the medial two third & lateral one third	T
e	Develops from ectoderm		e	Junction of the lateral two third & medial one third	
4.	**Flexor of the elbow joint are**		**14.**	**The transpyloric plane of the abdomen passes through**	
a	Brachial is	T	a	The spleen	
b	Triceps brachii	F	b	The third part of the duodenum	
c	Coracobrachialis	F	c	The tail of the pancreas	
d	Biceps brachii	T	d	The origin of the superior mesenteric artery	T
e	Supraspinatus	F	e	The neck of the gallbladder	
5.	**Nerve related to the humerus**		**15.**	**In structure of hepatic lobule**	
a	Median nerve	F	a	Hepatic lamina extends from periphery to center	
b	ulnar nerve	F	b	Central vein has kupffer cells in its wall	
c	Axillary nerve	T	c	Portal triad lies at the corners of lobule	T
d	radial nerve	F	d	Sinusoids lie between two adjacent lobules	
e	Musculocutaneous nerve	T	e	Is based on oxyzenation of liver parenchyma	
6.	**The quadriceps femoris muscle**		**16.**	**Lymphatics from the nipple and areola drain mainly into**	
a	Contain three muscles	F	a	Pectoral group of axillary lymph node	T
b	Powerful flexor of knee	F	b	Subscapular group of axillary lymph node	
c	Is supplied by the tibial nerve	F	c	Central group of axillary lymph node	
d	its tendon from the ligamentum patellae	T	d	Apical group of axillary lymph node	
e	Injury to femoral nerve causes its paralysis	T	e	Parasternal lymph group	
7.	**The histological features of duodenum are**		**17.**	**The back of the medial epicondyle of humerus related to**	
a	Serous cells	F	a	Redial nerve	
b	Brunner's gland	T	b	axillary nerve	
c	Simple squamous epithelium	F	c	ulnar nerve	T
d	Chief cells	F	d	Median nerve	
e	Crypts of lieberkuhn	T	e	None of the above	
8.	**Contents of rectus sheath**		**18.**	**Paralysis of which nerve cause foot drop?**	
a	Rectus abdominis	T	a	Femoral	
b	Inferior epigastric artery	T	b	tibial	
c	Musculophrenic artery	F	c	Superficial peroneal	
d	6th intercostal nerve	F	d	Deep peroneal	T
e	Subcostal nerve	T	e	Obturetor	
9.	**Ureter**		**19.**	**Pleural reflection lies at which rib level in the mid axillary line?**	
a	25 cm in length	T	a	6th	
b	Has got four constrictions	F	b	8th	
c	Develops from endoderm	T	c	9th	
d	Lined by simple cuboidal epithelium	F	d	10th	T
e	Is retroperitoneal	T	e	12th	
10.	**Femoral artery**		**20.**	**Anterior relation of sacroiliac joint**	
a	Passes through deep inguinal ring	F	a	Femoral nerve	
b	Content of femoral sheath	T	b	Sciatic nerve	
c	Is a muscular artery	T	c	Obturator nerve	T
d	Clinically not important	F	d	Round ligament	
e	Branch of internal iliac artery	F	e	ureter	

CamScanner

ANATOMY

CHITTAGONG MEDICAL UNIVERSITY

1st professional MBBS Examination November-2024(New Curriculum)

Subject: Anatomy, Paper-I Subject code: 11

MCQ (MTF and SBA)

Total Marks: 20, Time: 30 minutes

Use OMR sheet as Answer script: Fill up the appropriate circle in OMR sheet for true (T) or false (F) answer for Question no. 1 to 10 and write answer by felling the single appropriate circle for Question no.11 to 20 provided in the OMR sheet. Return the question paper with OMR sheet.

1)Following are paired during venous sinuses		**11)Safety muscle of tongue**
a) Cavernan	T	a) Palatoglossus
b) Occipital	F	b) Genioglosus
c) Straight	F	c) Hyoglossus
d) Superior sagittal	F	d) Styglogloss us
e) Transverse	T	e) Geniohyoid
2)Following are avascular structure		**12)Muscle that open laryngeal inlet is:**
a) Bone	F	a) Aryepiglottic
b) Cornea	T	b) Cricothyroid
c) Dennis	T	c) Oblique arylenoid
d) Epedennis	T	d) Thyroarytenoid
e) Hair	T	e) thyroepiglottic
3)Hyaline cartilage present in		**13)Following are parasympathetic nucleus**
a) Trachea	T	a) Dorsal nucleus
b) Epiglottis	F	b) Vestibular nucleus
c) Costal cartilage	T	c) Mesencephalic nucleus
d) Menisci of Knee	F	d) red nucleus
e) External ear	F	e) spinal nucleus
4)Following are peripheral lymphoid organ		**14)Which one of the following is the effects of sympathetic system?**
a) Bone marrow	F	a) Bronchoconstriction
b) Lymph node	T	b) Cardio inhibition
c) Palatine tonsil	T	c) Coronary vasoconstriction
d) Thymus	F	d) Decrease peristalsis
e) Spleen	F	e) Decrease sweating
5)Hard palate formed by		**15)Following are bipolar neuron**
a) Maxilla	T	a) Pyramidal cell
b) Palatine bone	T	b) Purkinje cell
c) Nasal bone	F	c) Olfactory cell
d) Ethmoid bone	F	d) Anterior horn cell
e) Lacrimal bone	F	e) Stellate cell
6)Hind brain includes		**16)Following are basal nuclei**
a) Cerebellum	T	a) Medial geniculate body
b) Cerebrum	F	b) Pulvinar
c) Medulla oblongata	T	c) Red Nucleus
d) Mid brain	F	d) Amygdaloid Nucleus
e) Pons	F	e) Paraventricular Nucleus
7)The Superior orbital fissure transmits		**17)Principal muscle of mastication is**
a) Abducent nerve	T	a) Buccinator
b) Maxillary nerve	F	b) Digastric
c) Middle meningeal artery	F	c) Geniohyoid
d) Nasociliary nerve	T	d) Masseter
e) Oculomotor nerve	T	e) Mylohyoid
8)Spinal cord		**18)Cell present in the lacuna of haversian system is**
a) Contains multipolar neuron in anterior horn	T	a) Chondroblast
b) Contains preganglionic sympathetic neuron in thoracic region	T	b) Osteoblast
c) Develops from surface ectoderm	F	c) Osteoclast
d) Is covered by endosteal dura mater	F	d) Osteoprogenitor
e) Is supplied by vertebral artery	T	e) Osteocyte
9)Meiosis cell Division		**19)Primary cartilaginous joint**
a) Occurs in mature germ cell	T	a) Public symphyses
b) Occurs in immature germ cell	F	b) Sacroiliac joint
c) Is called reduction division	T	c) Lumbosacral joint
d) Produce two daughter cells	F	d) First sternocostal joint
e) Causes genetic variation	T	e) Temporomandibuler
10)Deep cerebellar nucleus		**20)characteristics of epithelium tissue**
a) Caudate nucleus	F	a) Has blood supply
b) Dentate nucleus	T	b) Has nerve supply
c) Globose	T	c) Develops from all three-germ layer
d) Posteromedial nucleus	F	d) Composed of fiber and matrix
e) Ventromedial nucleus	F	e) Inte cellular substance is maximum

CamScanner

CHITTAGONG MEDICAL UNIVERSITY

1st professional MBBS Examination November-2024(New Curriculum)

Subject: Anatomy, Paper-II Subject code: 11

MCQ (MTF and SBA)

Total Marks: 20, Time: 30 minutes

Use OMR sheet as Answer script: Fill up the appropriate circle in OMR sheet for true (T) or false (F) answer for Question no. 1 to 10 and select single best answer by felling the single appropriate circle for Question no.11 to 20 provided in the OMR sheet . Return the question paper with OMR sheet

1.	**Opening of right atrium of heart are**		**11.**	**Strongest ligament of upper limb**	
a	Superior venacava	T	a	Consoclavicular ligament	
b	Coronary sinus	T	b	Coracoclavicular ligament	T
c	anterior cardiac vein	T	c	Suprascapular ligament	
d	Pulmonary vein	F	d	Glenohumeral ligament	
e	Ascending aorta	F	e	Iransverse humeral ligament	
2.	**Carpal tunnel contains the followings**		**12.**	**Strong supinator of forearm**	
a	Flexor poleis longus lendon	T	a	Supinator	
b	Tendon of filexor digitorum superficials	T	b	Biceps brachii	T
c	Flexor carpi radialis	F	c	Brachioradialis	
d	Median nerve	T	d	Brachialis	
e	Ulnar artery	F	e	Coracobrachialis	
3.	**Great saphenous vein**		**13.**	**Jejunum and ileum develop from**	
a	Connected with deep vein through perforator	T	a	Foregut	
b	Site for venesection	F	b	Midgut	T
c	Begins at lateral side of foot	F	c	Hind gut	
d	Devoid of valves	F	d	Cloaca	
e	Pass behind the medial malleollus	T	e	Pharyngeal gut	
4.	**Superior vena cava**		**14.**	**Parietal pleura is**	
a	Is located in posterior medinstinum	F	a	Supplied by phrenic nerve only	
b	Is a large vein	T	b	Pain sensitive	T
c	Is formed by union of right and left subclavian vein	F	c	Not present over apex of lung	
d	Terminates in smooth part of right atrium	T	d	Derived from ectoderm	
e	Brings blood to heart from above the diaphragm	T	e	Lined by endothelium	
5.	**Alveoli of are**		**15.**	**Which is not a content of femoral sheath**	
a	Lined by simple squamous epithelium	T	a	Femoral artery	
b	Designed for air condition	F	b	Femoral vein	
c	Surrounded by pulmonary capillaries	T	c	Femoral branch of genitofemoral nerve	
d	Develop from endoderm of foregut	T	d	Femoral nerve	T
e	Non-collapsible	F	e	Lymph node of cloquet	
6.	**Muscles that dorsiflex the foot includes**		**16.**	**Tran pyloric plane passes through**	
a	Tibialis anterior	T	a	T2-L1	
b	Flexor digitorum longus	F	b	L1-L2	T
c	Extensor halluces longus	T	c	T10	
d	Peroneus tertius	T	d	L5-S1	
e	Tibialis posterior	F	e	L2-L3	
7.	**Intra capsular structure of knee joint**		**17.**	**Referred pain of cholecystitis felt in**	
a	Cruciate ligament	T	a	Tip of ninth costal cartilage	
b	Menisci	T	b	Around umbilicus	
c	Popliteal tendon	F	c	Tip of right shoulder	T
d	Patellar ligament	F	d	Right iliac fossa	
e	Synovial membrane	F	e	Epigastrium	
8.	**Parts of extra-hepatic billiary apparatus are**		**18.**	**The least dilatable part of the urethra is**	
a	Hepatic duct	T	a	Pre prostatic	
b	Bile canaliculi	F	b	Prostatic	
c	Cystic duct	T	c	Membranous	T
d	Bile duct	T	d	Spongy	
e	Bile ductule	F	e	Penile	
9.	**Regarding pancreases**		**19.**	**Failure of testis to descant into the scrotum is called**	
a	Is an endocrine gland	T	a	Hypospadias	
b	Lies in the epigastrium	T	b	Cryptorchidism	T
c	Is an intra-peritoneal structure	F	c	Epispadias	
d	α cells secrete insulin	F	d	Varicocele	
e	Portal vein is formed behind its neck	T	e	Ectopic testis	
10.	**Muscle of the anterior compartment of the leg**		**20.**	**Structures crossing floor of ovarian fossa is**	
a	Tibialis anterior	T	a	External iliac artery	
b	Extensor hellucis longus	T	b	Ovarian vessels	
c	Flexor digitorum longus	T	c	Obturator nerve	T
d	Peroneus tertius	T	d	Pudendal nerve	
e	Peroneus brevis	F	e	Urine artery	

CamScanner

CHITTAGONG MEDICAL UNIVERSITY

1 Professional MBBS Examination: May 2023 (Old curriculum).

Subject: Anatomy, Subject Code: 11

MCQ, Paper-I

Marks: 20, Time: 30 minutes.

Use OMR sheet as Answer script: Pill up the appropriate cirele in OMR sheet for true (T) or false (F) answ

	1. Membranous organelles is/are:		**11. Jugular foramen transmits**
F	a) Centrosome	F	a) external jugular vein
F	b) Chromosome	T	b) glossopharyngeal nerve
T	c) Lysosome	T	c)internal jugular vein
T	d) Mitochondria	F	d) mandibular nerve
T	e) Ribosome	T	e) vagus nerve
	2. Mitotic type of cell division occur in		**12. Muscles of mastication is/are:**
F	a) primary oocyte	T	a) Lateral pterygoid
F	b) primary spermatocyte	T	b) Masseter c) Stylohyoid
T	c) somatic cells d) spermatozoa	T	d) Temporalis
T	e) zygote	F	e) Tensor palati
	3. Simple squamous epithelium present in		**13. Following is/are motor cranial nerve:**
T	a) blood vessels	T	a) Abducens
T	b) lung alveoli	F	b) Glossopharyngeal
T	c) pleura	T	c) Oculomotor
F	d) tongue	F	d) Optic
F	e) urinary bladder	F	e) Trigeminal
	4. Surface ectodermal derivatives is/are:		**14. Derivatives of 2nd pharyngeal arch is/are:**
F	a) Bone	T	a) Frontalis
F	b) Dermis	F	b) Mylohyoid muscle
T	c) Hair	T	c) Orbicularis oris muscle
T	d) Sweat gland	T	d) Stylohyoid muscle
F	e) Thyroid gland	F	e) Temporalis muscle
	5. Elastic cartilage present in the		**15. Parotid gland**
T	a) auditory tube	T	a) contains facial nerve
T	b) epiglottis	F	b) is an exocrine gland
F	c) intervertebral dise	T	c) not covered by deep fascia
F	d) thyroid cartilage	T	d) opens on the floor of oral cavity
F	e) trachea	T	e) secretes serous Fluid
	6. Secondary cartilaginous joint is/are:		**16. Hind brain is formed by**
T	a) Intervertebral joint	T	a) cerebellum
F	b) Knee joint	F	b) hypothalamus
T	c) Manubriosternal joint	T	c) medulla oblongata
T	d) Pubic symphisis	F	d) midbrain
F	e) Temporomandibular joint	F	e) thalamus
	7. Avascular structures in the body is / are:		**17. Busai ganglia includes:**
F	a) Bone	T	a) Caudate nucleus
T	b) Cartilage	F	5) Corpus callosum
T	c) Cornea	T	c) Globus pallidus
F	d) Dermis	F	d) Mesencephalic nucleus
T	e) Hair	T	e) Putamen
	8. Surface modifications of cell is / are:		**18. Deep cerebeller nuclei is/are:**
T	a) Cilia	T	a) Dentate nucleus
T	b) Flagella	T	b) Emboliformis nucleus
T	c) Microvili	T	c) Fastigial nucleus
F	d) Papillae	F	d) Lentiform nucleus
F	e) Villi	F	e) Red nucleus
	9. Peripheral lymphoid organ is/are:		**19. Occipital lobe of cerebrum**
F	a) Bone marrow	F	a) contains auditory area
T	b) Lymph node	T	b) contains visual area
T	c) Palatine tonsil	F	c) is a parts of hind brain
T	d) Spleen	F	d) situated below the tentorium cerebelli
F	e) Thymus	T	e) supplied by posterior cerebral artery
	10. Connective tissue cell is/are:		**20. Refractory media of eye ball is / are:**
F	a) Ependymal cell	T	a) Cornea
T	b) Fibroblast	T	b) Iris
T	c) Mast cell	F	c) Lens
T	d) Plasma cell	F	d) Sclera
F	e) Schwann cell	T	e) Vitreous humour

CamScanner

CHITTAGONG MEDICAL UNIVERSITY

1st Professional MBBS Examination November-2023 (New Curriculum)

Subject: Anatomy, Subject Code: 11

Paper-I, MCQ (MTF and SBA), Totai Marks: 20, Time: 30 minutes.

Use OMR sheet as Answer script: Fill up the appropriate circle in OMR sheet for true (T) or false (F) answer for question no. 1 to 10 and select single best answer by filling the single appropriate circle for question no 11 to 20 provided in the OMR sheet. Return the question paper with OMR sheet.

	1. Muscles of soft palate are		**11. Extra ocular muscle supplied by Abducent nerve is-**
F	a) hyoglossus		a) Inferior rectus
T	b) palatoglossus		b) inferior oblique
F	c) styloglossus		c) medial rectus
T	d) tensor tympani	T	d) lateral rectus
F	e) tensor palati		e) superior oblique
	2. Simple squamous epithelium present in		**12. Nucleus of paleo cerebellum is/are-**
T	a) alveoli		a) dentate
T	b) blood vessel		b) emboliform
F	c) esophagus	T	c) fastigial
F	d) peritoneum		d) globose
F	e) longue		e) globose and emboliform.
	3. Superior orbital fissure transmits		**13. laryngeal cartilage is made of both hyalire and elastic cartilage-**
T	a) abducent nerve		a) arytenoid
T	b) oculomotor nerve		b) corniculate
T	c) ophthalmic nerve		c) cricoid
T	d) optic nerve	T	d) epiglottis
F	e) trochlear nerve		e) thyroid
	4. Following is/are derivative of neural crest cell		**14. Betz cell or large pyramidal cell of cerebi al cortex present in-**
F	a) adrenal cortex		a) external granular layer
T	b) adrenal medulla		b) external pyramidal layer
T	c) dorsal root ganglia		c) internal granular layer
F	d) epidermis	T	d) internal pyramidal layer
T	e) Schwan cell		e) multiform layer
	5. Following is/are miniature long bone:		**15. Terminal branch of internal carotid artery is-**
F	a) clavicle		a) anterior choroidal artery
F	b) cuboid	T	b) anterior cerebral artery
T	c) metatarsal bone		c) anterior communicating artery
T	d) phalanges		d) ophthalmic artery
F	e) talus		e) posterior communicating artery
	6. Derivatives of pharyngeal pouches		**16. Pseudounipolar neuron is located at**
F	a) internal car		a) mesencephalic neuron of trigeminal nerve
T	b) palatine tonsil		b) trigeminal ganglion
T	c) thymus	T	c) dorsal root ganglion
F	d) tongue		d) pyramidal cells of cerebrum
F	e) thyroid gland		c) retina
	7. Following is/are part of basal ganglia:		**17. Posterior, neuropore is closed at**
T	a) Caudate nucleus		a) 15 day
T	b) dentate nucleus		b) 20 day
T	c) globus pallidus		c) 22th day
F	d) putamen	T	d) 25th day
F	e) red nucleus		e) 28th day
	8. Following is/are sensory cranial nerve:		**18. Safety muscle of larynx is**
F	a) Facial		a) aryepiglotticus
F	b) Glossopharyngeal		b) lateral cricoarytenoid
F	c) Hypoglossal		c) oblique arytaneid
T	d) Optic	T	d) Posterior cricparytenoid
T	e) vestibulocochlear		c) Thyroarytenoid
	9. Structures within parotid gland are		**19. Unique feature of cervical vertebra is**
T	a) facial nerve		a) bilid spine
T	b) auriculotemporal nerve	T	b) by Auramen transversarium
T	c) glossopharyngeal nerve		c) riangular vertebral foramina
T	d) external carotid artery		d) long lamina
F	e) internal carotid artery		e) small body
	10. Visual pathway is formed by		**20. In cell cycle DNA replication occur in-**
T	a) Cornea		a) G0 phase
T	b) optic chiasma		b) G1 phase
T	c) optic tract		c) G2 phase
T	d) medial geniculate body		d) M.phase
F	e) mamillary body	T	e) S.phase

CamScanner

CHITTAGONG MEDICAL UNIVERSITY

1st Professional MBBS Examination November-2023 (New Curriculum)

Subject: Anatomy, Subject Code: 11

Paper-II, MCQ (MTF and SBA), Total Marks: 20, Time: 30 minutes

Use OMR sheet as Answer script: Fill up the appropriate circle in OMR sheet for true (T) or false (F) answer for question no. 1 to 10 and select single best answer by filling the single appropriate circle for question no 11 to 20 provided in the OMR sheet. Return the question paper with OMR sheet.

	1.	**Contents of middle mediastinum**
T	a.	pericardium
F	b.	arch of aorta
T	c.	phrenic nerve
F	d.	pulmonary nerve
F	e.	vegus nerve
	2.	**The carpal tunnel transmits**
T	a.	median nerve
F	b.	ulnar nerve
T	c.	tendon of flexor digitorum superficialis
F	d.	tendon of palmaris longus
F	e.	ulnar artery
	3.	**Anterior relations of right kidney are**
F	a.	fundus of the stomach
T	b.	2nd part of duodenum
F	c.	tail of pancreas
T	d.	right supra-renal gland
T	e.	right lobe of liver
	4.	**Muscles that act on both hip and knee joint are**
F	a.	gluteus maximus
T	b.	sartorius
F	c.	adductor longus>
T	d.	gracilis
F	e.	popliteus
	5.	**Left Posterior Coronary Sinus**
T	a.	arises from ascending aorta
F	b.	supplies the whole left atrium
F	c.	runs in the anterior interventricular groove
T	d.	gives o left circumflex artery
F	e.	is a large artery
	6.	**Muscles crossing the shoulder joint are**
F	a.	bracialis
T	b.	coracobrachialis
F	c.	brachioradialis
T	d.	biceps brachii
T	e.	deltoid
	7.	**Regarding pancreas**
T	a.	it is an endocrine gland
T	b.	it lies in the epigastrium
F	c.	it is an intra-peritoneal structure
T	d.	a cells secrete insulin
F	e.	portal vein is formed behind its neck/
	8.	**Parts of the uterine tube are**
T	a.	isthmus
T	b.	uterine
F	c.	ovarian
T	d.	ampulla
T	e.	infundibulum
	9.	**Structures crossed by Root of the mesentery**
T	a.	right ureter
T	b.	inferior venacava
F	c.	left ureter
T	d.	right psoas major muscle
F	e.	2nd part of the duodenum
	10	**Opening of right atrium of the heart are**
T	a.	superior venacava
T	b.	coronary sinus
T	c.	anterior cardiac vein
F	d.	pulmonary veins
F	e.	aorta

	11.	**Structure passes through venacaval opening**
	a.	superior venacava
T	b.	inferior venacava
	c.	thoracic duct
	d.	gastric nerve
	e.	azygos vein
	12.	**Which one is not present gastric gland**
	a.	chief cell
T	b.	M cell
	c.	parietal cell
	d.	mucus neck cell
	e.	G cell
	13.	**Which one of the following is retroperitoneal organ?**
	a.	stomach
	b.	spleen
T	c.	kidney
	d.	transverse colon
	e.	small intestine
	14	**Following is the continuation of axillary artery**
	a.	subclavian artery
	b.	lateral thoracic artery
T	c.	brachial artery.
	d.	subscapular artery
	e.	circumflex humeral artery
	15.	**Loss of extension of knee joint result from injury to**
	a.	sciatic nerve
	b.	tibial nerve
T	c.	femoral nerve
	d.	deep peroneal nerve
	e.	superficial peroneal nerve
	16.	**Deltoid muscle**
T	a.	is a multipennate muscle
	b.	is supplied by radial nerve
	c.	forms the main bulk of back of arm
	d.	has insertion on spinous process of scapula
	e.	clavicular fibers are involved in abduction of shoulder joint
	17.	**Duodenum is developed from**
	a.	midgut
	b.	foregut
T	c.	foregut and midgut
	d.	hindgut
	e.	pharyngeal gut
	18.	**The commonest type of vermiform appendix is**
	a.	paracolic
	b.	subcaecal
T	c.	retrocaecal
	d.	pelvic
	e.	splenic
	19.	**Ilio-tibial tract is condensation of**
	a.	femoral sheath
T	b.	deep fascia of thigh
	c.	fascia iliaca
	d.	quadriceps femoris muscle
	e.	fascia cruris
	20	**The SA node is located at the-**
	a.	inter atrial septum
	b.	coronary sulcus
	c.	fossa ovalis
T	d.	crista terminalis
	e.	interventricular septum

CamScanner

CHITTAGONG MEDICAL UNIVERSITY

1st professional MBBS Examination, November-2022

Subject: Anatomy, MCQ, Paper-I

Total Mark-20 Subject Code: 11 Time- 30 minutes

Instructions: All questions carry equal marks. Darken the appropriate circles **T** (true) or **F** (false) in OMR sheet for correct answer. Return the MCQ sheet with answer script.

	1. DNA found in		**11. Nerves related to humers-**
F	**a)** lined by simple columnar epithelium		a) axillary nerve
F	b) has numerous goblet cells		b) musculocutaneus
F	c) has Bruner's gland in submucosa		c) ulnar nerve
T	d) has leaf shaped villi.	T	d) radial nerve
F	e) has Payer's patches		e) long thoracic nerve
	2. The gall bladder-		**12. Structures opening in right atrium are-**
T	a) has capacity of 30-50ml		a) superior venacava
T	b) stores bile		b) oblique vein of left ventricle
F	c) is supplied by hepatic artery		c) inferior venacava
F	d) develops from midgut	T	d) coronary sinus
T	e) drains by cystic duct		e) great cardiac vein
	3. Structures passing through sacral canal-		**13. Branches of posterior cord of Brachial plexus**
T	a. sacral nerve		a) axillary nerve
T	b. filumterminale		b) thoraco dorsal nerve
F	c. lower lumber nerve		c) long thoracic nerve
T	d. coccygeal nerve		d) radial nerve
F	e. obturator nerve	T	e) upper and lower subscapular nerve
	4. Flexors of knee joint are-		**14. Structures related to ala of sacrum are-**
F	a) quadriceps femoris		a) obturator nerve
T	b) semitendinosus	T	b) lumbosacral nerve
T	c) semi membranosus		c) sympethetic trunk
T	d) biceps femoris		d) iliolumber artery
F	e) gracilis		e) mediam sacral artery
	5. Arch of the Aorta-		**15. Muscles supplied by musculocutaneous nerve**
T	a) has three branches	T	a) biceps brachi
T	b) is an elastic artery		b) teres minor
F	c) lies in middle mediastinum		c) coracobrachialis
F	d) arises from left atrium		d) subscapularis
F	e) is a retroperitoneal structure		e) brachialis
	6. Contents of spermatic cord are-		**16. Umbilical cord contains**
T	a) vas deference		a) yolk sac with vitelline duct
T	b) testicular artery		b) allantols
T	c) artery to vas deference		c) two veins
F	d) deep artery of penis		d) one artery
F	e) cremasteric fascia	T	e) Wharton's jelly
	7. Porto systemic anaestomoses in body are-		**17. Intra capsular structures of knee joint-**
F	a) liver	T	a) cruciate ligament
T	b) oesophagus		b) menisci
T	c) anal canal		c) popliteal tendon
F	d) pancreas		d) patellar ligament
F	e) caecum		e) synovial membrane
	8. Parts of parietal are-		**18. Derivatives of paramesonephric duct-**
F	a) cervical		a) uterus
T	b) costal	T	b) lower part of vagina
T	c) mediastinal		c) fallopian tube
T	d) diaphragmatic		d) vas deference
F	e) peritoneal		e) broad ligament of uterus
	9. Structures crossed by root of the mesentery-		**19. Structures passing behind the inguinal ligament.**
T	a) abdominal aorta		a) femoral artery
F	b) left ureter		b) femoral nerve
T	c) inferior venacava		c) psoas major
T	d) right psoas	T	d) femoral vein
F	e) 2nd part of duodenum		e) spermatic cord
	10. Branches of lumber plexus are-		**20. Trachea-**
T	**a)** genito femoral nerve		a) lined by columnar epithelium
T	**b)** femoral nerve		b) contain hyaline cartilage
F	c) pudendal nerve	T	c) divides at the level of T4 vertebra
T	d) obturator nerve		d) contains goblet cells
T	e) nerve to pacteneus		e) contain s c-shaped cartilage

CamScanner

CHITTAGONG MEDICAL UNIVERSITY

1st professional MBBS Examination, November-2022

Subject: Anatomy, MCQ, Paper-II

Total Mark-20 Subject Code: 11 Time- 30 minutes

Instructions: All questions carry equal marks. Darken the appropriate circles **T** (true) or **F** (false) in OMR sheet for correct answer. Return the MCQ sheet with answer script.

	1. DNA found in	
F	a) centrosome	
T	b) chromosome	
F	c) lysosome	
T	d) mitochondria	
F	e) ribosome	
	2. Simple squamous epithelium present in	
T	a) blood vessels	
T	b) lung alveoli	
T	c) pleura	
F	d) tongue	
F	e) urinary bladder	
	3. Non membrane bound organelles is / are:	
T	a) centriole	
F	b) lysosome	
T	c) microtubules	
F	d) mitochondria	
T	e) ribosome	
	4. Neural crest cells derivates is / are:	
T	a) Adrenal medulla	
T	b) Craniofacial skeleton	
T	c) Dorsal root ganglia of spinal nerve	
F	d) Epidermis	
F	e) Parotid gland	
	5. Hyaline cartilage present in	
F	a) auditory tube	
F	b) epiglottis	
F	c) intervertebral disc	
T	d) thyroid cartilage	
T	e) trachea	
	6. Following is / are fibrous joint:	
T	a) Coronal suture	
T	b) Inferior tibiofibular joint	
F	c) Intervertebral joint	
F	d) Manubriosternal joint	
F	e) Temporomandibular joint	
	7. Following is / are central lymphoid organ:	
F	a) Bone marrow	
F	b) Lymph node	
F	c) Palantine tonsil	
T	d) Spleen	
T	e) Thymus	
	8. Osteoblast	
T	a) is a bone forming cell	
F	b) is a multinucleated cell	
F	c) is a bone remodeling cell	
F	d) is a mature cell	
T	e) produce collagen fiber	
	9. Following is / are pneumatic bone:	
F	a) Clavicle	
F	b) Frontal	
T	c) Maxillae	
F	d) Parietal	
T	e) Sphenoid	
	10. Sperm	
F	a) always contains X chromosome	
T	b) has got a tail	
F	c) is a diploid cell	
T	d) is a mature germ cell	
	e) is normally motile	

	11. Carotid sheath contains
T	a) common carotid artery
T	b) internal jugular vein
F	c) phrenic nerve
F	d) sympathetic trunk
T	e) vagus nerve
	12. Following is / are sensory cranial nerve:
F	a) Facial
F	b) Hypoglossal
T	c) Olfactory
T	d) Optic
F	e) Trigeminal
	13. Branch of external carotid artery is / are:
F	a) Anterior cerebral
F	b) Internal thoracic
T	c) Lingual
T	d) Superior thyroid
F	e) Vertebral
	14. Derivatives of 1st pharyngeal arch is / are:
T	a) Medial pterygoid muscle
T	b) Mylohyoid muscles
F	c) Posterior belly of digastric muscle
F	d) Stylopharyngeus muscle
T	e) Temporalis muscle
	15. Following is / are muscles of soft palate:
F	a) Genioglossus
T	b) Levator palati
F	c) Stylopharyngeus
T	d) Tensor palati
F	e) Tensor tympani
	16. Brainstem includes:
F	a) Cerebellum
T	b) Medulla oblongata
T	c) Mid brain
T	d) Pons
F	e) Thalamus
	17. Parts of internal capsules is / are:
T	a) Anterior limb
F	b) Fornix
T	c) Genu
F	d) Globus pallidus
F	e) Splenium
	18. Following is / are deep carebellar nuclei:
F	a) Cuneatus
T	b) Dentate
T	c) Emboliform
T	d) Fastigial
F	e) Red nucleus
	19. Gray matter is composed of:
T	a) Blood vessels
T	b) cell body of neuron
F	c) fibroblast
F	d) lymphatics
F	e) myelinated nerve fiber
	20. Retina contains following cells:
T	a) Bipolar
T	b) Ganglionic
F	c) Purkinje
F	d) Pyramidal
T	e) Rod

CamScanner

CHITTAGONG MEDICAL UNIVERSITY

1st professional MBBS Examination, May-2022

Subject: Anatomy, MCQ, Paper-I

Total Mark-20 Subject Code: 11 Time- 30 minutes

Instructions: All questions carry equal marks. Darken the appropriate circles **T** (true) or **F** (false) in OMR sheet for correct answer. Return the MCQ sheet with answer script.

	1. Mitotic cell division		**11. Taste sensation from the tongue carried by**
F	**a)** occurs in germ cells	F	a) abducent nerve
T	b) occurs in somatic cells	**F**	b) accessory nerve
F	c) is called reduction division	F	c) facial nerve
T	d) produce two daughter cells	T	d) glossopharyngeal nerve
F	e) causes genetic variation in daughter cells	T	e) hypoglossal nerve
	2. Oogenesis		**12. Carotid triangle contains**
T	**a)** produce single haploid ovum	T	a) common carotid artery
F	b) produce single polar body	T	b) hypoglossal nerve
F	c) requires estrogen hormone	T	c) internal jugular vein
T	d) starts before birth	F	d) submandibular gland
F	e) starts from puberty	T	e) vagus nerve
	3. Turner syndrome characterized by		**13. Following are mixed cranial nerve**
T	**a)** Infertile	**T**	a) Facial
T	b) Karyotype is 45X0	T	b) Glossopharyngeal
F	c) Karyotype is 47XXX	F	c) Optic
F	d) Karyotype is 47XXY	F	d) Oculomotor
F	e) Tall stature	T	e) Trochlear
	4. Results of fertilization are		**14. Following are muscles of mastication**
T	**a)** determination of chromosomal sex	**T**	a) Lateral pterygoid
T	b) initiation of cleavage	T	b) Masseter
F	c) initiation of meiotic cell division	F	c) Mylohyoid
T	d) restoration of diploid chromosomes	F	d) Styloglossus
F	e) restoration of haploid chromosomes	T	e) Temporalis
	5. Characteristics of epithelial tissue		**15. Following are paired dural venous sinuses**
F	**a)** can regenerate	**T**	a) Cavernous
T	b) cellular component is more	F	b) Occipital
T	c) covers only external surface of the body	F	c) Straight
T	d) has blood supply	F	d) Superior sagittal
T	e) has no nerve supply	T	e) Transverse
	6. Following are synovial joint		**16. Hind brain includes**
T	**a)** Ankle	**T**	a) Cerebellum
F	b) Costochondral	F	b) Cerebrum
T	c) Elbow	T	c) Medulla oblongata
F	d) Manubriosternal	F	d) Midbrain
T	e) Shoulder	T	e) Pons
	7. Following are avascular structure		**17. Cells found in cerebral cortex**
F	**a)** Bone	**F**	a) Ependymal cell
T	b) Cornea	F	b) Purkinje cell
F	c) Dermis	T	c) Pyramidal
T	d) Epidermis	F	d) Schwann cell
T	e) Hair	T	e) Stellate cell
	8. Morphologically short bones are		**18. Following are sensory tract of spinal cord**
T	**a)** Calcaneum	**F**	a) Corticospinal tract
T	b) Capitate	F	b) Rubrospinal tract
T	c) Cuboid	T	c) Spinothalamic tract
T	d) Incus	T	d) Tract of Burdach
F	e) Patella	T	e) Tract of Gall
	9. Morula		**19. Following are commissural fibers**
F	**a)** consist of eight blastomere	**T**	a) Corpus callosum
T	b) consist of sixteen blastomere	T	b) Habenular commissure
T	c) covered by zona pellucida	F	c) Internal capsule
F	d) forms in uterine cavity	F	d) Optic radiation
T	e) forms three days after fertilization	F	e) Superior longitudinal fasciculus
	10. Following are peripheral lymphoid organ		**20. Muscle supplied by oculomotor nerve**
T	**a)** Bone marrow	**T**	a) Inferior oblique
T	b) Lymph node	T	b) inferior rectus
T	c) Palatine tonsil	F	c) Lateral rectus
F	d) Spleen	T	d) Medial rectus
F	e) Thymus	F	e) Superior oblique

CamScanner

CHITTAGONG MEDICAL UNIVERSITY

1st professional MBBS Examination, May-2022

Subject: Anatomy, MCQ, Paper-II

Total Mark-20 Subject Code: 11 Time- 30 minutes

Instructions: All questions carry equal marks. Darken the appropriate circles **T (true)** or **F (false)** in OMR sheet for correct answer. Return the MCQ sheet with answer script.

	1. Muscles forming Rotator cuff are		**11. The Liver**
T	a) Supraspinatus	T	a) is a mixed gland
T	b) subscapularis	F	b) has bare area on superior surfaces
T	c) infra spinatus	T	c) has central vein in hepatic lobule
T	d) teres minor	T	d) has parenchyma develop from endoderm
F	e) teres major	T	e) has stroma developed from mesoderm
	2. Structures related to neck of 1st rib		**12. The pancreas**
T	a) Sympathetic chain	T	a) is mixed gland
F	b) Subclavian vein	F	b) is a intra peritoneal organ
T	c) 1st Posterior intercostals vein	T	c) has splenic vein on posterior groove
T	d) Superior intercostals Artery	T	d) has parenchyma develop from endoderm
F	e) Phrenic nerve	T	e) Has duct opening in major duodenal papilla
	3. The fallopian tube		**13. Structure related to base of the heart are**
T	a) lies in broad ligament	T	a) descending aorta
F	b) develops from mesonephric duct	F	b) vagus nerve
T	c) has ampulla the site of fertilization	F	c) arch of aorta
T	d) is supplied by uterine & ovarian artery	F	d) phrenic nerve
T	e) is common site of ectopic pregnancy	T	e) thoracic duct
	4. Muscles having double nerve supply are		**14. The kidney**
F	a) deltoid	T	a) is a retroperitoneal organ
F	b) biceps brachi	F	b) has right kidney is higher than that of left
T	c) brachialis	T	c) develops from intermediate mesoderm
F	d) triceps	T	d) ascends from pelvic to lumbar region
T	e) flexor digitorumprofundus	F	e) has renal artery, a branch of iliac artery
	5. Structure related to transpyloric plane		**15. Ureter**
F	a) lower pole of kidney	T	a) is 25 cm in length
T	b) fundus of gall bladder	F	b) crosses bifurcation of common iliac artery
F	c) bifurcation of abdominal aorta	T	c) has constriction opposite pelvi ureteric junction
T	d) pylorus of stomach	T	d) is lined by transitional epithelium
T	e) conus medularis of spinal cord	F	e) develops from endoderm
	6. The gluteus maximus muscle		**16. Aortic opening of the diaphragm transmits**
F	a) Is attached to intertrochanteric line of femur	T	a) aorta
T	b) is extensor of hip joint	T	b) azygos vein
F	c) innervated by superior gluteal nerve	T	c) thoracic duct
T	d) attached to iliotibial tract	F	d) sympathetic trunk
F	e) attached to lesser trochanter of femur	F	e) vagus nerve
	7. Fallot's tetralogy includes		**17. The spleen is**
T	a) pulmonary stenosis	T	a) closely related to stomach
T	b) venticularseptal defect	F	b) located deep to 9th-10th ribs
F	c) atrial septal defect	T	c) closely related to left kidney
T	d) over riding of aorta		d) site of production of erythrocyte after birth
F	e) left ventricular hypertrophy	F	e) a less vascular organ
	8. Structures crossing pelvic brim are		**18. Contents of femoral sheath are**
F	a) rectum	F	a) femoral nerve
T	b) sigmoid colon	T	b) femoral artery
T	c) ureter	T	c) genito femoral nerve
T	d) common iliac vessels	T	d) femoral vein
F	e) uterine tube	T	e) lymph nodes
	9. Portal triad contain the		**19. Foot drop is due to injury to following nervves**
T	a) branch of portal vein	F	a) tibial
T	b) branch of hepatic artery	F	b) obturator
T	c) bile canaliculi	T	c) common peroneal
F	d) interlobular hepatic ductile	F	d) medial planter
F	e) central vein	F	e) lateral planter
	10. Muscles causing dorsiflexion of foot are		**20. Conducting system of heart are**
T	a) tibialis anterior	T	a) SA node
T	b) extension Halucislongus	T	b) AV Node
T	c) extensor digitorum	F	c) papillary muscle
F	d) tibialis posterior	T	d) AV bundle
F	e) perneous longus	F	e) musculo pectinity

Orbit Question Bank 18th Edition 90

CamScanner

ANATOMY

CHITTAGONG MEDICAL UNIVERSITY

1st Professional MBBS Examination, November-2021

Sub: Anatomy, Subject Code: 12, MCQ, Paper-I

Marks: 20. **Time: 30mins**

Each question carries equal marks. Fill up the appropriate circle in OMR sheet for True (T) & False (F) answer.

Return the MCQ question paper with answer script.

01.	**Phagocytic cells are**	11.	**Following are motor cranial nerve**
T	a) macrophage		a) Hypoglossal
T	b) Kupffer		b) Optic
F	c) Fibroblast		c) Trochlear
F	d) Osteocyte		d) Trigeminal
T	e) Microglia		e) Facial
02.	**Meiotic type of cell division**	12.	**Derivatives of 1st pharyngeal arch**
T	a) Is called reduction division		a) Mandible
T	b) Occurs in germ cells		b) Stylopharyngeus muscle
F	c) Occurs in somatic cells		c) Palatine tonsil
T	d) Causes genetic variation in the daughter cells		d) Temporalis muscle
F	e) Produce two daughter cells		e) Tensor tympani muscle
03.	**Connective tissue cells are**	13.	**Branches of external carotid artery are**
T	a) Fibroblast		a) Posterior auricular artery
F	b) Schwann cell		b) Anterior auricular artery
T	c) Plasma cell		c) Superior thyroid artery
F	d) Astrocyte		d) Inferior thyroid artery
F	e) Goblet cell		e) Lingual artery
04.	**Neural crest cells derivatives are**	14.	**Parasympathetic fibers present in**
F	a) Hair		a) Optic
T	b) Melanocyte		b) Oculomotor
F	c) Oligodendrocyte		c) Facial
T	d) Dorsal root ganglia		d) Glossopharyngeal
T	e) Schwann cell		e) Accessory
05.	**Ball and socket type of joint are**	15.	**Paired cartilage of larynx are**
F	a) Ankle joint		a) Epiglottis
F	b) Knee joint		b) Thyroid
T	c) Hip joint		c) Corniculate
F	d) Elbow joint		d) Cricoid
T	e) Shoulder joint		e) Arytenoid
06.	**Pneumatic bones are**	16.	**Gray matter is composed of**
F	a) Occipital		a) Cell body of neuron
T	b) Maxilla		b) Myelinated axons
T	c) Frontal		c) Capillaries
F	d) Zygomatic		d) Lymph vessels
F	e) Temporal		e) Neuroglial cells
07.	**Central lymphoid organs are**	17.	**Brainstem includes**
T	a) Thymus		a) Mid brain
F	b) Spleen		b) Cerebellum
T	c) Bone marrow		c) Pons
F	d) Palatine tonsil		d) Thalamus
F	e) Lymph node		e) Medulla oblongata
08.	**Fibrocartilage present in**	18.	**Deep cerebellar nuclei are**
T	a) Manubriosternal joint		a) Dentate nucleus
F	b) Elbow joint		b) Red nucleus
F	c) Intervertebral joint		c) Fastigial nucleus
T	d) Symphysis pubis joint		d) Emboliform nucleus
T	e) Inferior tibiofibular joint		e) Caudate nucleus
09.	**Collagen fibers are abundant in**	19.	**Parts of internal capsule are-**
T	a) Bone		a) Rostrum
F	b) Lymph node		b) Anterior limb
F	c) Lung		c) Trunk
T	d) Tendon		d) Retro lentiform part
F	e) Spleen		c) Splenium
10.	**Multipennate muscles are**	20.	**Refractory media of eye ball are**
F	a) Soleus		a) Iris
T	b) Deltoid		b) Cornea
T	c) Rectus femoris		c) Retina
F	d) Tibialis anterior		d) Lens
F	e) Subscapularis		e) Vitreous humor

CamScanner

CHITTAGONG MEDICAL UNIVERSITY

1st Professional MBBS Examination, November-2021

Sub: Anatomy, Subject Code: 12, MCQ, Paper-II

Marks: 20. **Time: 30mi**

Each question carries equal marks. Fill up the appropriate circle in OMR sheet for True (T) & False (F) answer. B the MCQ question paper with answer script.

	01.	**The gall bladder**		11.	**Nerves related to humerus**
T		a) Has capacity of 30-50 ml	T		a) Axillary nerve
T		b) Stores bile	F		b) Musculocutaneus nerve
T		c) Is supplied by hepatic artery	T		c) Ulnar nerve
F		d) Develops from midgut	T		d) Radial nerve
T		e) Drains by cystic duct	F		e) Long thoracic nerve
	02.	**Intercostal nerves**		12.	**Common congenital anomalies of foot are**
T		a) Are mixed nerve	T		a) Club foot
T		b) Are ventral rami of thoracic spinal nerve	F		b) Flat foot
T		c) Supplies the diaphragm	T		c) Telepes equine varus
F		d) Supplies parietal pleura	T		d) Syndactyle
		e) Supplies fibrous pericardium	F		e) Telepes equine valgus
	03.	**The lesser omentum contains**		13.	Intra capsular structures of knee joint
F		a) Hepatic artery	T		a) Cruciate ligament
F		b) Common bile duct	T		b) Menisci
T		c) Portal vein	T		c) Popliteal tendon
F		d) Inferior vena cava	F		d) Patellar ligament
T		e) Coeliac trunk	T		e) Synovial membrane
	04.	**Structures opening in right atrium are**		14.	Structures passing behind the inguinal lig
T		a) Superior venacava	T		a) Femoral artery
F		b) Oblique vein of left ventricle	T		b) Femoral nerve
T		c) Inferior venacava	T		c) Psoas major
T		d) Coronary sinus	T		d) Femoral vein
F		d) Great cardiac vein	F		e) Spermatic cord
	05.	**Histological structures of duodenum are**		15.	Radial nerve supplies
T		a) Lined by simple columnar epithelium	F		a) Biceps brachii
T		b) Has numerous goblet cells	F		b) Anconeus
T		c) Has Bruner's gland in submucosa	T		c) Extensor carpi radialis longus
T		d) Has leaf shaped villi	T		d) Extensor carpi ulnaris
F		e) Has Payer's patches	T		e) Brachioradialis
	06.	**Structure passing through sacral canal**		16.	**The clavicle**
T		a) Sacral nerve	T		a) Is a modified long bone
T		b) Filumterminale	F		b) Lateral end articulates with manubrium
F		c) Lower lumber nerve	T		c) It ossifies in membrane
T		d) Coccygeal nerve	F		d) Deltoid attached to medial two third of it
T		e) Obturator nerve	T		e) It has no medullary cavity
	07.	**Structures related to ala of sacrum are**		17.	**Muscles inervated by femoral nerve are**
T		a) Obturator nerve	T		a) Rectus femoris
T		b) Lumbosacral trunk	F		b) Biceps femoris
T		c) Sympathetic trunk	T		c) Sartorius
T		d) Iliolumber artery	F		d) Adductor longus
T		e) Median sacral artery	T		e) Vastuslateralis
	08.	**Branches of lumber plexus are**		18.	**Venacaval opening of the diaphragm**
T		a) Genito femoral nerve	T		a) Transmits inferior venacava
T		b) Femoral nerve	T		b) Is a tendinous opening
F		c) Pudendal nerve	F		c) Transmits left phrenic nerve
T		d) Obturator nerve	F		d) Transmit vagus nerve
F		e) Nerve to pacteneus	F		e) Lies at the level of T10 vertebra
	09.	**Contents of spermatic cord are**		19.	**The female pelvis**
T		a) Vas deference	F		a) Intel is heart shaped
T		b) Testicular artery	T		b) Ischial spine is less inverted
T		c) Artery to vas deference	T		c) Cavity wider and shallower
F		d) Deep artery of penis	F		d) Cavity is narrower
F		e) Cremasteric fascia	T		e) Sub public angle wider
	10.	**Derivatives of paramesonephric duct**		20.	**Invertors of foot are**
T		a) Uterus	F		a) Extensor digitorum
F		b) Lower part of vagina	T		b) Tibialis anterior
T		c) Fallopian tube	F		c) Peroneus brevis
F		d) Vas deference	F		d) Extensorhalucislongus
T		e) Round ligament of uterus	T		e) Tibialis posterior

CamScanner

CHITTAGONG MEDICAL UNIVERSITY

1st Professional MBBS Examination, May-2021

Sub: Anatomy, Subject Code: 12, MCQ, Paper-I

Marks: 20. **Time: 30mins**

Each question carries equal marks. Fill up the appropriate circle in OMR sheet for True (T) & False (F) answer. Return the MCQ question paper with answer script.

	01.	**Membranous organelles are**
T		a) Lysosomes
T		b) Endoplasmic reticulum
T		c) Mitochondria
F		d) Microfilaments
F		e) Ribosomes
	02.	**Mitotic type of cell division occur in**
F		a) Primary oocyte
T		b) Zygote
T		c) Somatic cells
F		d) Spermatozoa
T		e) Oogonia
	03.	**Surface Ectodermal derivatives are**
T		a) Hair
F		b) Dermis
F		c) Thyroid gland
T		d) Sweat gland
F		e) Bone
	04.	**Primary cartilaginous joints are**
F		a) Intervertebral joint
T		b) 1st sternocostal joint
F		c) Manubriosternal joint
F		d) Temporomandibular joint
T		e) Spherno-occipital joint
	05.	**Paranasal air sinuses are**
T		a) Forntal
T		b) Maxillary
F		c) Cavernous
T		d) Sphenoidal
F		e) Occipital
	06.	**Surface modifications of cell are**
T		a) Microvilli
T		b) Cilia
F		c) Villi
F		d) Papillae
F		e) Flagella
	07.	**Elastic cartilage present in**
T		a) Epiglottis
F		b) Thyroid cartilage
F		c) Intervertebral disc
T		d) External ear
F		e) Articular cartilage
	08.	**Peripheral lymphoid organs are**
T		a) Palatine tonsil
T		b) Lymph node
F		c) Bone marrow
F		d) Thymus
T		e) Spleen
	09.	**Functional end artery present in**
F		a) Liver
T		b) Heart
F		c) Lung
T		d) Brain
T		e) Retina
	10.	**Osteoblast**
F		a) Multinucleated cell
F		b) Lies in lacunae of haversiam system
T		c) Bone forming cell
T		d) Converts into osteocyte
T		e) Immature cell
	11.	**Following are sensory cranial nerve**
		a) Optic
		b) Facial
		c) Olfactory
		d) Trigeminal
		e) Glossopharyngeal
	12.	Contents of carotid sheath are
		a) Phrenic nerve
		b) Common carotid artery
		c) Internal jugular vein
		d) Sympathetic trunk
		e) Vagus nerve
	13.	**Muscles of mastication are**
		a) temporalis
		b) mentalis
		c) genioglossus
		d) stylohyoid
		e) masseter
	14.	Oropharynx
		a) contains palatine tonsil
		b) contains tubal tonsil
		c) is the middle part of the pharynx
		d) is collapsible
		e) communicates anteriorly with nasal cavity
	15.	**Muscles of soft palate are**
		a) tensor tympani
		b) genioglossus
		c) tensor veli palatini
		d) styohyoid
		e) palatopharyngeus
	16.	**Frontal lobe of cerebrum contains**
		a) primary sensory area
		b) primary motor area
		c) Broca's area
		d) frontal eye field
		e) visual area
	17.	**Hind brain is formed by**
		a) medulla oblongata
		b) thalamus
		c) cerebellum
		d) midbrain
		e) hypothalamus
	18.	**Basal ganglia includes**
		a) caudate nucleus
		b) corpus callosum
		c) globus pallidus
		d) red nucleus
		e) putamen
	19.	**Effects of cerebellar lesion are**
		a) chorea
		b) dysdiadochokinesia
		c) spastic paralysis
		d) ataxia
		e) nystagmus
	20.	**Oculomotor nerve innervates-**
		a) superior rectus
		b) superior oblique
		c) lateral rectus
		d) media rectus
		e) inferior oblique

CamScanner

CHITTAGONG MEDICAL UNIVERSITY

1st Professional MBBS Examination, May-2021

Sub: Anatomy, Subject Code: 12, MCQ, Paper-II

Marks: 20. **Time: 30mins**

Each question carries equal marks. Fill up the appropriate circle in OMR sheet for True (T) & False (F) answer. Return the MCQ question paper with answer script.

	01.	**The live**
T		a) Is a mixed gland
F		b) Has bare area on superior surface
T		c) Has central vein hepatic
T		d) Has parenchyma develop from endoderm
T		e) Has stroma developed from mesoderm
	02.	**Structures crossed by root of the mesentery-**
T		a) Abdominal aorta
F		b) Left ureter
T		c) Inferior venacava
F		d) Left psoas
F		e) 2nd part of duodenum
	03.	**Hindgut derivatives are**
T		a) Rectum
F		b) Anal canal below pectinate line
F		c) Right 2/3 of transverse colon
F		d) Ascending colon
F		e) Vermiform appendix
	04.	**Structures opening in right atrium are-**
T		a) Superior venacava
F		b) Oblique vein of left ventricle
T		c) Inferior venacava
T		d) Coronary sinus
F		e) Great cardiac vein
	05.	**Flexors of knee joint are-**
F		a) Quadriceps femoris
T		b) Semi tendinosus
T		c) Semi Membranosus
T		d) Biceps femoris
T		e) Gracilis
	06.	**Structures passing through sacral canal-**
T		a) Sacral nerve
T		b) Filumterminale
F		c) Lower lumber nerve
T		d) Coccygeal nerve
T		e) Obturator nerve
	07.	**The kidney-**
T		a) Is a retroperitoneal organ
F		b) Has right kidney is higher than of left
T		c) Develops from intermediate mesoderm
T		d) Ascends from pelvic to lumber region
F		e) Has renal artery, a branch of iliac artery
	08.	**Claw hand injury involves-**
F		a) Median nerve
T		b) Ulnar nerve
T		c) Thoracic duct
F		d) Axillary nerve
F		e) Long thoracic nerve
	09.	**The fallopian tube**
T		a) Lies in broad ligament
F		b) Develops from mesonephric duct
T		c) Has ampulla the site of fertilization
T		d) Is supplied by uterine & ovarian artery
T		e) Is common site of ectopic pregnancy
	10.	**Umbilical cord contains-**
T		a) Yolksac with vitelline duct
T		b) Allantois
F		c) Two veins
F		d) One artery
T		e) Wharton's jelly
	11.	**Histological structures of duodenum are-**
T		a) Lined by simple columnar epithelium
T		b) Has numerous goblet cells
T		c) Has Bruner's gland in submucosa
T		d) Has leaf shaped villi
F		e) Has Payer's patches
	12.	**Arch of the aorta-**
T		a) Has three branches
T		b) Is an elastic artery
F		c) Lies in middle mediastinum
F		d) Arises from left atrium
F		e) Is a retroperitoneal structure
	13.	**Intra capsular structures of knee joint-**
T		a) Cruciate ligament
T		b) Menisci
T		c) Popliteal tendon
F		d) Patellar ligament
T		e) Synovial membrane
	14.	**Structures passing behind the inguinal ligament**
T		a) Femoral artery
T		b) femoral nerve
T		c) Psoas major
T		d) Femoral vein
F		e) Spermatic cord
	15.	**Tributaries of superior vena cava includes**
T		a) Azygos vein
F		b) Bronchial vein
F		c) Hemi azygos vein
T		d) Pericardial vein
T		e) Brachio cephalic vein
	16.	**Structures related to transpyloric plane**
F		a) Lower pole of kidney
T		b) Fundus of gall bladder
F		c) Abdominal aorta bifurcation
T		d) Pylorus of stomach
T		e) Conus medulary of spinal cord
	17.	**Muscles inverted by obturator nerve are-**
T		a) Adductor magnus
F		b) Biceps femoris
F		c) Rectus femoris
T		d) Adductor longus
T		e) gracilis
	18.	**Aortic opening of the diaphragm transmits-**
T		a) Aorta
T		b) Azygos vein
F		c) Radial nerve
T		d) Vagus nerve
F		e) Sympathetic trunk
	19.	**The female pelvis-**
F		a) Intel is heart shaped
T		b) Ischial spine is less inverted
T		c) Cavity wider and shallower
F		d) Cavity is narrower
T		e) Sub public angle wider
	20.	**Contents of spermatic cord are-**
T		a) Vas deference
T		b) Testicular artery
T		c) Artery to vas deference
F		d) Deep artery of penis
F		e) Cremasteric fascia

CamScanner