



Scripture
App Builder

Création d'applications



Scripture App Builder : Création d'applications

© 2026, SIL Global

Dernière mise à jour : 26 avril 2026

Vous êtes libre d'imprimer ce manuel pour votre usage personnel et pour des ateliers de formation.

The latest version is available at
<http://software.sil.org/scriptureappbuilder/resources/>

and on the Help menu of Scripture App Builder.

How to Use This Manual

Scripture App Builder (SAB) has many features to help users engage with the Scriptures. It is recommended that you at least familiarize yourself with the many options available by taking a brief look over all the chapter topics.

If you are new to SAB, it is recommended that you read sections 1, 2 and 3 of this manual before running the New App wizard for the first time. Section 4 has some Frequently Asked Questions. Sections 5 and on systematically cover the menus, project features and configuration settings.

This guide includes notes and tips to help you get the most out of the software. Tips and notes will appear like this:

Notes:



Each page in the wizard will have explanatory text to help you in choosing options.

Tips:



*To center text in the About box, add "**text-align: center;**" to the CSS in the **body.about** UI style.*


Most of the interface items in your app can be customized through the User Interface (UI) styles. For each section, the related UI styles will be shown in text boxes like the following:

To modify this...	Adjust this style...
Navigation drawer background	ui.drawer
Navigation drawer item text	ui.drawer.item.text


See [Appendix 3](#) for a comprehensive list of styles and explanations.

SAB includes a helpful search feature to aid in finding the various features and settings. Click on **Find...** at the right side of the SAB tool bar. See also [Find Settings and Features...](#)

To change SAB's interface language, click on the language button at the far right side of the SAB tool bar. See the example below:



The SAB software interface has four main areas: The **Menu bar**, the **Tool bar**, the **Project menu area (tree view)** and the **Configuration area**. These will be referenced in the various chapters.



Contents

1. Preparing content for your app 15

1.1. Preparing text 15

- 1.1.1. Paratext files for Bible books 16
- 1.1.2. Guitar / piano chords using ChordPro format files 17
- 1.1.3. Other SFM text files 17
- 1.1.4. Word documents (.docx) 17
- 1.1.5. Digital Bible Library Text Release Bundles 18
- 1.1.6. HTML files (.html) 18
- 1.1.7. Bloom books (.bloompub) 18

1.2. Preparing images 18

1.3. Preparing audio 19

2. How to build your first app 19

3. Installing the app on your phone 25

4. Frequently Asked Questions 29

4.1. What sort of apps can I build? 29

- 4.1.1. Scripture (Bible) apps 30
- 4.1.2. Picture Storybook apps 30
- 4.1.3. Lectionaries 30
- 4.1.4. A collection of Bloom books 31
- 4.1.5. Song Book apps 31
- 4.1.6. Quiz apps 31
- 4.1.7. Hybrid apps (combining different app modules) 32

4.2. How can I contextualize my app for a specific audience? 32

4.3. How can I find the setting or feature that I need in my SAB project? 33

4.4. How should I choose the app package name? 33

4.5. How can I add audio to my app? 33

4.6. How can I synchronize the text and audio in my app (creating timing files)? 33

4.7. Why and how should I add multiple translations to my app? 33

4.8. Where do the default book names and abbreviations come from? 34

4.9. Do I have to create a new keystore for each app? 35

4.10. How can I include pictures in my apps? 35

4.11. How can I handle a “right-to-left” language? 37

- 4.11.1. Setting the UI layout direction 37
- 4.11.2. Setting a book collection’s text direction 37
- 4.11.3. Setting a specific book’s text direction. 37
- 4.11.4. Changing the Orientation of the Contents Menu 37

4.12. Can I build apps when I do not have internet access? 38

- 4.13. How do the glossary entry popups work? 39
- 4.14. Can I build an app from the command line? 40
- 4.15. How can I add a horizontal line to separate certain paragraphs in text? 42
- 4.16. I don't like the name "Scripture App". Have you thought of calling the app something else? 42

5. The SAB Menu Bar 42

5.1. The *File* menu 42

- 5.1.1. New App... 42
- 5.1.2. Open App... 42
- 5.1.3. Open Multiple Apps... 42
- 5.1.4. Open App From Scriptoria... 43
- 5.1.5. Close 43
- 5.1.6. Save 43
- 5.1.7. Save All 43
- 5.1.8. Reload App 43
- 5.1.9. Copy App 43
- 5.1.10. View Project Folder 43
- 5.1.11. View APK Output Folder 44
- 5.1.12. View IPA Output Folder 44
- 5.1.13. View PWA Output Folder 44
- 5.1.14. Exit 44

5.2. The *Build* menu 44

- 5.2.1. Build Android App APK 44
- 5.2.2. Build Android App Bundle 44
- 5.2.3. Build Progressive Web App (PWA) 44
- 5.2.4. Build iOS Asset Package 44
- 5.2.5. Build Multiple Apps 44
- 5.2.6. Install Latest APK on Device 45
- 5.2.7. Export Data Safety to CSV 45

5.3. The *Tools* menu 45

- 5.3.1. Settings... 45
- 5.3.2. The *Code Libraries* tab 45
- 5.3.3. The *Android SDK* tab 45
- 5.3.4. The *Defaults* tab 46
- 5.3.5. The *Default Folders* tab 46
- 5.3.6. The *Export Folders* tab 46
- 5.3.7. The *Build Settings* tab 46
- 5.3.8. The *Build Folders* tab 47
- 5.3.9. The *After Build* tab 47
- 5.3.10. The *Interface* tab 47
- 5.3.11. The *Files* tab 47
- 5.3.12. The *Slideshows* tab 48
- 5.3.13. Create New Keystore... 48
- 5.3.14. Install JDK... 48
- 5.3.15. Install Android SDK... 48
- 5.3.16. Check Android SDK installation... 48
- 5.3.17. View Logs... 49
- 5.3.18. Check aeneas installation... 49

- 5.4. The *Help* menu 49
 - 5.4.1. Find Settings and Features 49
 - 5.4.2. Help Documents 49
 - 5.4.3. Community Website 50
 - 5.4.4. Customer Support Agent Website 50
 - 5.4.5. About App Builder 50

6. The SAB Tool Bar 50

- 6.1. New App... 50
- 6.2. Save 50
- 6.3. Save All 50
- 6.4. Build Android App 50
- 6.5. Install APK... 50
- 6.6. Build PWA 51
- 6.7. Run PWA 51

7. The Project Root Tree Node (Project Name) 51

8. The App project menu 51

- 8.1. Name and Package 51
 - 8.1.1. The *App Name* tab 51
 - 8.1.2. The *Package* tab 52
 - 8.1.3. The *Project* tab 52
- 8.2. Android 53
 - 8.2.1. The *APK* tab 53
 - 8.2.2. The *App Signing* tab 54
 - 8.2.3. The *App Registration* tab 55
 - 8.2.4. The *Permissions* tab 55
- 8.3. iOS 55
- 8.4. About 55
 - 8.4.1. What information should I include in the About page? 56
 - 8.4.2. Which formatting codes can I use in the About page? 56
 - 8.4.3. Which variables can I use in the About page? 58
- 8.5. Security 59
 - 8.5.1. The *Expiry* tab 59
 - 8.5.2. The *Security* tab 59

9. The Appearance project menu 60

- 9.1. Icons 60
 - 9.1.1. The *Android Icon* tab 61
 - 9.1.2. The *Android Icon Layers* tab 61
 - 9.1.3. The *Android Legacy Icons* tab 62
 - 9.1.4. The *Notification Icon* tab 62
- 9.2. Graphics 62
 - 9.2.1. The *Android Splash Screen* tab 62
 - 9.2.2. The *Navigation Drawer* tab 63

9.2.3. The <i>Borders</i> tab	64
9.2.4. The <i>Border Settings</i> tab	66
9.3. Interface	66
9.3.1. The <i>Languages</i> tab	66
9.3.2. The <i>Translations</i> tab	67
9.3.3. The <i>Layout Direction</i> tab	68
9.4. Colors	68
9.4.1. The <i>Color Scheme</i> tab	68
9.4.2. The <i>Main Colors</i> tab	68
9.4.3. The <i>Book Colors</i> Tab	68
9.5. Fonts	69
9.5.1. The <i>Main Font</i> tab	69
9.5.2. The <i>Font Files</i> tab	69
9.5.3. The <i>Font Handling</i> tab	69
9.5.4. The <i>Keyboards</i> tab	71
9.5.5. The <i>Lexical Models</i> tab	71
9.6. Styles	71
9.6.1. The <i>Text Styles</i> tab	72
9.6.2. The <i>User Interface Styles</i> tab	72
9.6.3. The <i>Custom Styles</i> tab	72
9.6.4. Setting styles at the book collection or book level	72
9.7. Formatting (Chapters, Verses and Text Size)	72
9.7.1. The <i>Formatting</i> tab	72
9.7.2. The <i>Text Size</i> tab	73
9.8. Changes	73
10. The <i>Data & Analytics</i> project menu	73
10.1. Analytics	73
10.1.1. FCBH Digest Analytics	74
10.1.2. S3 Digest Analytics	75
10.1.3. Data Payload for FCBH and S3 Digest Analytics	76
10.1.4. Amplitude Analytics	77
10.1.5. Firebase Analytics	78
10.2. Firebase	78
10.2.1. The <i>Firebase Features</i> tab	78
10.2.2. The <i>Firebase Configuration</i> tab	79
10.2.3. The <i>Push Notifications</i> tab	79
10.2.4. The <i>In-App Messaging</i> tab	80
10.3. User Accounts	80
10.3.1. Setting up User Accounts in Scripture App Builder	80
10.3.2. Setting up the database in the Google Firebase console	81
10.3.3. The <i>Data Deletion</i> tab	82
11. The <i>Publishing</i> project menu	82
11.1. App Store	82
11.2. Web App (PWA)	82
11.3. E-books (EPUB)	83

12. The *Navigation* project menu 85

- 12.1. Contents Menu 85
 - 12.1.1. The *Contents Items and Screens* tab 85
 - 12.1.2. The *Contents Settings* tab 92
 - 12.1.3. The *Contents Navigation* tab 92
 - 12.1.4. The *More Settings* tab 92
 - 12.1.5. The *Viewer* tab 92
- 12.2. App Launch 93
- 12.3. Navigation Drawer 93
 - 12.3.1. The *Menu Items* tab 93
 - 12.3.2. The *Settings* tab 93
 - 12.3.3. The *Sharing* tab (sharing apps) 94
 - 12.3.4. The *History* tab 95
 - 12.3.5. The *Search* tab 95
- 12.4. Bottom Navigation 96
- 12.5. Book Navigation 97
 - 12.5.1. The *Navigation* tab 97
 - 12.5.2. The *First Book and Chapter* tab 98
 - 12.5.3. The *References* tab 99
- 12.6. Deep Linking 99
 - 12.6.1. Setting up Deep Linking 99
 - 12.6.2. Creating Deep Links 100
 - 12.6.3. Deferred Deep Linking 102
- 12.7. Tab Types (Book Tabs) 103

13. The *Engagement* project menu 104

- 13.1. Onboarding 104
 - 13.1.1. The *Onboarding Screens* tab 105
 - 13.1.2. The *Settings* tab 105
 - 13.1.3. The *Viewer* tab 105
- 13.2. Annotations 107
- 13.3. Assistant (AI) 110
- 13.4. News Feeds 112
 - 13.4.1. The *Feeds* tab 112
 - 13.4.2. The *Settings* tab 112
 - 13.4.3. The *Viewer* tab 113
- 13.5. Bible Reading Plans 113
 - 13.5.1. The *Plans* tab (for adding and rearranging plans) 113
 - 13.5.2. The *Plans Settings* tab 116
 - 13.5.3. The *Plans Viewer* tab 116
 - 13.5.4. Editing Plan Features 116
 - 13.5.5. Adding Devotional Notes to a Plan 116
- 13.6. Resources 117
 - 13.6.1. The *Bible Engagement Resources* tab 117
 - 13.6.2. The *Display Settings* tab 117
- 13.7. Verse of the Day 117

- 13.7.1. The *Verse of the Day* tab 118
- 13.7.2. The *Verses* tab 119
- 13.7.3. The *Daily Reminder* tab 119
- 13.7.4. The *Notification Icon* tab 120

13.8. Verse on Image 120

- 13.8.1. The *Verse on Image* tab 122
- 13.8.2. The *Backgrounds* tab 123
- 13.8.3. The *Watermarks* tab 123

14. The *Media* project menu 123

14.1. Audio 123

- 14.1.1. The *File Source* tab 124
- 14.1.2. The *Audio Files* tab 129
- 14.1.3. The *Audio Toolbar* tab 129
- 14.1.4. The *Audio Settings* tab 130
- 14.1.5. The *Audio Synchronization* tab 131
- 14.1.6. The *Audio Clips* tab 131
- 14.1.7. The *Downloads* tab 131
- 14.1.8. How can I associate audio files with the text? 132
- 14.1.9. How can I reduce the size of my audio files? 133
- 14.1.10. How do I create the audio timing files for audio-text synchronization? 134
- 14.1.11. How are the timing files distributed for the app? 134
- 14.1.12. How can I use audio clips in the app? 134
- 14.1.13. How can I create subtitles from text and timing files? 135

14.2. Video 135

- 14.2.1. The *Videos* tab 136
- 14.2.2. The *Video Settings* tab 137
- 14.2.3. The *File Source* tab 137
- 14.2.4. How do I modify a video's location and configuration options? 138
- 14.2.5. How do I reduce the size of a video that I want to package within the app? 138
- 14.2.6. How can I create slideshow videos using audio and timing files? 139

14.3. Illustrations 139

- 14.3.1. Adding Illustrations / images 140
- 14.3.2. Modifying an Image Size or Placement 140

14.4. Documents 141

14.5. Radio 141

15. The *Books* project menu 141

15.1. The *Book Collections* tab 142

- 15.1.1. Adding a Book Collection 142
- 15.1.2. Importing a Book Collection 144

15.2. The *Layouts* tab 144

15.3. The *Layout Configuration* tab 147

15.4. The *Compare Versions* tab 147

15.5. The *YouVersion Platform* tab 149

15.6. The Book Collection Context Menu 149

- 15.6.1. View 149

- 15.6.2. Delete 149
- 15.6.3. Export 149
- 15.6.4. Fine Tuning File Manager... 149
- 15.6.5. Create Slideshow Videos... 149
- 15.7. Configuring a book collection 150
 - 15.7.1. The *Book Collection* tab 150
 - 15.7.2. The *Details* tab 151
 - 15.7.3. The *Language* tab 151
 - 15.7.4. The *Copyright & Licensing* tab 151
 - 15.7.5. The *Layouts* tab 152
 - 15.7.6. The *Sharing* tab 153
 - 15.7.7. The *Styles* tab 153
 - 15.7.8. The *Fonts* tab 154
 - 15.7.9. The *Footer* tab 154
 - 15.7.10. The *Scripture References* tab 155
 - 15.7.11. The *Links* tab 155
 - 15.7.12. The *Resources* tab 155
 - 15.7.13. The *Study Bible* tab 155
 - 15.7.14. The *Book Order* tab 155
 - 15.7.15. The *Versification* tab 155
 - 15.7.16. The *Audio Files* tab 155
 - 15.7.17. The *Audio Synchronization* tab 156
 - 15.7.18. The *Changes* tab 156
 - 15.7.19. The *Characters* tab 156
 - 15.7.20. Book Collection Book Table Actions 157
 - 15.7.21. Book Collection book table context menu actions 157
- 15.8. Configuring a Book 159
 - 15.8.1. The *Book* tab 159
 - 15.8.2. Adding a New Book Group 161
 - 15.8.3. Adding a New Book Subgroup 161
 - 15.8.4. The *Song Index* tab 162
 - 15.8.5. The *Styles* tab 162
 - 15.8.6. The *Fonts* tab 162
 - 15.8.7. The *Features* tab 162
 - 15.8.8. The *Footer* tab 163
 - 15.8.9. The *Audio Files* tab 163
 - 15.8.10. The *Audio Synchronization* tab 163
 - 15.8.11. The *Tabs* tab 164
 - 15.8.12. The *Cover* tab 164
 - 15.8.13. The *Changes* tab 164
 - 15.8.14. The *Characters* tab 164
 - 15.8.15. The *Book File* tab 165
 - 15.8.16. The *Viewer* tab 166
 - 15.8.17. The project tree view Book context menu 166

16. Picture Story Books 167

- 16.1. How do I define a picture story book? 169
- 16.2. What do picture story books in Word documents look like? 169
- 16.3. What do picture story books in SFM format text files look like? 171

16.4. Where do the pictures go?	172
16.5. How can I get the pictures to move when the audio is playing?	173
16.6. What about font and font size?	174
16.7. What audio timing labels are used?	174
16.8. How can I add background music when the audio is playing?	174
16.9. Where can I get sample story book text and pictures?	175
16.10. How can I record the audio files?	176
17. Song Books	176
17.1. How do I define a song book?	176
17.2. What do song books in Word documents look like?	176
17.3. What do song books in SFM format text files look like?	179
17.4. How can we associate audio with each song?	181
18. Registration Screen	182
18.1. Setting up the Registration Screen	182
18.2. Setting up the database in the Google Firebase console	183
19. Progressive Web Apps	187
19.1. Why Would I Want a Progressive Web App?	187
19.2. Which Progressive Web App Should I Use?	187
19.3. Audio in PWA	187
19.4. Building a Static PWA	188
19.4.1. Installing Prerequisites for Static PWA on Windows	188
19.4.2. Installing Prerequisites for Static PWA on Linux	189
19.4.3. How do I export Static PWA files?	190
19.4.4. How do I Add Audio to my Static PWA?	190
19.5. Building a Modern PWA	190
19.5.1. Configuration for Modern PWA	191
19.5.2. How Do I Build a Modern PWA?	191
19.5.3. How Do I Test a Modern PWA?	191
19.5.4. How Do I Publish a Modern PWA?	191
20. Publishing and Distribution	192
21. Appendix 1: How SAB stores your project data files	193
21.1. General-use SAB data folders	193
21.2. Project-specific data folders	194
21.3. Using SAB with Paratext files	195
22. Appendix 2: Useful App Builder SFM markers	196
22.1. Headings	196

22.2. Pages and Chapters	196
22.3. Paragraphs	196
22.4. Media	196
22.5. Links to other books or audio files.	196
22.5.1. Examples	197
22.6. Character markup	197
23. Appendix 3: SAB body and text styles explanation	197
23.1. Body Styles	197
23.2. Link Styles	198
23.3. Number Styles	198
23.4. Heading Styles	198
23.5. Paragraph Styles	199
23.6. Poetry Styles	199
23.7. List Styles	200
23.8. Special Text Styles	200
23.9. Formatting Styles	201
23.10. Footnotes Styles	201
23.11. Cross Reference Styles	201
23.12. Illustrations and Video Styles	201
23.13. Introduction Styles	202
23.14. Study Bible Styles	202
23.15. Table Styles	202
23.16. Formatted Block Styles	203
23.17. Highlighter Pen Styles	203
23.18. Footer Styles (with reference styles)	203
23.19. Contents Menu Styles	204
23.20. Layout Styles	205
23.21. Verse by Verse / Interlinear Pane Styles	205
23.22. Annotations Styles	206
23.23. History Styles	206
23.24. Downloads Styles	207
23.25. Reading Plan Styles	207
23.26. Search Results Styles	209
23.27. Quiz Styles	209
23.28. AI Assistant Styles	210
23.29. Settings Styles	210

23.30. Message Box Styles 212

23.31. Onboarding Screens Styles 212

23.32. User Accounts Styles 212

1. Preparing content for your app

Before you build an app with Scripture App Builder (SAB), you need to get your content (text, images and audio) into formats that SAB can handle.

1.1. Preparing text

The text format you need depends on the type of app content you have.

- **Books of the Bible:**

The Scripture text needs to be in one of the following formats:

- o Paratext files (.usfm, .sfm, .ptx, etc.)
- o USX files (.usx)
- o Digital Bible Library Text Release Bundles (.zip)

- **Song books with chords:**

These need to be in the .chordpro (or .cho) format

- **Other types of app content such as commentaries, picture story books, song books and Bible studies:**

The text needs to be in one of the following formats:

- o Word documents (.docx)
- o SFM text files (.sfm)
- o HTML files (.html)
- o Bloom books (.bloompublish)



For more information on how SAB stores your text files, see [How SAB stores your project data files](#).

Here are some more details about each of these formats:

1.1.1. Paratext files for Bible books

SAB can import text from Paratext USFM (Unified Standard Format Marker) files. These are the files used in Paratext projects – one per book of the Bible. See example below:

```

\c 5
\s Kile Kafila yere lemu l'a pye faaboborɔ ki nɔɔ ni ge
\p
\v 1 Ayiwa, ba Yesu ya sipyiire ti na we, na dugi tiin
faaboborɔ ki nɔɔ ni. A wu wo kalaapiire t'i fulu wu na.
\v 2 A wu nɔ kɔn na pu kalaa na:
\s Piike p'i ne duba nagoo pu we?
\r (Luka 6:20-23)
\q1
\v 3 «Piimu p'a li ce na funmo fee pee ne
\q2 Kile shizhaa na ge,
\q2 pee ne duba nagoo,
\q1 hani na wuure ti ne

```

In USFM files, the chapters, section headings and paragraphs are marked by standard format markers such as \c, \s and \p. For more details, please see <http://paratext.org/about/usfm>.

For more information about how SAB and Paratext work together, see [Using SAB with Paratext files](#). You can add Paratext files during the New App wizard, or later using **Add Books...** in a book collection's configuration window.

It is recommended that you run the Paratext Basic Checks to ensure the text is as clean as possible for publishing. Select **Checking > Run Basic Checks...** from the Paratext main menu.

Critical checks:

- **Chapter/Verse Numbers:** Checks for duplicate or invalid chapter or verse numbers. Checks that all chapters and verses defined in the versification for the project are present.
- **Markers:** Checks you are using valid USFM markers and they are not in unexpected places.
- **References:** Checks that Scripture references, e.g. "Mat 6:1-5", follow exact abbreviations and syntax. If not, they will not work as links in the app.

Important checks:

- **All of the remaining basic checks:** Characters, Punctuation, Capitalization, Repeated Words, Unmatched Pairs of Punctuation, Quotations, Numbers.
- **Spelling:** In Paratext, select **Checking > Spell Check Current Book...**

1.1.2. Guitar / piano chords using ChordPro format files

You can add .chordpro (or .cho) format files to display song lyrics with the respective chord symbols above each line.

1.1.3. Other SFM text files

SAB can import text from SFM files which contain content other than Bible books, such as commentaries, Bible studies, stories or songs. Like Paratext USFM files, the chapters, section headings and paragraphs need to be marked by standard format markers such as \c, \page, \s and \p.

The first marker in the file must be in the form \id XYZ, where XYZ is a unique, alphanumeric code you choose (with no spaces or hyphens, but you can have underscores). **Do not choose a code already reserved for a Scripture book, e.g. GEN, or any other book in your project.**

SFM book files must be **plain text files**. If you have Unicode characters, the text files should use UTF-8 encoding.

To create an SFM text file in Windows, use a text editor such as Notepad (which allows you to set the Encoding to UTF-8 when you save).

To create a text file on a Mac, use TextEdit, remembering to choose Plain text files in the preferences because otherwise the default file type is RTF (which contains a lot of additional formatting codes).


For more details about how to define [picture story books](#) and [song books](#) using SFM text files, please follow the links to see their respective sections.

1.1.4. Word documents (.docx)

SAB can import text and images from Microsoft Word (.docx) documents.

When Word documents are displayed in the app, basic formatting will be preserved such as character styles (bold, italic, underline), numbered lists, bullet points, hyperlinks, footnotes and simple tables.

To define separate chapters or pages, insert page breaks using CTRL+Enter.



Even though Word documents may appear easier, they work best only for very simple story books. If you want more control over the formatting and features of the book, use the SFM format.

*As a starting point, you can add a Word file to SAB, click on its **Book File** tab and then the **Export as Text File** button. This will convert your Word doc to the SFM file format. You can then edit this SFM file, adding the correct chapter, verse and other markers necessary. Then remove the book from Word and replace with this SFM one.*

For more details about how to define picture story books and song books using Word documents, please see the sections on [Picture Story Books](#) and [Song Books](#).

1.1.5. Digital Bible Library Text Release Bundles

SAB can import text from Digital Bible Library (DBL) text release bundles. These are zip files containing USX files for each book as well as other configuration information.

For more information about the DBL, see: <https://www.thedigitalbiblelibrary.org/>.

You can find some DBL text release bundles available for free use on Biblica's Open.Bible website: <https://open.bible/bibles/>

1.1.6. HTML files (.html)

SAB can display HTML files and make use of associated stylesheets (CSS) and images. Audio-text synchronization is not supported yet with this format.

1.1.7. Bloom books (.bloompub)

SAB can display Bloom books, by using an embedded Bloom Player, as used in the Bloom Reader app. Books need to be in the .bloompub format.

For more information about Bloom, please see: <https://bloomlibrary.org>

1.2. Preparing images

Images are imported automatically from Word documents or need to be specified separately if you use SFM format. They should be in JPEG or PNG format. Certain interface items require a particular format, size or shape, and that will be specified in the descriptive text on that screen in SAB. For example, the navigation drawer image is required to be a PNG file with an aspect ratio of 16:9.

Keep the image size small enough so that they will not make the app size too large yet will display well on a small screen. If your pictures are in a Word document, you can use the **Compress Pictures** tool in Word. Otherwise, SAB will allow you to resize the images after you have added them to the app project.

1.3. Preparing audio

If you want to include audio files in your app, these need to be in MP3, 3GP or WebM (Ogg Opus) audio format. Normally this should be one audio file per page or chapter. You can also include audio clips which are short audio files that are played when the user taps on a word, phrase or image. If you want to include timing files so the text and audio are synchronized, the audio must be Constant Bit Rate (CBR).

[Go here for more information on including audio.](#)

Keep the audio files at a size where the quality is good enough for a phone and where the file size is not too large. [Go here for more information on compressing audio files to make them smaller](#)



Make sure that audio files are clearly and uniquely named. SAB will need to figure out which audio file to associate with which page or chapter, so clearly include that number in the file name (i.e. at the end of the name) using a leading zero.

*E.g. **my_book_page_01.mp3***

Audio from Faith Comes By Hearing will already have unique file names, so it is not recommended to change them.

2. How to build your first app

To build your first app with Scripture App Builder, you should use the **New App** wizard.



The wizard will offer many choices in setting up your app. If you do not yet know exactly what you need, just choose the default option for now. All the app elements can be added or modified later within SAB, before you publish the app. Each page in the wizard will have explanatory text to help you in choosing options.

1. Launch **Scripture App Builder** from its icon on the desktop.
2. Click **New App** on the toolbar. The New App wizard will appear.



*If this is your very first app, or you have no projects opened in SAB, the **New App** button will show in the middle of screen.*

3. On the first page of the wizard, specify the **App Name**, such as “Dogon Bible”, “Livre de Luc”, “Supyiré NT”, etc. This is the main title of your app and will appear under the app icon on the user’s phone. Do not include underscores or hard to understand abbreviations and try to keep the length under about 20 characters. (You can modify this later under [App > Name & Package > App Name](#).)


Click **Next** to move to the next page.

4. On the second page of the wizard, specify the **Package Name**--a dot-separated string which uniquely identifies your app. (You can modify this later under [App Package](#).)

More details about choosing a good package name can be found in the section [How should I choose the package name?](#)

Click **Next** to move to the next page.

5. On the **Book Type** page, you have several choices for the file source from which to select.



New App [Close]

Book Type
Specify which type of books to add

Which kind of books would you like to add to the app?

- ☒ **Books from text files, Word documents, Digital Bible Library or Bloom**
Choose this if you have the source files for the books on your computer.
- ☐ **Books from your Paratext Project**
Choose this if you have Paratext installed and want to add books from a project.
- ☐ **Audio-only books (without text)**
Choose this if you only have audio files, such as for an Oral Bible Translation.
- ☐ **Books from the YouVersion Platform**
Choose this if you want to download Bible books from the YouVersion Platform.

< Back **Next >** Cancel

Books from text files, Word documents, Digital Bible Library, or Bloom

Choose whether you want book data from Bloom, Word, the Digital Bible Library, ChordPro files, or other text files. Select one or more files and click Next when finished.

Books from your Paratext project

If you choose this option, SAB will display a list of projects found in your "My Paratext 9 Projects" folder. You can search by project or language name, or simply select a project from the list. Click Next to view a list of the project's books and useful status information, including the percentage of verses listed in each book. Double-click a book to see further details. Select the books you wish to add and click Next.

Audio-only books (without text)

If you choose audio-only, the wizard will present several screens asking which audio files you want to add and which image you want to display during audio playback. Click **Next** when finished.

Books from the YouVersion platform

If you choose the YouVersion platform, the wizard will ask you to select a language and specific books, and to enter a YouVersion API key (details are provided on that screen).

Click **Next** to proceed to the next page.

6. If you choose to add books with text, the next page of the wizard is titled **Books**. Click **Add Books...** and select the books you want to see in the app. These can be USFM (Paratext) files, USX files, Digital Bible Library text release bundles, ChordPro files, Word documents (docx) or a zipped file of USFM or USX files. (You can add more books later under [Books > <Collection Name> > Book Collection > Add Books.](#))

Click **Next** to move to the next page.

7. If you have selected Scripture books, the next page will be titled **Book Order**. Choose the book ordering according to the church tradition of the target users. (You can modify this later under [Books > <Collection Name> > Book Order.](#))

Click **Next** to move to the next page.

8. If the book names are in all-caps, the next page of the wizard is titled **Book Names** and will allow you to change them to mixed case if desired.

Click **Next** to move to the next page.

9. On the page of the wizard titled **Language**, specify the language code and name of the main language used in the app. Click **Select...** to choose the language code from a list of languages. If required, select the checkbox to specify additional identification information, such as the script, region and variant. (You can modify this later under [Books > <Collection Name> > Language.](#))

Click **Next** to move to the next page.

10. On the **Copyright and Licensing** page, specify the copyright and licensing information that you would like to appear on the About box in the app. This includes the copyright owner for the text. Use the **Copyright Helper** wizard to help you.

If you do not know what to put here, please ask the publishing department of your organization for advice. They will want to make sure you get this right and do not simply make a guess as to what to include. (You may add this information at a later time if you do not have it available right now under [Books >](#)

[<Collection Name> > Copyright & Licensing](#). Also see more on where and how to include copyright information in the [About Page](#) section.)

Click **Next** to move to the next page.

11. You can select one or more **Additional Bible Versions** to add to your app, available to the user in the Language and Layout screen. Click **Next** to move to the next page.
12. On the page of the wizard titled **Font**, choose the font. You can either select from the given list of fonts or specify a different TrueType font file. (You can modify this later under [Appearance > Fonts > Main Font](#).)

Click **Next** to move to the next page.

13. If this next page is titled **Choice of Fonts**, choose some more fonts to add to the app. The app user will be able to change the default font to one of these fonts in the font chooser and in the Verse on Image editor. (You can modify these settings later under [Appearance > Fonts > Font Files](#).)

Click **Next** to move to the next page.

14. On the page of the wizard titled **Font Handling**, you can select GeckoView if you know that the standard Android components will have trouble displaying the text correctly (e.g. if it is a complex script). (You can modify this setting later under [Appearance > Fonts > Font Handling](#).) More information on GeckoView can be found in the [Fonts](#) section of this document.

Click **Next** to move to the next page.

15. On the page of the wizard titled **Color Scheme**, choose the color scheme for the app. The color you choose is the one that will be used for the main app bar. (You can modify this later under [Appearance > Colors > Color Scheme](#).) Individual colors for text, titles, links, backgrounds, etc. can be customized later.

Click **Next** to move to the next page.

16. On the page of the wizard titled **Default Interface Language**, choose the language you want users to see when they first enter the app (the language for the app menus). This can be the current system language, but you can specify a default language just in case--perhaps a *language of wider communication*. (You can modify this later under [Appearance > Interface > Languages](#).)

Click **Next** to move to the next page.

17. On the page of the wizard titled **Interface Languages**, choose the app interface languages from which the user can choose in the app settings. (You can modify this later under [Appearance > Interface](#).)

Click **Next** to move to the next page.

18. On the page of the wizard titled **Features**, choose the features you want to enable in the app.

You can modify the details for the Verse of the Day (and the Daily Reminder) later under [Engagement > Notifications](#).

You can modify the details for saving as a video later under [Engagement > Verse on Image](#).



If you have audio versions of the books in your app, you have the option of allowing users to share verse audio with others. They can also share a video that combines the text and audio together. See [Configuring Verse on Image in the App Builder](#) for more details.

Click **Next** to move to the next page.

19. On the page of the wizard titled **Icon**, choose the application launcher icon. You can select one of the images in the table or if you have your own PNG image files for the icon, click **Browse** and select them. (You can see more options for creating an icon and/or modifying the icon later under [Appearance > Icons](#).)

Click **Next** to move to the next page.

20. On the page of the wizard titled **Signing**, you need to specify the keystore and alias to use to sign the app. A keystore is a digital certificate file that ensures the app is legitimate. An app must be signed in this way so that it can be installed on a phone.

If you already have created a keystore for another app, see [reusing a keytore](#). If you do not already have a keystore file (which you are unlikely to have if this is your first time using the program), do the following:

- i. Click **Create KeyStore**.
- ii. Enter a new filename for the keystore, such as "keystore1." Specify a password. Click **Next** to continue.
- iii. Enter an alias name for a key to create within your new keystore, such as the default "key1". Specify a password, which can be the same as the password you entered on the previous page.



It is very important to securely store the password for your keystore. Once the app is published, it cannot be updated without the keystore password. Make sure someone else in your organization has access to the app keystore passwords.

Click **Next** to continue.

- iv. On the **Certificate Issuer** page, provide details of your organisation in at least one of the fields. Click **Next** to continue.
- v. A new keystore will be created for you. Click **Close**.

21. Back on the **Signing** page of the New App wizard, you need to specify the keystore password, select the key alias and enter the alias password--just as you entered them in the step above. (You can modify your keystore settings later under [App > App Signing](#).)

Click **Next** to continue.

22. On the page of the wizard titled **Project**, you can enter or modify the project name and add an optional description of the app project. Neither of these will be visible to the user of your app. They are just for your own use and might help you distinguish between multiple app projects. (You can modify this later under [App > Project](#).)



SAB will create a project folder using the title of your project. It is recommended that you don't include any special characters in the project name as they may not be compatible with the folder name rules.

Click **Finish** to continue. The New App wizard will close, and the app project definition will be added to the tree view on the left of the screen.

Take a look at each of the app configuration pages by selecting them in the tree view on the left. Look in each of the tabs on each page to verify that you have the settings you want. You can always go back to them later to change them if you find you need to make modifications to fonts, colors, styles, etc.

When you have finished configuring the app, click the **Build Android App** button on the toolbar at the top of the screen.

If something is not configured correctly for the build to work, you will be notified.



If you need to see the error information at a later time (e.g. to send to one of the support staff for help), you can find it on the menu bar under [Tools > View Logs...](#) > [Error Log](#).

A compilation window will appear. Wait while the app is compiled. It may take several minutes or more.

The first time the build process is run, the compiler needs to connect to the internet to download some files. After this, subsequent app builds will not require internet access. See the menu [Tools > Settings...](#) > [Build Settings](#) to turn on offline mode after the first app build.

If the build succeeds, you will have a new APK file – the installation file for an Android app.




To understand more about where SAB stores files like your APK file, see [How SAB stores your project data files](#).

The next section describes how to copy this APK file to your phone and launch the app.

3. Installing the app on your phone

In the above section, you have seen how to compile an Android app. The result is an APK file, the installation file for an Android app. You now need to copy this APK file to your phone, install it and launch the app.



Because you are installing your APK directly (a process called side-loading) instead of through the Play Store, your phone may alert you to the fact that this is a suspicious file and require an extra step for permitting the install and/or a virus scan. This is normal, but if you are sharing your APK this way, you will want to prepare users that they may encounter these checks.

There are several ways to do this:

Copy the APK via WIFI transfer

Use a WIFI transfer app (Xender, WhatsApp) on your phone and computer. Open the [APK output folder](#), select your APK and copy it or send it to your phone. Locate the APK file and tap on it to install.

Copy the APK directly

If you have a USB data cable, connect your phone to your computer so that it shows up as a device (like an external hard drive or USB drive). Open the [APK output folder](#), select

your APK and copy it to an easily-found folder (e.g. Downloads) on your phone. Then, on the phone, find the APK and tap to install.

Automatically install the APK from within SAB

This is a very convenient way to test your APK and worth setting up. Use the following steps:

1. Connect your Android phone to your computer using a **USB data cable**.

(Sometimes you get cheap USB cables that can only charge a phone but cannot transfer data, so make sure you have the right kind of cable.)



When you connect your phone to your computer, if your phone appears as an icon under “This PC”, you have a data cable.


2. Ensure that **Developer Options** ➤ **USB Debugging** is enabled on your phone. By default, on new phones, Developer Options is turned off. This is how you can enable it:
 - i. Open the **Settings** menu of your phone.
 - ii. Scroll down to the bottom of the menu and tap on **About Phone**.
 - iii. Find the **Build Number**. This could be on the About Phone page, or under a sub-menu such as ‘Software Information’.




*If you have trouble finding the Build Number, search for “**Build Number**” in the settings Search bar.*

- iv. Tap on the Build Number **seven times**. As you do this, you will see a series of messages appearing: “You are now 3 steps away from being a developer”, “You are now 2 steps away from being a developer”, “You are now 1 step away from being a developer”, “You are now a developer!”.


- vi. Tap on **Developer Options** and ensure that it is turned on.
- vii. Scroll down the Developer Options page and find **USB Debugging**. Enable this setting.



When you do this, you will probably get a message “Allow USB Debugging?” Tap **OK**.



If you see a message box like this, check the box “**Always allow from this computer**” and tap **OK**:



3. In Scripture App Builder, click the **Install APK** button on the toolbar at the top right of the screen.

A window will open and the APK file will be copied to your phone and installed. The app will then be launched.

If this does not work, look at the command window to see if there is an error message. If you see a message such as “No devices/emulators found”, it means that your phone and computer are not connected correctly, your phone is locked, or that you have not enabled USB debugging on your phone.



*Described above is a two-step process: **Build App** and then **Install APK**. If you prefer, you can tell Scripture App Builder to do this in one step, i.e. for the APK to be installed and launched automatically after building an app. See [Tools > Settings... > After Build](#) to enable this feature.*

4. Frequently Asked Questions

4.1. What sort of apps can I build?

Scripture App Builder is very versatile, and you can build quite a few different types of apps including straight Scripture apps, Bible story books, lectionaries, literacy books song books and quiz books. You can even combine these different types of “modules” into a single app according to your wider [Scripture Engagement](#) strategy. Think of the

“building blocks” that you have--Scripture texts, audio, videos, Bible study materials, Bible images—and prayerfully seek how to combine them in different ways in different apps to help people engage with God’s Word.

Use the links below to help you get more info on the various types of app types and modules you can build with Scripture App Builder:

4.1.1. Scripture (Bible) apps

These are generally produced from Paratext files and are comprised of one or more Bible books with chapters and verses. See the following:

- [Preparing your text for a Scripture app.](#)
- [Including multiple translations.](#)
- [Putting copyright info in your app’s About box.](#)
- Including [Verse on Image](#), [Verse of the Day](#) and [Daily Reminders](#).
- Providing [Highlighting, Notes and Bookmarks](#).
- Using [book tabs](#) for Bible study questions.
- Adding [reading plans](#).
- Adding an [AI assistant](#).
- [Adding audio to your books.](#)

4.1.2. Picture Storybook apps

These comprise one or more storybooks, each generally with text and an image on each page. They are very versatile and can be used for illustrated Bible stories, literacy materials, Bible studies, Bible aids and any other illustrated resources. Looking at sites like [FreeBibleImages.org](#) can provide some ideas and inspiration for books you can create.

To create storybooks, see the following:

- [Creating a Picture Story Book.](#)
- Preparing text for your storybook in [SFM](#) or [Word](#) formats, or [importing Bloom books](#).
- [Preparing your images.](#)
- Using a [contents menu](#) to access your books
- [Adding audio to your books.](#)
- Including [copyright info](#) for your text, images and other resources.
- [Including links between books.](#)

4.1.3. Lectionaries

To create a 3-year lectionary, for example, make one book per collection (season) for each year, i.e. Advent would have 3 separate books, one for each year. These books would be in SFM format and can have the Bible verses typed out in full. However, if you add the lectionary books to a Bible app that has all the referenced Scripture books, you can put links to the actual Scripture texts in the lectionary SFM files.

See the following:

- Preparing text for your lectionary in [SFM](#) or [Word](#) formats.
- Using a [contents menu](#) to access the books in your lectionary.
- Including [copyright info](#).
- [Including links between books](#).

4.1.4. A collection of Bloom books

While the Bloom reader app gives access to any published Bloom books, it might fit your context better to have a contextualized app for a language group that includes just the Bloom books you want to group together. To do this, create an app with multiple books (in a single book collection) that you import from Bloom. Add a contents menu to clearly show which books are available.

See the following:

- [Importing Bloom books](#) into your app
- Using a [contents menu](#) to access the books.
- Including [copyright info](#).

4.1.5. Song Book apps

You can easily create a song / hymnbook app that has an automatically-generated menu allowing the user to select by song number or name. You can even put several songbooks in a single app if the songs are grouped in logical ways i.e. an Old Testament song book and a New Testament one.

See the following:

- [Creating a Song book](#)
- Including [copyright info](#).
- Creating a [contents menu](#) to access several different song books.

4.1.6. Quiz apps

For information on how to include quizzes in your app, see the document ***Creating Applications with Quizzes*** under the **SAB Help** menu.

4.1.7. Hybrid apps (combining different app modules)

Depending on your Scripture Engagement goals, you may decide to create apps that have only one module (i.e. a songbook app) or have several modules (e.g. Scripture text with a lectionary, or a picture story book with several quizzes).

It is normally advised to put these different resources all under the same book collection if they are all in the same language. If you put them in separate collections, you will probably have to disable two-pane and verse-by-verse views under [Books > Layouts](#) as those are designed for parallel (linked) Scripture translations.

If you do have different types of resources in the same book collection, however, they will by default appear in the drop-down book selector (on the app menu bar) with all other books in the collection. This may be confusing for the user and/or result in a long and unwieldy list of books to scroll through. In this case, it is preferable to hide certain books from the list.

For example, if your app has a New Testament, a song book and several quizzes, it is best to have the Scripture books available in the drop-down book list and hide the others. You will then need to make a [contents menu](#) with links to the hidden resources so the user can access them.

To disable a book from appearing in the drop-down book selector, select the book in the project tree view, click on the [Features](#) tab and choose **No** under **Show in book selector**.

4.2. How can I contextualize my app for a specific audience?

One of the main advantages of SAB is the ability to completely customize each app for a specific audience. The following are links to the various app components that you may consider customizing:

- The [app icon](#)
- [App graphics](#) including the splash screen, border and navigation drawer image
- Available [interface languages](#) and text direction
- [Interface colors](#)
- [Fonts](#)
- Text and interface [styles](#)
- A [contents menu](#)
- Items available under the [navigation drawer](#)
- The [bottom navigation bar](#)
- What [audio](#) is available, if any
- Whether text should be [highlighted when read](#)
- What [Engagement](#) features are included
- Whether to include [Videos](#) or [pictures](#) in the text
- Whether to include [multiple book collections](#)
- Whether to include other resources like [story books](#), quizzes, glossaries or other Bible aids.

4.3. How can I find the setting or feature that I need in my SAB project?

SAB includes a helpful search feature to aid in finding the various features and settings. Click on **Find...** at the right side of the SAB tool bar. You can also search in this Building Apps document, which covers almost all of the available settings.

4.4. How should I choose the app package name?

The app package name needs to be unique and cannot change once the app is published. For details on how to select a good package name for your app, see the [Package](#) section under the App Project Menu.

4.5. How can I add audio to my app?

You can add audio files to books (usually one audio file per chapter / page) and short audio clips for quizzes or when a user taps on an image, word or contents menu item. For information on how to add and manage audio files, see [Media > Audio](#).

4.6. How can I synchronize the text and audio in my app (creating timing files)?

Synchronizing the text and audio allows for the text to be highlighted as it is spoken, helping people follow along. This is done by creating a set of timing files, one per audio file. Timing files are also used to clip out audio so that verses can be shared via social media and slideshow videos can be produced. For help with synchronization, see [How do I create the audio timing files for audio-text synchronization?](#)

4.7. Why and how should I add multiple translations to my app?

You can include more than one Bible translation or script in your app, for example:

- A local language translation together with a translation for a neighboring language.
- A local language translation together with a translation in a major language such as English or French.
- A translation in Roman script together with the same translation in a different script such as Arabic.
- A translation together with the original language texts in Hebrew or Greek.

You are not limited to two translations. You can choose to include three or more translations if you need to. However, the more translations you include, the bigger your app will become.

If you include several book collections, you can display them in separate panes in the app, and link them if they include the same book IDs.

To add another translation, you will need to [create a new book collection](#).

4.8. Where do the default book names and abbreviations come from?

If your books are in a Paratext project, the first place SAB will look for the book names is in the BookNames.xml file in the same folder as the USFM files. This file contains the names specified in the **Scripture Reference Settings** (found at **Project** ➤ **Scripture Reference Settings...** within Paratext):


If your books are not in a Paratext project or if the Scripture Reference Settings are blank, SAB will look for the book names within the book files themselves. The USFM standard is to use **\toc2** for the short book name and **\toc3** for abbreviations:

e.g. \toc1 The Gospel according to Matthew (long book name)

 \toc2 Matthew (short book name)

 \toc3 Mat (abbreviation)

If Scripture App Builder does not find \toc2 or \toc3, it tries to guess the book name and abbreviation from \mt (main title) and \h (heading), but it is best to provide them in the toc fields.



For the Digital Bible Library text release bundles, the book names come from the metadata.xml file within the bundle.

You can change the book names and abbreviations on the book page for each book found here: [Books > <Collection Name> > <Book Name> > Book](#).

4.9. Do I have to create a new keystore for each app?

You can use the same keystore and key alias for all or several of your apps.

See here for more details:

<http://developer.android.com/tools/publishing/app-signing.html>

4.10. How can I include pictures in my apps?

You can include JPG or PNG image files in the text of the app. There are a few ways of doing this:

Method 1: Specify the image filenames within the Paratext USFM or USX files

The app recognises the USFM illustrations markers \fig.... \fig*:

\fig DESC|**FILE**|SIZE|LOC|COPY|**CAP**|**REF****\fig***

i.e. 7 parameters, separated by six vertical line characters.

The only required parameter is FILE – the filename. If the file extension is .tif, the app will look for a file with the same name but with a .png or .jpg extension instead.

You can optionally include captions (CAP) and chapter/verse references (REF).

Examples:

\fig |picture1.jpg| || |This is a picture| 5:3\fig*

\fig |picture2.tif| || |This is another picture|\fig*

\fig |picture3.jpg| || ||\fig*

\fig picture3.jpg\fig*

Add the image files to the [Media ➤ Illustrations](#) page of Scripture App Builder so they can be included in the app.

Method 2: Include the images inside a Word document

If your book is specified by a Word document, you can embed the images directly in the document between the lines of text.

Method 3: Use the image placement feature

You can tell Scripture App Builder to place an image at a certain point in a text without modifying the source file for the text. To do this:

1. Go to the [Media ➤ Illustrations](#) tab.
2. Click Add Image and select the image file(s) to add. Then do one of the following:
3. Either Double-click on each image in the table, select the **Placement** tab, and click **Add Placement...** to specify where the image should be placed in the text, OR specify a reference to the image in a book file, using either the **\img** marker (which places the images at the top of the page and lets the text scroll independently underneath) or the **\fig... \fig*** marker which puts the image in the text at the specified place (and it will scroll with the text). See [Picture Story Books](#) for more info on adding images in SFM (text) files.

The images will be included in the app assets and compiled into the final APK, so try to keep them as small as possible.

4.11. How can I handle a “right-to-left” language?

With Scripture App Builder it is possible to format your app all or in part as “left to right” (the default) or “right-to-left”, which is the norm for a number of languages including Arabic, Hebrew and Urdu.

4.11.1. layout direction

Setting the UI

The UI layout direction affects the position of the book name in the menu, and the side from which the navigation drawer slides out. To set the UI layout direction, See [Appearance > Interface > Layout Direction](#).

4.11.2. collection’s text direction

Setting a book

To set the text direction for an entire book collection, go to [Books > <Collection Name> > Styles](#) and select the direction from the **Text Direction** selector. This will not affect the UI, just the book texts.

4.11.3. book’s text direction.

Setting a specific

Occasionally, you may want to change the text direction on a book-by-book basis. To do this, click on the book name in the project tree view and select the [Styles](#) tab. Click **Customize styles for this book** and select the direction from the **Text Direction** selector.

4.11.4. Orientation of the Contents Menu

Changing the

You can switch the images in the contents menu to the right side of the menu screen and right-justify the text by changing the following styles:

To modify this...	Adjust this style...
The menu item’s text background, style and justification (set justification to “right”)	div.contents-text-block
The location of the image block. Set “float” to “right” to have the image on the right.	div.contents-image-block
The main Contents Menu. Set direction to “RTL.”	body.contents

4.12. Can I build apps when I do not have internet access?

The first time you build an app, you will need to be connected to the internet otherwise the compiler will fail. It will download a set of libraries used by the Gradle compiler. After that you can set the 'offline' version in [Tools > Settings](#) so you can work offline.

If you want to be able to build your first app without needing internet access, it is possible to copy the Gradle cache files from another computer that has already downloaded them. This will only work, however, if the absolute path to the files is exactly the same on the computer from which the files are taken as on your computer, e.g. "C:\gradle" on computer A and "C:\gradle" on computer B. It will not work if you have "C:\Users\John\gradle" on computer A and "C:\Users\Jenny\gradle" on computer B (which is the default Gradle cache folder).

So, on computer A, to get the cache files to distribute:


1. Go to [Tools > Settings > Build Settings > Gradle Cache Folder](#).
2. Enter "C:\gradle" and OK.
3. Build an app. The Gradle cache files will be downloaded to C:\gradle.

Then, on computer B:

4. Copy the C:\gradle folder from computer A to C:\gradle.
5. Go to **Tools > Settings > Build Settings > Gradle Cache Folder**.
6. Enter "C:\gradle" and OK.

4.13. How do the glossary entry popups work?

It is possible to get the app to link words in the main Scripture text with glossary entries.



Glossary links in Scripture text Glossary popup, shown after tapping "Ibirayima"

To get glossary links working, do the following:

1. Add a **glossary file** to the app as one of the books. A glossary file should have an id of GLO and each keyword should be marked with `\k ..... \k*`

```
\id GLO
\toc3 KkK
\toc2 Kafalakaya Ya Kóri
\c 1
\p \k Aba\k*: Yawutuu shi jomɔ pu wo kafila kaŋa ka ki ɲɛ ke, ki kóri wu ɲɛ: «To»,
kelee «baa», kelee «baba». Pɛɛɲɛ mɛgɛ ki ɲɛ kii, taanra ɲɛ kemu ni ge, lee na Yesu
ya Kile yiri na «Aba» (Galasi Shɛɛn 4:6).
\p \k Abeli\k*: Abeli bi bye Kayɛn wo cuun. Wee w'a pye Adama ni Awa yɛ wo ja
shuun wo we. Kile ɲii fyaara ni wu bi ɲaari (Macoo 23:35; Luka 11:51; Heburuu
11:4).
\p \k Ibirayima\k*: Kile ya shi wemu shɔɔnri yaha wuyɛ mu ge, wee w'a pye
Yawutuu pu wo shi we. Ibirayima w'a pye pu sefɛlɛɛ pu bɛɛri wo to n'a daa wu ni.
```

2. Mark words in the **main text** with \w \w*

```
\c 1
\s Yesu Kirisa nɔhɔ tayirige sɛmɛ
\r (Luka 3:23-38)
\p
\v 1 Yesu Kirisa nɔhɔ tayirige sɛmɛ w'a we. Yesu ya foro saannaa \w Dawuda\
w* shi ni, Dawuda d'a foro \w Ibirayima\w* shi ni.
\li1
\v 2 Ibirayima w'a \w Ishaaga\w* se.
\li2 Ishaaga di \w Yakuba\w* se.
\li2 Yakuba di Zhuda ni wu ceboronamaa se.
```

If the glossary form is different from the form of the word in the text, use the vertical bar | character to specify the glossary form.

e.g. where 'angel' is in the glossary file:

```
\v 5 You have made them a little lower than the \w angels|angel\w* and
crowned them with glory and honour.
```

4.14. Can I build an app from the command line?

Yes, Scripture App Builder has a command line interface which allows you to create a new app and build it, or load an existing app and build it.

The command line tool is named **sab** and can be found in the Program Files folder, usually c:\Program Files\SIL\Scripture App Builder.

sab takes the following parameters:

Option	Description
-new	Create a new app project
-load <project>	Load an existing app project
-build	Build app project (use with either -new or -load)
-no-save	Do not save changes to app (use with -load)
-?	Show command line help
-n <app-name>	Set app name. Enclose the name in "double quotes" if it contains spaces.
-p <package-name>	Set package name, e.g. com.myorg.language.appname

-b <filename>	Add book or bundle file. This could be a USFM file or a zipped set of USFM files. It could also be a Digital Bible Library text release bundle.
-i <filename>	Include additional parameters file. Use the full path of the file and enclose it in "double quotes" if there is a space in the path.
-a <filename>	Set about box text, contained in text file. Use the full path of the file and enclose it in "double quotes" if there is a space in the path.
-f <fontname>	Set font name or filename, e.g. "Charis SIL Compact", "c:\fonts\myfont.ttf" The font name must be one of the items in the list of fonts in the New App wizard. For other fonts, specify the full path to the font filename.
-ic <filename>	Add launcher icon (one or more .png files). Use the full path of the files and enclose them in "double quotes" if there is a space in the path.
-l <lang-code>	Set language for menu items and settings, e.g. en, fr, es
-ft <feature=value>	Set a feature, e.g. book-select=grid
-vc <integer>	Set version code, e.g. 1, 2, 3, or +1 to increment the current version code by 1.
-vn <string>	Set version name, e.g. 1.0, 2.1.4, or use +1, +0.1, +0.0.1 to increment the current value.
-ks <filename>	Set keystore filename. Use the full path of the file and enclose it in "double quotes" if there is a space in the path.
-ksp <password>	Set keystore password
-ka <alias>	Set key alias
-kap <password>	Set key alias password
-fp <folder=path>	Set a folder path, e.g. "app.builder=c:\Scripture App Builder".

Examples:

```
sab -new -n \"My App\" -p com.example.myapp -b MyBookBundle.zip
-f \"Charis SIL Compact\" -i keys.txt -build
```

```
sab -load \"My App\" -build
```

4.15. How can I add a horizontal line to separate certain paragraphs in text?

Use the marker \zhr to add a horizontal line. This will add a <hr> element in the HTML.

Please note that this is non-standard USFM, so this marker should not be used if you are submitting this same file to the Digital Bible Library.

4.16. I don't like the name "Scripture App". Have you thought of calling the app something else?

The program that allows you to define and build apps is called "Scripture App Builder" but the app itself doesn't have a name. It is up to you to choose the names for the apps you build.


You will not see "Scripture App" anywhere in the apps you create, so feel free to use an appropriate name in an international, national or local language. App names that work well in certain contexts will be less helpful in other contexts, which is why SAB allows you to contextualise it.



The subsequent sections follow the project menu structure in Scripture App Builder. Each main project menu topic has sub-categories for each sub-menu and tabs.

5. The SAB Menu Bar

The menu bar runs along the top of the Scripture App Builder program window (Linux and Windows) or at the top of the screen (Mac).



5.1. The *File* menu

5.1.1. New App...

This launches the **New App** wizard. See [How to build your first app](#) for more details.

5.1.2. Open App...

This opens the Select App Project dialog box. To open an app project, find and select its **.appDef** file. This will be located in the project's folder under App Projects. See [How SAB stores your project data files](#).

5.1.3. Open Multiple Apps...

This will display a list of your most recently modified app projects. Check the selection box for each one you want to open and SAB will load them all into the project tree view.

5.1.4. Open App From Scriptoria...

If your project has been uploaded to Scriptoria, choosing this menu item will allow you to enter the Scriptoria project URL, download the project and load it into SAB.

5.1.5. Close

This will close the currently selected project in the project tree view.

5.1.6. Save

This will save the current project, and is the same as clicking the Save button in the tool bar.

5.1.7. Save All

This will save all unsaved projects.

5.1.8. Reload App

This will reload the last saved version of your app project, erasing any modifications you had made since that time.

5.1.9. Copy App

This will create a mirror image of the current project, by default adding the word “(Copy)” to the project name to distinguish it from the copied project. This may be useful in creating similar projects but for different languages, or creating a test project to experiment with.




*The project copy **will have the same package name as the original**, so be sure to change it to avoid confusion or overwriting the original project installation.*

5.1.10.

Folder

View Project

This will open the current project's project folder. This folder holds the project's .appDef configuration file and the project's data subfolders. See [How SAB stores your project data files](#).



If you want to share your app project with someone else (i.e. someone who can help you test and find problems with your app), you'll need to give them your project folder and all it contains. They can copy it into their own App Projects folder, open it in SAB and use their own, temporary keystore to build, run and test your project. If audio files are necessary for your app and they are not stored in your project's audio subfolder, you will need to copy those separately.

5.1.11. View APK Output Folder

This will open SAB's output folder where it places any compiled APK files, ready for copying to a phone to test or share with others. You can change the default output folder under [Settings > Default Folders](#) on the SAB menu bar.

5.1.12. View IPA Output Folder

This will open SAB's output folder where it places any compiled IPA (iOS) files, ready for copying to a phone to test or share with others.

5.1.13. View PWA Output Folder

This will open SAB's output folder where it places any compiled PWA files, ready for copying to website.

5.1.14. Exit

Use this to close Scripture App Builder.

5.2. The *Build* menu

5.2.1. Build Android App APK

This menu item will initiate the compilation of the currently selected project, duplicating the functionality of the **Build Android App APK** button on the SAB tool bar. Note that multiple, device-specific APKs will be built instead of one, comprehensive APK if the **Generate device-specific APKs...** option is selected under the [App > APK > Multiple APKs](#) tab.

5.2.2. Build Android App Bundle

This menu item will initiate the compilation of the currently selected project, creating an Android App Bundle (AAB) rather than an APK. An AAB file is necessary for publishing to the Google Play Store.

5.2.3. Build Progressive Web App (PWA)

This will initiate the process for building a PWA. For details setting up the necessary components, please see [Progressive Web Apps](#).

5.2.4. Build iOS Asset Package

For details on building an iOS Asset Package, please see **Installing and Building Apps on a Mac** under the SAB **Help** menu.

5.2.5. Build Multiple Apps

In some cases it may be expedient to set multiple app compiles going at one time. This may take a long time, however, depending on available memory. Selecting Build Multiple Apps displays a dialog listing the currently open projects in SAB. You can check or uncheck the box next to each app project to select whether it is built. Use the drop down list box to choose whether you want to build APKs or Android App Bundles.

5.2.6. Install Latest APK on Device

This duplicates the functionality of the **Install APK...** button on the SAB tool bar. If a phone is connected and set up for USB debugging, SAB will attempt to copy and launch the currently selected project's last built APK. See [Installing the app on your phone](#). If no APK is found for the project, SAB will prompt you to compile one.

5.2.7. Export Data Safety to CSV

Publishing an app to the Google Play Store requires you to specify a series of answers to data safety questions. Selecting **Export Data Safety to CSV** will export a *comma separated values* file into the APK output folder. This file can be imported as part of the process of publishing.

5.3. The *Tools* menu

5.3.1. Settings...

The Settings dialog box allows you to modify the SAB build settings and folders.

5.3.2. The *Code Libraries* tab

JDK Location

The Java Development Kit is a required set of code libraries for building apps. The normal SAB installation process should prompt you to download and install the JDK, and the **JDK Location** field should show the location of the installed files. If for any reason this is blank, or you need to change the version of the JDK, you can either **Browse** to another version already on your computer, or use **Install JDK...** to download and install a new version.

App Builder Location

This is the folder in which SAB was installed. If you need to install a previous version for test purposes, you can download it from the **Previous Versions** section at the bottom of the [SAB download page](#) and Browse to it here.

5.3.3. The *Android SDK* tab

Android SDK Location

The Android Software Development Kit is a required set of code libraries for building apps. The normal SAB installation process should prompt you to download and install the Android SDK, and the **Android SDK Location** field should show the location of the installed files. If for any reason this is blank, or you need to change the version of the SDK, you can either **Browse** to another version already on your computer, or use **Install Android SDK...** to download and install a new version.

Android SDK Packages

If installed correctly the four SDK packages should have green version numbers displayed (see example below).

Packages SDK Android
 Vous devez installer quatre paquets pour le SDK Android. Si l'un d'entre eux est répertorié comme "introuvable", cliquez sur "Installer Android SDK..." ci-dessus pour installer (ou réinstaller) les paquets Android SDK requis.

Outils	cmdline-tools 19.0	Vérifier Installation
Outils de build	36.1.0	
Outils de plateforme	37.0.0	
API de plateforme	Android 16 (API 36)	

Click on **Check Installation** to make sure the four SDK packages are installed. If any of the four fields are listed as 'Not Found,' click **Install Android SDK...** to install or reinstall the packages.

5.3.4. The *Defaults* tab

Currently, the Defaults tab has one field...

Start of Package Name

Use this field to enter the default beginning parts of a package name that you generally use. See [How Should I choose the app package name?](#) for more details.

5.3.5. The *Default Folders* tab

Default App Projects Folder

Use this field to change the default location where SAB looks for app projects.

App Output Folder for Android Apps

Use this field to change the default location where SAB places your compiled APK files.

5.3.6. The *Export Folders* tab

HTML Output Folder

Use this field to change the default location where SAB places your exported HTML files.

EPUB Output Folder

Use this field to change the default location where SAB places your exported EPUB files.

PWA Output Folder

Use this field to change the default location where SAB places your exported PWA files.

5.3.7. The *Build Settings* tab

Offline Mode

The actual program that compiles your project to create an app installer file is named Gradle. The first time you compile your app, Gradle will need to download some additional files to run. From that point on, it will try to check from time to time if more updates are required. If you do not have internet available after the initial extra download, check the **Use compiler offline** box. You may, however, need to uncheck this when you have an internet connection to get any updates.

Fast APK rebuilds

RAB can speed up the app compile time by reusing some compiled files from the last build. If you are not seeing expected changes in your app, trying unchecking this option.

Memory Use

Normally, you do not have to modify this value. The accompanying explanatory text explains when you may need to change it.

5.3.8. The *Build Folders* tab

Gradle Cache Folder

Normally, you should leave this field blank to use the default cache folder unless you have a specific reason to choose another location.

Build Folder

Normally, you should leave this field at the default folder unless you have a specific reason to choose another location.

5.3.9. The *After Build* tab

You can set SAB to automatically install and launch an app after it is compiled if your phone is attached via a USB data cable and set up for USB debugging. See [Installing the app on your phone](#). You may need a 3rd-party app to determine your phone's architecture.

5.3.10.

The *Interface* tab

User Interface

Use the User Interface dropdown to select the default user interface language for your version of Scripture App Builder. You can also change this using the interface language selector at the far right of the tool bar.

Theme

Select the theme for the SAB interface.

Dark Theme

Select the dark theme for the SAB interface. This will be used if your computer has its dark theme mode enabled. If you want SAB to use the normal theme, even if the computer's dark theme mode is active, select **Always use the main theme**.

5.3.11. The *Files* tab

Audio Files

Audio files can comprise some of the largest project data files. Use the setting here to tell SAB whether to keep audio files in their source location or copy them to the project folder's [audio data subfolder](#). This second option will make it easier to save or share the project, but will double the size the audio files will take up on your computer.

Fine Tune Timings

As explained in the tab text, SAB will automatically look in the specified folder for saved timing files and copy them to the project. You can modify the location if necessary.

5.3.12. The *Slideshows* tab

For help with this tab, see **Creating Slideshow Videos** under the SAB **Help** menu.

5.3.13. Create New Keystore...

A keystore is a digital certificate file that ensures the app is legitimate. An app must be signed in this way so that it can be installed on a phone. You may use an existing keystore or follow this wizard to create a new one. This process is also included as part of the [“New App” wizard](#).

Enter a new filename for the keystore, such as “keystore1.” Specify a password. Click **Next** to continue.

Enter an alias name for a key to create within your new keystore, such as the default “key1”. Specify a password, which can be the same as the password you entered on the previous page.



It is very important to securely store the password for your keystore. Once the app is published, it cannot be updated without the keystore password. Make sure someone else in your organization has access to the app keystore passwords.

Click **Next** to continue.

On the **Certificate Issuer** page, provide details of your organisation in at least one of the fields. Click **Next** to continue.

A new keystore will be created for you. Click **Close**.

5.3.14. Install JDK...

This menu item duplicates the **Install JDK** feature under the [Tools > Settings > Code Libraries](#) tab.

5.3.15. Install Android SDK...

This menu item duplicates the **Install Android SDK** feature under the [Tools > Settings > Android SDK](#) tab.

5.3.16. Check Android SDK installation...


This menu item duplicates the **Check Android SDK Installation** feature under the [Tools > Settings > Android SDK](#) tab.

5.3.17. View Logs...

As SAB builds an app APK file, it opens a window that displays the internal steps it is taking as it compiles the app. Once you close this window (when the app compilation has finished), you can still view the output or any error information in the View Logs window. There are two tabs—one for any error information and one for the compilation output. These are useful if you need to figure out why a build failed and/or can be sent to a technical specialist for help.

5.3.18. Check aeneas installation...

Selecting this menu item runs a process that checks that aeneas was installed correctly. This can help in troubleshooting problems and/or can be sent to a technical specialist for help. Below is an example of a successful installation check:



5.4. The Help menu

The Help menu gives access to a number of helpful features, documents and links.

5.4.1. Find Settings and Features

Use the **Find Settings and Features** dialog box to search for app settings you wish to set or modify. Start typing any keywords in the **Find** entry area and possible settings will display below. Double-click on a setting to open that location in SAB.

This feature can also be accessed using the **Find...** button on the right side of SAB's tool bar.

5.4.2. Help Documents

Following *Find Settings and Features* are a list of helpful documents. Clicking on an item opens a PDF file that you can save locally if you wish.

5.4.3. Community Website

SIL maintains a community website where users can post questions, comments or feature requests. The app builder community is quite active and members like helping each other with specific needs. If you have a question or are trying to do something in an app that is not clearly specified in the SAB help documents, searching for a comparable issue in the community website is a good first step.

5.4.4. Customer Support Agent Website

This launches a browser page that provides an AI assistant to help answer questions about SAB.

5.4.5. About App Builder

The SAB About box shows the current version and build number, copyright information and a link to the Scripture App Builder website.

6. The SAB Tool Bar

The SAB tool bar is a series of buttons directly below the menu bar.



6.1. New App...

This launches the **New App** wizard. See [How to build your first app](#) for more details.

6.2. Save

This saves the currently selected project.

6.3. Save All

This saves all the unsaved open projects.

6.4. Build Android App

This menu item will initiate the compilation of the currently selected project, duplicating the functionality of the **Build Android App APK** item on the **Build** menu. Note that multiple, device-specific APKs will be built instead of one, comprehensive APK if the **Generate device-specific APKs...** option is selected under the **App > APK > Multiple APKs** tab.

6.5. Install APK...

This duplicates the functionality of the **Install Latest APK on device** item under the **Build** menu. If a phone is connected and set up for USB debugging, SAB will attempt to copy and launch the currently selected project's last built APK. See [Installing the app on your phone](#). If no APK is found for the project, SAB will prompt you to compile one.

6.6. Build PWA

This will initiate the process for building a PWA. For details setting up the necessary components, please see [Progressive Web Apps](#).

6.7. Run PWA

This will attempt to run the current project's compiled PWA. For details setting up the necessary components, please see [Progressive Web Apps](#).

7. The Project Root Tree Node (Project Name)

You can have multiple projects open at a time in Scripture App Builder. The projects are listed by project name in the project menu area. If you click on the project name (it's root tree node), the app summary will appear in the zone on the right.

On this page you will see at a glance the app name, package name, version number, book collections (with numbers of books), engagement features, font names, number of audio files, etc.

If the app is ready to build, the bottom card on the page will be green with a "Ready to Build" message. If the app is not ready to build, the bottom card on the page will be pink and a list of steps to take will appear (the same list that is displayed if you try to build an app).

Many of the elements on the page are hyperlinked, allowing you to move directly to the corresponding configuration pages. Pause your mouse over an item to show its hyperlink, if any.

8. The App project menu

These are the details for all the tabs under the **App** menu in the project tree view on the left side of the SAB screen.

8.1. Name and Package

8.1.1. The App Name tab

The app name is what the user sees displayed on the phone under the app icon. Depending on the phone settings, the number of visible letters in the name may only be around 20 and may get truncated. Keep this in mind and keep the name short and descriptive.

You can use the **Translations...** button to set several app names, each based on the interface language of the phone (set under [Appearance > Interface > Languages](#)). Alternatively, you can just have one name in the actual target, vernacular language.

8.1.2. The *Package* tab

The app package name needs to be unique and cannot change once the app is published. The standard for an app package name is to begin with the reversed web address of the publishing organisation, e.g. if it is Wycliffe Bible Translators, the package name could begin with:

[org.wycliffe](#)

and will be followed by something identifying the language and type of publication (New Testament, Bible, etc.), e.g.

[org.wycliffe.cccc.nnnn.bible](#)

where 'cccc' is the country name and 'nnnn' is the language name.



You may need to plan ahead when choosing a package name. If you just have one Bible book to publish but are intending on adding more books to the app as they're available, it's better to add the word "Bible" than to put the name of the book. Similarly, if you might publish a text version of a single book AND a storybook, add a descriptive word to the package name e.g. [org.wycliffe.senegal.wolof.john.storybook](#)

If you work for a Bible translation or publishing organization, you might have standards to follow for package names, so please contact your digital publications coordinator for advice on this.

Once you publish your app on an app store, you cannot change its package name later if you want users to continue to receive updates. The package name uniquely identifies the app. Those who install the app will be able to find its package name on their device. It will also appear in the web address for your app if you make it available on Google Play.



Since the package name will be visible to users in the Google Play Store URL, make sure your package name doesn't include sensitive details or words like "Bible" or "Scripture" if, for security purposes, you don't want that to be evident.

If you are building apps for **test purposes** on your devices, you can use a package name beginning with com.example, e.g. [com.example.test.app123](#)

But remember to change it before you publish the app.

8.1.3. The *Project* tab

The Project tab allows you to name or rename your project. The **Project Name** is not seen by the user, but it is important as SAB uses it to name the actual project folder on your computer (see [How SAB stores your project data files](#)). If you will using a partner organization like Kalaam Media to publish your project to the Play Store, it is helpful for them if the project name starts with the language code and a hyphen e.g. wol-Miracles of Jesus

You can assign a **Project Group** to nest similar projects together in SAB's project tree view. This might be useful if you are working on multiple languages. Creating a Project Group will also create a project group subfolder under your **App Projects** folder.



If you modify a project name or group name later, you may have to close any affected projects in SAB, look in the App Projects folder and move projects back into their correct group.

The **Project Description** is just for your own purposes and is not see by the user.

8.2. Android

8.2.1. The APK tab

APK stands for Android Package and is an app installation file. An APK file is the result of compiling an app in SAB and is the file that needs to be copied to a target phone to install and run the app. As such, the name of the APK is primarily only important to distinguish it from other files. If the user will receive the APK directly (via file transfer or WhatsApp message or something similar), and therefore will be able to actually see filename, the name of the APK should clearly reference the project or app name. Selecting the checkbox to **Append version name** (number) to the filename can also help with distinguishing between versions. If the app is installed from the Play Store, the user will not see the APK file.

The **Version code** is just an internal number that you can use within your project as you do internal updates.

The Android Versions tab

The **Target Android Platform** refers to the current android platform that Scripture App Builder supports. This is the required platform supplied by Google who update this requirement about once a year. All new apps being published to the Play Store have to support this version, and existing apps will have to be upgraded within a few years depending on Google's specifications. New versions of Scripture App Builder are designed to keep pace with these requirements and simply compiling and republishing the app with the latest version makes the app compliant.

In contrast, the **Minimum Android Platform** can be specifically set to target a generation of Android phones using a particular Android version or later. In general, the older the platform (meaning the smaller the version number) the older the phone that

can run the app. However, if your app uses a feature that only works on newer phones, this minimum platform version will have to be set accordingly.

The *Install Location* tab

You can specify here if the app is installed to a phone's external storage (i.e. a micro SD card) or its internal storage.

The *Multiple APKs* tab

There are 4 types of Android phone architectures, and an APK file is designed to work on any of them. However, certain features (e.g. allowing saving as a video or the inclusion of GeckoView) can make the APK much bigger. Since these features depend on the phone architecture, smaller, device-specific APKs (known as Android App Bundles or AABs) can be built to target each architecture. The downside is that this prevents the sharing of the app bundle to another phone with a different architecture.



*To Publish to the Play Store you will need to create Android App Bundles (AABs). When a user installs an app from the Play Store, they receive the APK associated with their phone's specific architecture, not a universal APK. To explicitly create AABs, go to the **Compile** menu in the main SAB menu bar and select **Compile Android App Bundle**. If you are using Scriptoria, you can create the AABs there.*

If you want to distribute your app on SD cards or other direct means to ANY phone, you will have to build an APK.

8.2.2. The *App Signing* tab

Your app must be "signed" to have permission to be installed on an Android phone. Signing means providing a way to authorize its installation by confirming that it is indeed created by you, the developer, and is not malware or a virus (or just an illegal app) in disguise. This is done by creating an encrypted, password-protected "certificate" file called a keystore.

If you don't have one already, create a keystore by clicking on the **Create Keystore...** button which launches the **Create New Keystore** wizard.



If you want, you can use the same keystore for all your apps. However, for various reasons, you may want to have a single, shared keystore for just a selection of apps—perhaps all the apps for a particular language. If you ever need to give your projects to someone else, they will need the password to be able to change the app.

- i. Enter a new filename for the keystore, such as "keystore1." Specify a password. Click **Next** to continue.

- ii. Enter an alias name for a key to create within your new keystore, such as the default “key1”. Specify a password, which can be the same as the password you entered on the previous page.



It is very important to securely store the password for your keystore. Once the app is published, it cannot be updated without the keystore password. Make sure someone else in your organization has access to the app keystore passwords.

Click **Next** to continue.

- iii. On the **Certificate Issuer** page, provide details of your organisation in at least one of the fields. Click **Next** to continue.
- iv. A new keystore will be created for you. Click **Close**.

Select your desired keystore and enter the password.

8.2.3. The **App Registration** tab

This provides settings for the required registration of your app.

8.2.4. The **Permissions** tab

This tab lists all the required permissions drawn from the options selected in the app project.

8.3. iOS

This tab is for building iOS apps. For more details on this, please see the document **Installing and Building Apps on a Mac** under the **Help** menu.

8.4. About

Every app must have an About page, which is displayed to the user when they select **About** from the bottom of the app’s navigation drawer menu.

To define the About page for your app:

1. Select **About** in the apps tree view on the left of the screen.
2. Enter the text to be displayed on the app’s About page.
3. Select the **Viewer** tab to see how the text will appear in the app.

8.4.1. What information should I include in the About page?

The About page can contain any information. What you include is your choice, but commonly included items include:


- The app name and version
- The name of the organization publishing the app
- Copyright and license information for the contents of the app (texts, images, audio). In most cases, the license agreements will require you to include such information.
- Copyright information for the app itself.
- Link to your website
- Link to a privacy policy
- Contact information, such as an email address or phone number.
- A “brand” image for your local organization and/or the icon image for your app.

8.4.2. Which formatting codes can I use in the About page?

You can use the following formatting codes:

Bold text	Surround the text you want in bold with <code></code> and <code></code> markers. Example: <code>This is in bold</code>
Italic text	Surround the text you want in italics with <code><i></code> and <code></i></code> markers. Example: <code><i>This is in italics</i></code>
Underlined text	Surround the text you want underlined with <code><u></code> and <code></u></code> markers. Example: <code><u>This is underlined</u></code>
Website links	Use the format <code>[text](url)</code> , where ‘text’ is the text to display and ‘url’ is the web address. Example: Here is our <code>[website](http://www.example.com)</code>
Email links	Use the format <code>[text](mailto:address)</code> , where ‘text’ is the text to display and ‘mailto:address’ contains the email address. Example: Contact us by <code>[email](mailto:contact@example.com)</code>
Phone numbers	Use the format <code>[text](tel:number)</code> , where ‘text’ is the text to display and ‘tel:number’ contains the number to call. Example: Our number is <code>[012-345-678](tel:012345678)</code>

Image	To add an image, first add the image file to the app illustrations (Images > Illustrations) and use the following HTML code: <pre></pre> You can specify width information, as a percentage (e.g. "80%") or a fixed number of pixels (e.g. "80px"), or in the img.about-image style: <pre></pre>
Left, right or centered alignment	To align text or images, surround them with the following <code><div></code> markers: <pre><div align="center">This is centered</div></pre> <pre><div align="left">This is left aligned</div></pre> <pre><div align="right">This is right aligned</div></pre> To center an image: <pre><div align="center"></div></pre>
Styles	To apply styles (defined in the Styles page): <pre><div class="q2">This is styled as poetry</div></pre>
Fonts	To apply specific fonts to text, first make sure that the fonts are specified on the Fonts page. Then use the following syntax: <pre>This is in font1</pre> <pre>This is in font2</pre>
Links within the About box	Set a marker to jump to when a text phrase is clicked. For example, set a language marker (Eng) to allow the user to jump to About box text in English—if you want to have multiple languages in the text. <pre><h3 id="Eng">English</h3> (sets the id Eng associated with this section)</pre> <pre>(Click here for the English version) (marks the section to jump to)</pre>



To center all the text in the About box, add ***"text-align: center;"*** to the CSS in the **body.about** UI style

To modify this...	Adjust this text style...
About page formatting	body.about
Background block for an image (see below on how to add an image)	div.about-image-block
Image size / width	Img.about-image

8.4.3. Which variables can I use in the About page?

You can use certain variables on the About page. These are replaced by text in the app. For example, the variable %version-name% will be replaced by the app version number, e.g. “1.2” in the app.

App name	To display the app name, use the variable %app-name%
App version	To display the app version, use the variable %version-name%
Copyright and Licensing	To display copyright and licensing information for text, audio and images: %copyright-all% all copyright information for all book collections %copyright-text:CCC% text copyright for collection CCC %copyright-audio:CCC% audio copyright for collection CCC %copyright-images:CCC% images copyright for collection CCC %copyright-all:CCC% text, audio and images copyright for collection CCC Replace CCC by the ID of the book collection, e.g. “C01”. The information comes from the Copyright & Licensing tab for that book collection.
Program Type	To display the program type (SAB), use the variable %program-type%
Program Version	To display the version of the program used to create the app, use the variable %program-version%

8.5. Security

8.5.1. The *Expiry* tab

Normally, if your app is published to the Play Store or App Store, you don’t want it to expire. If you want to update it, adding books or functionality, you can just publish the

update and users will be able to get the new version. However, if you are creating a test version to distribute informally, you will probably want to set an expiration date. There are three options on the Expiry tab for setting the app duration:

App does not expire

This is the default and appropriate for published apps.

App expires on a specific date

You can specify a date when all copies of the app will expire on all phones. This would be appropriate for a test version that you want to be in circulation for a limited time before getting feedback.

App expires a certain number of days after it is installed

You can specify a number of days (up to 1000) that the user can access the app before it expires. Again, this might be useful for a test period.

You can also display an optional message when the app expires. There are two options here as well:

Show message and exit app

This would be appropriate for ending a trial period and telling people to watch for the release version of the app, or perhaps to contact a certain person in order to give feedback. After showing the message, the app exits and cannot be run again.

Show message but allow the user to continue using the app

This would be appropriate, for example, if the test version is accurate (consultant checking has been finished on the books) and the app has been distributed from phone to phone, especially if it is difficult for the user to get an updated version over the internet.

You can type the desired message in the text entry area at the bottom of the screen.

8.5.2. The Security tab

Compression and Encryption

By default, SAB encrypts and compresses the data in the app. Normally, you should leave this setting enabled.

You can also choose to prevent users from taking screenshots in the app. A possible reason to enable this is if you have copyrighted art in the app and the artist does not want people to be able to copy their pictures without an associated copyright notice.

Restricted Users

You can choose to let anyone install the app or restrict the installation in the following various ways:

Allow only selected devices to use this app

This is the most restrictive setting and may be applicable in certain high-security contexts where only a very specific set of people should be able to install the app, based on their exact phone ID or serial number. Click **Specify Devices...** and add an entry for each phone you want to permit.

Require a device-specific access code to use this app

With this option you can create a series of access codes to send to users so they can access the app. This requires one or more administrator accounts to be set up to send codes to users. This method allows a broader reach than just having selected devices set up to install the app.



The access code will depend on two things: the device id and the app's secret key (defined in Access Code Settings). If the secret key is defined as the same for two apps, then the same access code will open both apps on a given device. To avoid this, make sure that the secret key is completely different between apps. A slightly different key (i.e. one or two characters different) might generate the same access code.

Require each user to register with their details when they first use the app

This option is useful for setting up a campaign directed at registering users and keeping them informed on updates and advertising things like listening groups to enhance Scripture Engagement in a community.

Show a calculator on start-up. Entering a code will give access to the app content

This option is useful for high-security situations where the app needs to be completely hidden on a phone. A specific, long, digital number can be specified (e.g. 84567.294) as a code to put in the calculator's number field. Then hit = to transform and open the app.



It is advised to make the app name and icon correspond to those of a calculator app.

9. The Appearance project menu

9.1. Icons

Icons are important graphical elements of your app. In some sense, they represent your app to the user. Though SAB provides a gallery of icon images, it is recommended to put some prayerful, creative thought into creating a unique app icon, perhaps following a wider brand design for all your apps.

The **Icons** menu item covers both the icon the user sees on their phone screen which launches the app, and the notification icon associated with your app that appears next to any notification text messages that pop up. The **Icons** menu has four tabs:

9.1.1. The *Android Icon* tab

Devices from Android version 8.0 to Android 11 support Adaptive Icons. It is important to define an adaptive icon for your app, otherwise the icon will not be shown well on those phones. The Android Icon tab gives an example of how your icon will look with each of the Adaptive Icon choices. It also shows how it will look at several different sizes.

Use the **Create New Icon...** wizard to create an icon for your app. This will produce both an adaptive icon for newer Android versions, and all the sizes necessary for older versions. This wizard has two screens:

Foreground Image


Select the foreground image for your icon and adjust the padding percentage.

Background Image

Select a color for the icon background or an image with a non-transparent background. Android will use the background image to fill in the outer border of the various adaptive icon shapes.

9.1.2. The *Android Icon Layers* tab

Foreground and background layers for adaptive icons are specified separately. Users can decide which shape they want their icons, and the Android system will use the background layer to fill that shape, then place the foreground layer on top.



You can further adjust the foreground layer image using the percentage slider. Aim to have the image just a tiny bit larger than the circled area. You can also modify the background image you selected in the **Create New Icon** wizard. Use the preview list box to view the various adaptive icon images Android will create.

9.1.3. The *Android Legacy Icons* tab

Legacy icons (those for versions of Android earlier than 8.0) need to be specified in a variety of sizes, and the phone's operating system will select which icon size that is best to display. Use the **Generate from Adaptive Icon** button to create these sizes automatically from the icon specified in the **Create New Icon** wizard. You can alternatively use a tool like [IconKitchen](#). IconKitchen will create a .zip file that you can download with all the various sizes. Use **Add Icon Images...** to select the downloaded zip and SAB will open the file and assign all the various sizes.



While IconKitchen has some basic tools to design an icon from scratch, you might prefer experimenting with using an AI picture generator like CoPilot to make a base icon image that you can then select into IconKitchen, adjust and download.

SAB will create a series of folders under the project data folder's **Images** sub-folder, one for each icon size. (See [Project-specific data folders](#)). You can see these folder names under the **Filename** column of the Legacy icon display list. Each icon name is identical: **ic_launcher.png**



*If you want to publish your app on the Google Play store, you will need the 512 x 512 icon image stored in the **drawable-web** subfolder. You may want to use this image as part of the required Feature Graphic, too.*

9.1.4. The *Notification Icon* tab

This tab is identical to the [Notification Icon](#) tab under **Engagement** ➤ **Notifications**.

9.2. Graphics

This menu allows you to set several optional graphical elements for your app. Click on a tab to modify that element.

9.2.1. The *Android Splash Screen* tab

A splash screen is a title screen for your app that can automatically display for a specified number of milliseconds when your app launches. A splash screen can be an attractive "intro" to your app and should be set to display long enough for the user to read any text on it, but not so long that it becomes annoying.

There are three recommended sizes for Android splash screens. Presumably, the phone's system will choose the one most appropriate for the particular phone's resolution and aspect ratio. If one doesn't fit exactly, we assume the OS will scale the nearest size to fit. In that case, for best results you should at least supply the largest size (720x1280).



If the Scripture text has already been published as a physical book, you might use the cover of that book as your splash screen to show continuity with the printed text. You could alternatively use a design incorporating your app icon with the app name. Try to harmonize the colors in the splash screen with the icon and interface colors.

Check the box to **Show splash screen on start up**, and set the number of milliseconds. Around 800 – 1000 milliseconds is a reasonable, suggested interval.



9.2.2. The Navigation Drawer tab

The optional navigation drawer image appears at the top of the app's slide-out navigation drawer. By default it is a simple, open book image. Adding your own image makes the app more aesthetically pleasing, especially if you use elements of the icon, interface colors and / or splash screen in the design. It can be a photo, your organisation's logo or any relevant graphic design.



The top part of the navigation drawer image will be partially obscured by the shadowed area. Make sure your image clearly displays what you want the user to see.

As with the splash screen, SAB gives a number of suggested sizes, all using a 16:9 aspect ratio. If you want to include your own navigation drawer image, you should at least provide the largest size so it will scale well.



Example navigation drawer images

To modify this...	Adjust this interface style...
Navigation drawer background	ui.drawer
Navigation drawer item text	ui.drawer.item.text
Navigation drawer item icon	ui.drawer.item.icon

NOTE: to change the font size in the navigation drawer, go to **Appearance > Interface > Languages** and double click on an interface language. Change the percentage of the font size higher or lower

9.2.3. The *Borders* tab


You can add a decorative border frame around the text in the app, for example:



You can select a border from the gallery of border images supplied with Scripture App Builder, or you can create your own border.


To select a border from the border gallery:

1. Click **Choose from Gallery...**
2. Select an image from the gallery and click OK.



To add your own border:

1. Create the border as an image file (JPEG or PNG) in portrait orientation. Ensure that the middle rectangular area of the image is blank. This blank area is where the text will be displayed.



You do not need to provide a border image in landscape orientation. This will be generated automatically. It does not matter too much what the width-to-height ratio of the image is, since the app will cut up the border and arrange it for different screen sizes.

Try not to make the border too wide, otherwise there will be limited space to display the text.

2. Go to the [Appearance > Graphics > Border](#) tab.
3. Click **Add Image...** and select the border image.
4. Ensure that the checkbox **Include a border around the text in this app** is selected.
5. If you want to display the border for some books and not others, or on main chapters but not book introductions, go to the Features page for each book and modify the **Show border around text** and **Show border around introduction** settings.

Scripture App Builder takes the border image file you provide and finds the blank rectangle area inside of it. It then cuts up the remaining image into 8 pieces: top-left corner, top, top-right corner, left, right, bottom-left corner, bottom and bottom-right corner.

When the border is displayed on the app screen, the corner images are scaled according to the screen size, and the side, top and bottom images are scaled and stretched to fill the space between the corners. In this way, the border adapts itself to display with different screen sizes. This technique allows the app to display the border in full screen view, or when there is a toolbar displaying at the bottom.

9.2.4. The Border Settings tab

If you include a border in your app, you can specify whether the border appears around each pane separately, or around the entire window including the whole two-pane view.

9.3. Interface

The Interface menu allows you to specify in which languages the user interface is available and how that translation is displayed. It has three tabs: Languages, Translations and Layout Direction.

9.3.1. The *Languages* tab

The Languages tab allows you to specify which interface languages are available for the user to select from. This is best determined by knowing the app's intended audience and choosing languages that will meet their needs. NOTE: this does not refer to the actual language in which your Scripture text or other book resources are written.

SAB has a list of languages that already have interface translations, covering many of the world's national languages e.g French, English, Spanish and Chinese. You can choose which languages the user can select from when they access the app's settings. Use the **Add language...** button (see below) to add an interface language and provide the translation of all the terms.

SAB will detect what language the user's phone is set to. This is normally one of the national languages in SAB's list. At this point, you can specify what you want the app to do using one of two choices:

Use the current system language of the device. If no translations exists in this language, use...

Select this option to detect the phone's current system language and try to match it with one of the languages you've provided. If the phone happens to have a language that is not in your list, you can specify which default language to choose.



Research where major communities in your target local language are living and what are the national languages in those areas. Provide those languages for them to choose from, and select one to be the default. For example, the Wolof people in francophone Senegal have diaspora communities in France and the USA. In this case, select French and English as available interface languages and perhaps select French as the default language if a user's phone isn't in English or French.

Use this language:

Use this option to force the app's interface to appear in a certain language, no matter what the phone may be set to. Users can still change the language to one of the ones you've provided in the app settings.



This option is useful if your app contains interface text or book resources (like Bible aids) in one particular national language. This would normally be if the specific audience are almost exclusively in just one country with one national language.

Which interface languages do you want users to be able to choose from in the app Settings?

This is the list of available interface languages. Choose all those that you think would help the app users, covering the countries where there are significant communities. Including a choice of languages does not significantly increase the size of the app.

Double-click a language name to specify the **Font**, **Size** and **Text Direction** (i.e. Left to Right) that the interface will display for that language.

Add Language...

Use this button to add your own interface language. You specify the name, language code, default font and size, and the text-direction (for right-to-left languages). Once you select OK, the new language will appear already selected at the very bottom of the interface languages list. Click on the **Translations** tab to enter the translated interface element names for this language.

9.3.2. The Translations tab

The **Translations** tab allows you to modify the names of interface items in any of the languages you selected to be available in the app. If you added your own language, it will appear in the right-most tab.

Use the **Export** button to export a text file with all the interface items to translate, in each of the available languages. This is useful if you want to give the list to someone else to translate. If you added your own language, you may have to enter its code and translation for each item. E.g. if I add the Wolof language and code "wol" (using the **Add Language** button on the **Languages** tab), then export the interface translations list using the **Export** button, I can add the Wolof translations. In the exported text file, each interface item has a heading (e.g. **\$ Menu_Bible**) followed by a list of language codes and their translation for the **Menu_Bible** interface element. At the end of the list for **Menu_Bible** I can add a line **wol: Injil**. I can then do this for all the interface elements.

Once the list is finished, use the **Import** button to import the changes into SAB.

9.3.3. The *Layout Direction* tab

The UI layout direction affects the position of the book name in the menu, and the side from which the navigation drawer slides out. There are four options:

1. **Left to Right** – the default, with the book name displayed in the upper left and the navigation drawer sliding out from the left side.
2. **Right to Left** – with the book name displayed in the upper right and the navigation drawer sliding out from the right side.
3. **Use the direction from the current user interface language.** If the current language is normally written in a certain direction, the app will mirror that setting. This means that a user may change the app language in the settings and the app will respond with the correct UI direction.
4. **Use the direction from the text being displayed.** This will depend on the book text being displayed in the screen area, or the top screen in two-pane view. See [Setting a specific book's text direction](#).

9.4. Colors

The Colors menu lets you customize almost any color in your app. The **Color Scheme** tab lets you set an overall look and you can further customize colors using the **Main Colors** and **Book Colors** tabs.

9.4.1. The *Color Scheme* tab

SAB comes with around 28 pre-made color schemes. The color scheme affects the menu bar, bottom navigation bar icons, font sliders, book selection tabs and title text color. Click on the scheme you want and then choose which themes (Normal, Sepia, Dark, Rose, Sage and Charcoal) the user will have access to. These will appear under the text size (AA) icon on the menu bar.

9.4.2. The *Main Colors* tab

The Main Colors tab allows you to customize all the named color settings for all six themes (Normal, Sepia, Dark, Rose, Sage and Charcoal). Double-click on a color entry to display the **Edit Color** selection dialog for all three theme. Use **Select Color...** to launch the color picker for each theme entry.

9.4.3. The *Book Colors* Tab

The Book Colors tab allows you to specify the tile background colors in the Grid View of the book selector (on the app's main menu). If your app does not have any Scripture books, this tab will be empty.

The Grid View groups Scripture books by category e.g. Pentateuch, Historical, Gospel, Pauline Epistle. You can specify the background color for each category and for all six themes. Double-click on a category to display the **Edit Color** selection dialog for all six themes. Use **Select Color...** to launch the color picker for each theme entry.

9.5. Fonts

With the various tabs of the **Fonts** project menu, SAB allows you to specify one or more fonts to use in the app and to specify one or more keyboards and lexical models to aid users in typing in their language.

9.5.1. The *Main Font* tab

SAB allows you to specify a main or “**common**” font for use in the app (by default). You can alternatively choose to specify a number of other fonts (using the **Font Files** tab) that will be embedded in the app for use with different books or book collections. If you provide several fonts, users will be able to choose between them in the Text Appearance popup and the Verse on Image editor.



To specify a default size for a font, set it at the book collection level under [<collection name> ➤ Styles ➤ Default Text Size](#).

To specify the range of text sizes available to the user, see [Appearance ➤ Formatting ➤ Text Size](#).

9.5.2. The *Font Files* tab

Use this tab to specify all the font files from which you can choose for the main font and fonts available under the **Fonts** tab at the Book or Book Collection levels.

Click **Add Font...** and specify a reference “**Family name**” for the font. Then either select one of the suggested common SAB fonts or one of your own choosing. After clicking Finish, the font will be added to the list of available fonts from which to choose.


Right-click on a font file in the list to either delete it or edit its properties.

9.5.3. The *Font Handling* tab

Use the Font Handling tab to activate the GeckoView font handling component. If you are using a non-Roman script or a Roman script with combining diacritics, it is possible that Android devices will not display your fonts correctly. To overcome these problems, try using the GeckoView library.

GeckoView is a viewer component from Mozilla that replaces the standard Android viewer. It can render Graphite fonts correctly.

In the screenshots below, the standard viewer is used in the left image and GeckoView is used in the right image. Notice the dotted circles on the left, indicating that the font is not being rendered properly.



Using the standard viewer Using GeckoView

The required GeckoView library files will add at least 55 MB to your app size, so do not enable GeckoView unless you know you need it to display your fonts correctly.

You will find that when you build an Android APK with GeckoView, the APK size will be at least 200 MB larger than without GeckoView. This is because it contains the GeckoView libraries for four different device architectures (32-bit ARM, 64-bit ARM, 32-bit Intel and 64-bit Intel). In practice, your app users do not need to install such a large file.

- For **online app distribution**, you need to upload an AAB file (app bundle) to Google Play rather than an APK. The AAB file contains all the GeckoView libraries for all four device architectures, but when a user installs an app from Google Play, Google will create a tailored APK for them, with just the libraries and components their phone needs. The AAB file might be over 300 MB, but the actual size of the app for any user will be much smaller.
- For **offline app distribution**, you can ask for Scripture App Builder to create multiple APKs, one for each device architecture. Do this on the **App** ➤ **APK** tab. Each of these APKs will be significantly smaller (around 55 MB extra for GeckoView). You just need to choose the right one(s) to distribute, according to the types of phones people have. Many of the phones today will use the 64-bit ARM APK. Otherwise, the 32-bit ARM APK is used for most older phones. Intel phones are less common, but it will depend on the phones being sold in your country.

9.5.4. The *Keyboards* tab

Use the **Keyboards** tab to specify one or more Keyman keyboards to include in your app. This allows users to use the keyboard for typing notes etc. in their language(s). The **Keyboards** tab includes links to [Keyman Developer](#) (for creating your own keyboards) and the [Keyman](#) website. It is worth checking the website to see if someone has already created the keyboard you desire.

Important: To allow the user to use a keyboard, make sure and select it at the Book Collection level on the [Styles](#) tab.

9.5.5. The *Lexical Models* tab

Use the **Lexical Models** tab to specify one or more lexical models to provide predictive text for embedded Keyman keyboards. The **Lexical Models** tab includes a link to the [Keyman Developer](#) website for designing and compiling your own models.

9.6. Styles

One of the powerful advantages of Scripture App Builder is the ability to make a fully-contextualized app for a specific target language and culture. To that end, SAB gives the app designer a lot of control over the text and interface styles. To see specific references and explanations to all the styles available in SAB, see [Appendix 3](#).

Each style has multiple fields that can be customized, stored as underlying CSS fields. Styles are divided into two main categories: **Text Styles** and **User Interface Styles**. You can also create **Custom Styles**. Use the **Find** feature to search for a particular style to modify. If you know the USFM marker for the style, you can try using that for searching. For example, if you want to modify the style of a line of poetry, search for either “**poetry**” or “**q**” which is the USFM poetry marker.

Each style lists the **Name**, **Description** and **Designation**—the specific characteristics of the style. Double-click on a style to display the **Edit Style** dialog box. Use the **Style Properties** tab to modify the style and/or the **CSS** tab to add or modify specific style elements. Click **OK** when done. The modified style name will now be displayed in **blue** to show that it has been changed. To revert to the default values, right-click on the style and choose **Reset to Default**.

The **Appearance ➤ Styles** menu is for setting “app level” styles. Styles can be set in 3 places: at the app level, the book collection level and the book level. By default, styles set at the app level apply to all collections and books. Some styles are only applicable to the app itself (e.g. menus, navigation drawer etc.). However, many styles, especially text styles, can be individually set for collections and/or specific books.

9.6.1. The *Text Styles* tab

This is a broad category that contains many marker styles available in Paratext that are automatically transferred, and many other descriptive and functional elements in the

app's content. These include different text categories like chapter and verse markers, poetry, tables, headers, footnotes, links, glossary words etc. Also included in the text styles are the various elements for quizzes (see the document **Creating Applications with Quizzes**). Use the **Find** feature to search for a particular style. For more information, see [Appendix 3](#).

9.6.2. The *User Interface Styles* tab

Interface styles generally affect the user interface elements of your app. This includes the menus, icons, dialog boxes, tabs and navigation drawer. For more information, see [Appendix 3](#).

9.6.3. The *Custom Styles* tab

Use the **Add Style...** button to add a custom style.

9.6.4. Setting styles at the book collection or book level

To change a particular book collection's styles, click on **Books** ➤ **<Collection Name>** ➤ **Styles**. The configuration area will display the text and interface style tabs with the elements that are applicable at the book collection level. You can also change a number of other attributes for the collection including the following:

- Text font
- Default text size
- Default line height
- Text direction (left-to-right / right-to-left)
- Language code
- Numeral system
- Verse numbers
- Keyboard

To change a particular book's styles, click on **Books** ➤ **<Collection Name>** ➤ **<Book name>** and then choose the **Styles** tab in the configuration area on the right.

9.7. Formatting (Chapters, Verses and Text Size)

9.7.1. The *Formatting* tab

The **Formatting** tab gives specific control on whether chapter and verse numbers are displayed and how they are formatted. It also allows you to specify whether the words of Jesus can be displayed in red (if available in the current book) and whether they're in red by default. If turned on, this setting is available to be modified by the user in the app settings.

9.7.2. The *Text Size* tab

The **Text Size** tab allows you to modify whether the user can adjust the text size in the app and to set the limits for changing the text size via "pinch-to-zoom."

9.8. Changes

You can define a set of regular expression “find and replace” changes to apply to the text in your source files. The changes will be applied during the app build process and the original source files will not be changed. For example, if you have added Paratext files from a Paratext folder that receives updates from your team and yet you need to modify certain text styles or markers to display correctly in the app, you should apply those modifications using the Changes feature. In this way, they will not be overridden by Paratext updates, or affect the Paratext project itself.

Changes applied at this level will affect the whole app. You can use the Changes tab [in the book collection](#) or book menus for changes at those levels.

Once Change items have been added, you can turn them off or on by clicking in the **Enable** checkbox. Right-click on a Change item to edit or delete it.

Add Change from Gallery...

SAB comes with a limited set of Changes already defined. Click on the **Add Change from Gallery...** button, select any you wish to use and click OK.

Add Change...

Click the **Add Change...** button to add a Change item. You can give it a descriptive name and specify the regular expressions to use for the Find and Replace fields.

10. The *Data & Analytics* project menu

10.1. Analytics

If you enable Analytics, the app will connect to the internet from time to time to send app usage information to one or more analytics accounts. This will give you an idea of the extent to which people are interacting with the app.

The information sent will include the model of the device (such as ‘Google Nexus 7’, ‘Samsung Galaxy S4’), the Android version (such as ‘4.2’), the mobile network provider and an approximate location (city/country). No personal information is included.

You can configure your app to send usage data to one or more of the following analytics engines:

FCBH Digest Analytics	Sends a digest of analytics data to Faith Comes By Hearing (FCBH).
S3 Digest Analytics	Sends a digest of analytics data to an Amazon S3 Bucket of your choice.
Amplitude Analytics	Sends data to an Amplitude account of your choice.
Firebase Analytics	Sends data to a Google Firebase Analytics

	account of your choice.
--	-------------------------

To set up analytics:

1. Select **Enable Analytics**.
2. Choose whether users can opt out of sharing user data
3. Click **Add Analytics Account...**
4. Choose an account type and enter your analytics account information.
 - For FCBH Analytics, you do not need any additional ID information.
 - For S3 Digest Analytics, you will need an S3 Bucket ID and an Identity Pool ID.
 - For Amplitude Analytics, you will need an API Key.
 - For Firebase Analytics, you will need a google-services.json configuration file for your account.

10.1.1.


FCBH Digest

Analytics

FCBH Digest Analytics is the most simple analytics service requiring almost no additional setup. Faith Comes By Hearing (FCBH) has established an analytics service for use with Scripture App Builder. By selecting FCBH Digest Analytics as the Account Type, your app will send a small daily digest (about 300 bytes for each day the app is used) of compressed, completely anonymous data (no personal, phone, or GPS location information) via an encrypted transport (https) to an Amazon data center in Asia, when the device is connected to the Internet (via cell or WIFI) while the app is running.

FCBH uses the resulting data for two purposes: 1) They make semi-annual contributions to text-holder organizations, proportional to the usage of corresponding audio recordings, and 2) They show usage data to visitors and donors to encourage and inspire involvement. Access to this service (data and dashboards) is available to interested partners (e.g. app builders) so they can easily track usage. Send an email to sab-analytics@fcbhmail.org to request access.

Data is aggregated by an FCBH server and analyzed using Splunk. A snapshot of one dashboard is below. The dashboard is interactive and allows drill-down to specific apps or versions or countries. The dashboard is a work in progress and interested ministry partners are welcome to contribute or build their own dashboards on the Splunk server.



While no location information is uploaded, Amazon's servers record the IP addresses where data uploads occur from. FCBH then uses [Maxmind's](#) free database to estimate device locations (at approximately 99% and 95% accuracy for country and city respectively).

10.1.2.

S3 Digest Analytics

S3 Digest Analytics uses the same mechanism as FCBH Digest Analytics to report a small digest of analytics data. However, you are responsible for hosting the Amazon S3 Bucket and processing the received data. Files are uploaded to the S3 Bucket and in a sub-folder based on the format (e.g. the current format is f1) and stored with a unique filename using a randomly generated [GUID](#) as the basename. We are working with FCBH to package a Splunk configuration so that you can deploy your own server to analyze the data.

To use S3 Digest Analytics, ensure you have admin permissions to an Amazon AWS account, and go to:

<https://aws.amazon.com/console/>

You will need to:

1. Click **Sign In to the Console** at the top right of the screen.
2. Create an S3 Bucket.
 - a. Go to the **S3 Service** and click **Create bucket**, enter a Bucket name, select a Region near where the app will be distributed, and click **Next**.
 - b. On the **Set properties** and **Set permissions** steps, use the defaults and click **Next**.

- c. Review the configuration and click **Create bucket**.
 - d. Copy the **Bucket name** into the **S3 Bucket ID** field in Scripture App Builder.
3. Create a Federated Identity.
 - a. Go to the **Cognito** Service and click **Manage Federated Identities**. The first time you use this service it will start creating an identity pool for you. If the AWS account already has identity pools, then it will show a grid of existing one. If this is the case then click **Create new identity pool**.
 - b. Enter an **Identity pool name**, click **Enable access to unauthenticated identities** (which allows users of the app to submit analytics without logging into some service), and click **Create**.
 - c. Click **Show Details** to see the **Role Name** for the unauthenticated identities (in the next step, we will give them permission to put objects in the bucket created in the previous step). Click **Allow**.
 - d. Copy the **Identity pool ID** value inside the quotes in the **Get AWS Credentials** section of the **Sample code** page shown after completion of the previous step. Copy this string into the **Identity Pool ID** field in Scripture App Builder.
4. Give permission to put data into the S3 Bucket.
 - a. Go to the **IAM** Service and click **Roles** category.
 - b. Click on the Role created in step #3 (e.g. Cognito_<IdentityPoolName>Unauth_Role).
 - c. Click **Add inline policy**, click **Service** and choose **S3**.
 - d. Click **Actions**, type in *PutObject* to search for actions, and check **PutObject** to select that action.
 - e. Click **Resources**, use default Specific, click on **Add ARN** link, enter the **Bucket name** from step #1 into the **Bucket name** field, click the **Any** checkbox at the end of the **Object name** field, and click **Add**.
 - f. Click **Review policy**, enter a name in the **Name** field, and click **Create policy**.

10.1.3.

FCBH and S3 Digest Analytics

Data Payload for

Both FCBH Digest Analytics and S3 Digest Analytics use the same JSON payload format. A complete sample data payload is below:

```
{
  "startTime": "20180306T0835Z",
  "period": 1440,
  "id": "12db7e3f-93d9-4370-b12b-fe048804e4f5",
  "package": "org.fcbh.hndwtc.n2",
  "version_name": "1.0.1",
  "sessions": 1,
  "sessionMins": 21,
  "shares": 3,
  "dams": [
    {
      "damid": "HNDWTCN2DA",
      "playMins": 25,
      "chaps": [
        "MRK 1", "MRK 1", "MRK 2", "MRK 2", "MRK 3", "MRK 4", "MRK 4"
      ]
    }
  ]
}
```

The payload is 296 bytes uncompressed and 224 bytes compressed. This sample is comprised of the following fields:

- One day of activity (1440 minutes), starting on 2018-03-06.
- The id is a [GUID](#) which was randomly generated on the phone when the app was first launched, enabling determination of how many unique installations of the app are in use (but no user-identifying information).
- Package and version indicate which app is in use.
- This report was for a single 21-minute session. This (and other) values would be incremented if the app had been used multiple times within the reporting period.
- The user pressed Share in the app 3 times.
- The app played FCBH audio HNDWTCN2DA, which is a **Fileset ID** from FCBH's [Bible Brain](#).
- The app played audio for 25 minutes. Since this is greater than 21 minute session time, the audio must have been playing while the screen was off for 4 minutes. Comparison of these fields enable some rough comparison of audio-only use, versus use of audio in combination with text.
- Mark 1-4 were played. Mark 1 and 4 being listed twice each indicates that the user pressed play twice in each chapter (and thus, also pressed stop in each).

10.1.4.

Amplitude

Analytics

To use Amplitude analytics, you will need to create an account. Go to:

<https://amplitude.com>

You will need to:

1. Click **Sign Up** at the top right of the screen and create an account. You will receive an email to finish activating your account. Copy the link to your browser and go to the page and complete the activation process.
2. You will be prompted to create a new organization. You can do that to invite team members to join your organization and access the data. You will also be prompted for some additional information.
3. Click **Create Project**, enter the project name and click **Create**. There will be a project for each individual app.
4. Click **Projects** on the left of the screen. This will show the list of projects and the properties including a long string of hexadecimal characters under the label **API Key**.
5. Highlight and copy this string into the API Key field in Scripture App Builder.

10.1.5.

Firestore Analytics

To configure Firestore Analytics, go to the **Data & Analytics** ➤ **Firestore** menu (see below).

10.2. Firestore

The Firestore menu allows you to configure multiple options available with a Firestore account. You can specify which options to enable using the Firestore Features tab, copy in your Firestore configuration file (.json) in the Firestore Configuration tab, and set up Push Notifications and In-App Messaging under their respective tabs, if so desired.

10.2.1.

The Firestore


Features tab

Firestore Analytics

To sign up for Firestore Analytics, ensure you have a Google account.

You will need to:

1. Go to the Google Firestore website at <https://firebase.google.com/> and ensure you are signed in with your Google account.
2. Click **Add project** to create a Firestore project for this app.
3. In Step 1, you will need to give your new project a **Project name**.
4. In Step 2, titled **Google Analytics for your Firestore project**, select **Set up Google Analytics for my project** and press **Continue**.
5. In Step 3, titled **Configure Google Analytics**, click on the drop-down box and choose **Create a new account**. Give it a name, which can be the same as your Firestore project name.
6. Check the boxes to confirm that you accept the analytics and data protection terms. Click **Create project** and wait a few seconds for the project to be created.
7. Click the Settings button (a cog wheel icon near the top) and select **Project settings**.



8. On the **General** tab of the Settings, scroll down to the **My apps** section and click the Android app icon.

9. On the **Add Firebase to your Android app** page, enter your app package name and click **Register app**.
10. Download the config file, **google-services.json**. That is all you need from the app registration. You can ignore the information on the rest of the screens and return to Settings.
11. Go to the **Data & Analytics** ➤ **Firebase** page in Scripture App Builder.
12. Select **Firebase Analytics** as one of the features to use in the app.
13. On the **Firebase Configuration** ➤ **Android** tab, click the **Browse** button and find the **google-services.json** config file that you have just downloaded from the Firebase console.

10.2.2.

The Firebase

Configuration tab

Specify your Firebase Configuration file by clicking on **Browse...** and selecting your downloaded **google-services.json** file.

10.2.3.

The Push

Notifications tab

You can send direct messages over the internet to all the users who have your app installed on their phone.

Such messages could include:

- Sending greetings on special occasions.
- Sharing news of app updates, new resources and special offers.
- Encouraging people to use the app.

Setting up Firebase Cloud Messaging

To set up the push notifications feature:

1. If you have not already done so, follow the instructions on setting up a **Firebase project**, described in the section above on [Firebase Features](#).
2. In Scripture App Builder, go to the **Data & Analytics** ➤ **Firebase** tab and enable **Firebase Messaging**.

Sending messages

To send a push notification message to all users of your app:

1. Go to the **Firebase Console** for your Firebase project.
2. Select **Cloud Messaging** from the menu on the left of the screen.
3. Click **Send your first message**.
4. Enter the **Notification title** and **Notification text**, then click **Next**.

5. In the **Target** section, you want to send messages to users of your app. Click **Next**.
6. For **Scheduling**, you want **Now** (unless you choose another time). Then click **Next**.
7. Accept all the other default options and then click **Review** at the bottom of the screen.
8. Re-read your message to verify that all is OK, then click **Publish** to send it. The message will be sent to all the app users (if they are connected or connect to the internet).

10.2.4. **Messaging tab**

The In-App

To set up the In-App Messaging feature:

1. Enable **Firestore In-App Messaging** under the [Firestore Features](#) tab
2. If you have not already done so, follow the instructions on setting up a **Firestore project**, described in the section above on [Firestore Features](#).
3. Under the In-App Messaging tab, follow the instructions under **Configure In-App Messaging**.

10.3. **User Accounts**

You can configure your app so that a user's highlights, notes and bookmarks are saved to a database server. This means that the user can see them on another device, and they do not need to lose their work when they change their phone.

To enable this feature, you need to do some configuration work in two places:

- within Scripture App Builder, and
- in the Google Firebase console.

10.3.1. **Accounts in Scripture App Builder**

Setting up User

In Scripture App Builder:

1. Go to the **Data & Analytics** ➤ **User Accounts** tab.
2. Click on **Enable user accounts**.

10.3.2. database in the Google Firebase console

Setting up the

To set up the database, which will contain the registered users' information, you need to add Firebase to your app, create a database, set up authentication and configure rules.

Add Firebase to your app

Follow the instructions in setting up a Firebase project, described in the section above on [Firebase Features](#).

Create a Database

To create a database:

1. In your Firebase project console, select **Realtime Database** from the menu on the left of the screen (the option below Firestore Database).
2. Click the **Create database** button.
3. On the first page of **Set up database**, choose where you would like the data to be stored, then click **Next**.
4. On the second page of **Set up database**, choose **Start in locked mode**, and click **Enable**.

Set up Authentication

To set up authentication:

1. In your Firebase project console, select **Authentication** from the menu on the left of the screen.
2. Select the **Sign-in method** tab.
3. Click on **Email/Password** and enable this authentication method to allow users to sign up using their email address and password.
4. Click **Save** to confirm your changes and return to the Sign-in method tab.

Configure Rules

Rules are required to tell Firebase who will have access rights to read and write to the database. To configure the database rules:

1. In your Firebase project console, select **Realtime Database** from the menu on the left of the screen.
2. Select the **Rules** tab.
3. Change the rules to be as follows:

```
{
  "rules": {
    "authenticated-users": {
      "$uid": {
        ".read": "$uid === auth.uid",
        ".write": "$uid === auth.uid"
      }
    }
  }
}
```

This rule says that only authenticated users will have right to read and write their own data. Unauthenticated users will not be able to see or change anything, and authenticated users will not have the right to see or change someone else's data.

4. Click **Publish** to confirm your changes.

10.3.3. tab

The Data Deletion

Google's policies require apps with user accounts to provide a URL where users can request account deletion. See [Understanding Google Play's app account deletion requirements](#) and fill in the **Data Deletion URL**.

11. The *Publishing* project menu

The Publishing menu helps you prepare your app for publishing to the Play Store, as a Progressive Web App or as an e-book (EPUB).

11.1. App Store

Documentation coming soon. See the **App Publishing Checklist** and **Distributing Apps** PDFs under the SAB Help menu.

11.2. Web App (PWA)

Documentation coming soon.

11.3. E-books (EPUB)

As well as building a smartphone app, you can create e-books in EPUB format. EPUB documents are readable by a number of e-book readers on Windows, Mac, iOS and Android platforms.

If you have timing files for your audio, the e-books can contain 'Read Aloud' text-audio synchronization. These are readable by a few EPUB 3 readers, such as [Adobe Digital Editions](#) or [Thorium Reader](#).

To create an EPUB e-book:

1. Use the **Table of Contents** tab to choose which items should be available in the table of contents.
2. Use the Cover tab to choose a cover design. If you are creating separate e-books for each book, a different cover image can be specified for each book on the Cover tab of each individual Book page.
3. Go to **Publishing** ➤ **E-books (EPUB)** and click the button **Create EPUB File...** This will launch the **Create EPUB Document** wizard. You can choose which book collection and which books to include. You can choose whether to create a single e-book containing all the books or whether you want to create a separate e-book for each book. The latter is the best option if you will have audio in the book, since otherwise a whole NT with audio would be a very large e-book.

The generated EPUB documents will be saved in the default EPUB output folder. See **Tools** ➤ **Settings...** ➤ **Default Folders**.

4. Open the EPUB documents in your chosen e-book reader.

Scripture App Builder generates EPUB 3 documents which should be backwardly compatible to be able to be read using EPUB 2 readers. EPUB 3-only features such as the text-audio synchronization will only be seen on compatible readers.

"nɔɔ yilɔɔ Lago 'na 'Denaade
Galile -sele- -ka me. ¹⁵ɔ 'nɛɛ:
«Zle -yle -ke lɔbɔɔ "bhuɔ, "ne -
Lago 'na Kamale Zikpe "ne -ka
la 'anye 'detlɔle-; 'zaa, 'a
bhelia- 'anye 'kɔse -nyɛnye -wɛ
'kɔ, -saa 'kele- Lago 'na
'Denaade 'dle "ku.»

**Zezu 'la 'ɔnɛɛ gɛlenya 'na
tɛtɛnoa**

(Mat 4.18-22; Luk 5.1-3,10-11)

¹⁶ Zezu nɔɔɔ- Galile 'na -jinyɛ


"nɔɔ yilɔɔ Lago 'na 'Denaade
Galile -sele- -ka me. ¹⁵ɔ 'nɛɛ:
«Zle -yle -ke lɔbɔɔ "bhuɔ, "ne -
Lago 'na Kamale Zikpe "ne -ka
la 'anye 'detlɔle-; 'zaa, 'a
bhelia- 'anye 'kɔse -nyɛnye -wɛ
'kɔ, -saa 'kele- Lago 'na
'Denaade 'dle "ku.»

**Zezu 'la 'ɔnɛɛ gɛlenya 'na
tɛtɛnoa**

(Mat 4.18-22; Luk 5.1-3,10-11)

¹⁶ Zezu nɔɔɔ- Galile 'na -jinyɛ

Viewing an EPUB Read Aloud document in the Gitden Reader app




Viewing an EPUB Read Aloud document in the Radium Chrome extension

12. The *Navigation* project menu

12.1. Contents Menu

When the user launches the app you might want to display a contents menu, giving them an easy way to jump to books and specific references. This can be an essential part of helping users engage with Scripture and locate other content in your app that otherwise might be hard to find e.g. front and back matter material, storybooks, a thematic index or glossary. For more information on setting the styles for the various contents menu elements, see [Appendix 3](#).

The contents menu contains a list of images and titles and can have several levels as needed.



12.1.1. The *Contents Items and Screens* tab

Contents menus are comprised of Items (clickable elements), headings (non-clickable items) and screens (groups of items representing a level in a nested menu structure). Each menu has by default one screen representing the top level menu.



You can quickly add an existing book to the contents menu. Click on the book's collection name in the project menu tree view. This displays the collection's list of books in the Book Collection tab. Right-click on the book and select **Add to Contents Menu**. If you have more than one menu "screen" (see below), you can choose which screen to add it to.

Contents Menu Items

1. For each contents menu item you want to add, click the **Add Item...** button and follow the **Add Contents Menu Item** wizard to add the item to the screen.

A. Single Clickable Items

To add a single item (one item on its own row) choose **Single Item** (the default) and click **Next**.

You can choose to target the following: a **Book reference**, **Another menu screen** or **Elsewhere**.

Book References

Add Contents Menu Item

Target
Specify the target of this menu item

When the user selects this item, go to:

☒ **Book reference:**

Layout: Single Pane: Français (dropdown) [Other...]

Book: MAT - Matthieu (dropdown)

Chapter: 1 (dropdown)

Verse: 1 (dropdown)

☐ **Another menu screen:**

Screen: Home (dropdown)

☐ **Elsewhere:**

Location: About (dropdown)

< Back Next > Cancel

For a book reference, you will need to specify the following:

- The **target reference**, such as Luke 15 verse 1.


This reference can be a book name, or a book and chapter, or a book chapter and verse. If the book is not a Scripture book, you can still select which page to open. If you have multiple book collections, you can specify an associated layout.



If the book does not have a linked book in another collection (i.e. the 2 pane view would not be able to show the same book in another collection), then choose

	<i>single-pane view.</i>
---	--------------------------

- The **title** of the item, such as 'The Lost Sheep' (you can also specify alternate translations for the title and subtitle)
- An optional **subtitle**
- An **image** (optional) – to appear to the left of the title.

	<i>Try and make your contents menu item images the same dimensions. Alternatively, you can set the Image width percentages to all be the same on the Contents Settings tab under Contents Items Display.</i>
---	---

	<i>You can now add an animated GIF as a contents menu image. This is useful to add things like sign language videos to the menu.</i>
---	--

- An optional **Audio** clip to provide a brief description of the item (this will display a speaker icon that can be tapped to play the audio)
- A layout (how the picture and text are arranged).

Another Menu Screen

Choose an existing menu screen from the drop-down list box. You will need to first **Add a Screen...** from the main **Contents Items and Screens** tab to choose this option.


Elsewhere

Choose one of the locations in the drop-down list box:

- the About Box
- the Language and Layout screen
- the Settings screen
- the Reading Plans chooser
- a PDF Document (specified under [Media > Documents](#))
- a News Feed (specified under [Engagement > News Feeds](#))
- an Illustration (specified under [Media > Illustrations](#))
- a website URL

B. Headings


You can add non-selectable headings or dividers in your lists of items in the menu. You may want to do this to group certain items under a header, or just to provide some decoration. To add a heading, choose **Heading**. Select a layout, choose an image, then add an optional title, subtitle and/or audio clip to play when its speaker icon is tapped.



To make a decorative heading, create a landscape image and set its width percentage to be 100%. Do not add a title or subtitle.

C. Several Items on the Same Row (Grids)

To add multiple items on the same row, choose **Grid** and click Next. You can then choose an optional heading (title and subtitle) above the row. Click **Next**. Then, on the **Grid Menu Items** screen, add 2 or 3 items, one by one. Choose their target location, layout, image, title and subtitle.



To edit a grid, double-click on it in the **Contents Items and Screens tab** view. This will open the **Edit Contents Item** dialog box. Use the **Heading** tab to add/remove/modify a heading. Use the **Grid Menu Items** tab to rearrange the items by dragging them up or down. Double-click on a grid item to edit it.

You can select 2 or 3 items in your contents menu, right-click and choose **Group into Grid** to facilitate creating a grid of items. You can also select an

already made grid, right-click and choose **Ungroup to single items** to split the items back into separate elements.


D. A Carousel

To add a rotating horizontal set of items, choose **Carousel** and click **Next**. You can then choose an optional heading (title and subtitle) above the row. Click **Next**. Then, on the **Carousel Menu Items** screen, add items, one by one. Choose their target location, layout, image, title and subtitle.

You can select several items in your contents menu, right-click and choose **Group into Carousel** to facilitate creating a carousel of items. You can also select an already made carousel, right-click and choose **Ungroup to single items** to split the items back into separate elements.

E. Verse of the Day

To add the **Verse of the Day** to the menu, choose **Verse of the Day** and then an optional heading and subtitle. After adding this item, double-click on it to add or change the background colour if desired.



If you want to include it, you might consider having the Verse of the Day as the first item in the list of items in your menu as it is very prominent.

F. News Feed

To add one or more items from a **News Feed**, select **Feed**, then choose an available [News Feed](#) and the number of items from the feed you would like to display.

2. You can reorder the items on the screen by selecting rows in the table and dragging up or down.
3. Double-click on an item to open the **Edit Contents Item** dialog box. From here you can select one of the following tabs to edit one of the settings you have chosen: **Layout**, **Image**, **Titles**, **Background**, **Padding**, **Target**, **Audio**, **Languages**.

Note that **Padding** and **Languages** give you additional control over your menu item.


Padding

Use the Padding tab to adjust the space around the menu item.

Languages

If you have more than one interface language in your app, the Languages tab will appear. You can specify if a contents menu item only shows up in a particular

language has been chosen. This is helpful if you want to provide several versions of a resource (e.g. a “how to use this app” book) in the different languages. To do this, specify in which of the available languages you want it to be shown (see example below):



The screenshot shows the 'Edit Contents Item' dialog box with the 'Languages' tab selected. The dialog has tabs for Layout, Image, Titles, Background, Padding, Target, Audio, and Languages. The Languages tab contains the following text: 'You can show or hide this menu item depending on the currently selected app interface language. For example, you might want a certain item to be shown in English and a different item in French, each pointing to different book content.' Below this is the question 'When do you want this item to be shown?' with two radio button options: 'For all interface languages' (unselected) and 'For the following interface languages:' (selected). Below the options is a table with three columns: 'Enabled', 'Language Name', and 'Language Code'. The table has two rows: 'English' (enabled, code 'en') and 'French' (disabled, code 'fr'). At the bottom right are 'OK' and 'Cancel' buttons.


Enabled	Language Name	Language Code
☒	English	en
☐	French	fr

4. Go to the **Contents Settings** tab to specify display formatting and navigation options for the menu.



*By default the contents menu will not show the item reference (e.g. chapter and verse). You can turn this on by selecting **Show target references** in the **Titles** tab for each menu item.*

5. Select the **Viewer** tab to see how the contents menu will appear in the app.



Contents Menu Screens

In some cases, you might want to have multiple contents screens (nested groups of items), i.e. you select an item in the first screen and it takes you to a second contents screen.

Grouping your items under screens can really help users find and access the content in your app, especially if you have different types of books and/or extra-Biblical content like front and back matter, glossaries, Bible studies etc. It is recommended to sketch out a proposed layout for your menus and then create the screens and items necessary.

A screen is a group of items. Items on a screen can lead directly to books, or to other screens. By default a contents menu has one implicit screen called “**HOME.**”

To add a contents screen:

1. Click the **Add Screen...** button and give the screen a name.
2. You will need to link to this new screen from the screen a level above (its parent screen). Select the parent screen by clicking on it so it highlights. Click the **Add Item...** button for that parent screen, specify its target to be **Another menu screen** and select the name of your new screen. This will mean that when the user taps on this item in the first screen they will be taken to your new screen.
3. Add menu items to your new screen as described above.



*Make sure that the screen to which you want to add an item is selected by clicking to highlight it on the **Contents Items and Screens** page. Then click **Add Item...***

4. You can move items between screens by dragging item rows up or down.

12.1.2. The Contents Settings tab

Use the Contents Settings tab to specify exactly how the contents menu works, including the title displayed (if any), what menu items are displayed and how users navigate between books and the contents menu.

Contents Menu Title

Use this setting to choose what is displayed in the app toolbar while the contents menu is showing.

Contents Items Display

Each item has a title, subtitle and a reference that shows which book chapter / page and verse the item is pointing to. You can choose which of these elements to display. You can also adjust the proportion of the menu item image and text.

12.1.3. The Contents Navigation tab

Use this setting to specify what type of navigation button is shown when a user is viewing a book and what happens when the user launches the app.

Navigation

Use this setting to specify what sort of navigation button the app shows when the user is viewing the pages of a book.

Launch Action

Use this setting to specify whether the app always launches to the contents menu, or to the last book viewed.

12.1.4. The More Settings tab

Image Resizing

You can specify the maximum pixel width of contents menu images to reduce their size, if necessary.

12.1.5. The Viewer tab

Use the viewer tab to get an indication of how each screen in the menu will appear.

12.2. App Launch

The App Launch menu allows you to specify exactly what happens when the app is launched the first and subsequent times.

First Launch

Use this setting to specify what happens the very first time the app is launched. If there is a contents menu, you can specify that the app shows this. Either way, you can alternatively open at a specific book and chapter. You can select from any book in the primary book collection.



You may choose to open at a “Getting Started” or “Help” book to give the user help in learning how to navigate in your app. You can create this using the [Word](#) or [SFM](#) formats and add it to the primary book collection.

Later Launches

Use this setting to specify what happens on subsequent launches.

12.3. Navigation Drawer

The navigation drawer is the menu that slides out from the left or right side of the screen, depending on the current [text direction](#) setting. This menu can also be accessed via the “hamburger” menu (three horizontal lines) in the menu bar.

12.3.1. The Menu Items tab

As an aid to the user, you can add items to the navigation drawer that point to various, useful elements that can aid in helping the user go further in their studies or get answers to their questions.



As part of a broader, Scripture Engagement strategy, you can add links to language websites, Facebook pages, [News Feeds](#) and WhatsApp groups.

To add an item, click **Add Menu Item...** and choose from the list of possibilities. Be sure to add multiple translations of the menu item if you have multiple interface languages.

12.3.2. The Settings tab

The **Settings** tab allows you to specify which app settings the user can modify. The list of settings is determined by which options you have enabled in your app. For example, the **Verse of the Day** notification setting will only appear in the list if you have enabled Verse of the Day under the **Engagement** ➤ **Notifications** project menu.

Click Show next to each setting you want the user to be able to modify in the app. These will appear under the Settings menu item in the app’s navigation drawer.

To modify the style of the settings menu, see [Appearance > Styles](#). The specific settings styles are listed in [Appendix 3](#).



*To specify whether a setting option is turned on by default, see the respective setting's menu item in the SAB project menu. E.g. see **Engagement > Notifications > Verse of the Day** to turn it on by default.*

12.3.3. The *Sharing* tab (sharing apps)

One advantage of a digital Bible over a printed one is that users can freely share the Scriptures with other people. SAB provides several, helpful ways to share an app with others. You can choose to allow the user to use any or all of them:

Share link to app on Google Play


We strongly recommend publishing your apps to the Google Play store so that the diaspora can have access, even if your local context don't have internet access. If you have published it, then use this setting to provide an easy way to share the link via email or social media (e.g. WhatsApp).

Share link to app on website

Enable this if you have your APK available to download from an external site (e.g. a language-specific website for a translation project).

Share app installer file

Enable this to share your app's APK file directly with another device, e.g. by Bluetooth, Wifi transfer or email. This option is especially useful in contexts where not everyone has easy internet access and where you want to promote offline app sharing.



12.3.4. The *History* tab

Enable the history screen so users can easily select previously viewed books and chapters. They can access the **History** list of saved locations under the app's navigation drawer menu. For information on setting the styles for various elements of the history feature, see Appendix 3.

12.3.5. The *Search* tab

The Search function allows users to find words across all book collections. There are several options you can set to specify how searches take place.

Show Search icon and allow searching

If you enable this, the **Search** menu item will appear in the navigation drawer menu and the magnifying glass search icon will appear in the app menu, if there is room.

'Match whole words' is selected by default

You can choose whether or not users are restricted to searching for whole words.

Show 'Match whole words' option on the Search page

This allows the user to turn off or on the 'match whole words' functionality.

'Match accents and tones' is selected by default

You can choose whether or not users are restricted to searching using accents and tones, if there are any in the language.

Show 'Match accents and tones' option on the Search page

This allows the user to turn off or on the 'match accents and tones' functionality.

Show special character input buttons on Search page

If you are allowing searching matching accents and tones, it is very helpful to include a list of any special characters (that would require an accent or tone marker) to be available for the user to select from.


Specify the replacements and diacritics to remove...

If you are not requiring 'Match accents and tones,' it is important to specify which characters should have simple equivalents. You can either the syntax $X > Y$, with X being the accented character and Y being the non-accented equivalent (e.g. à > a) OR just specify the Unicode character number of the diacritic to remove.

12.4. Bottom Navigation

The bottom navigation bar provides a quick way for users to access various elements of the app. It can be used in addition to or instead of a contents menu, but there is a limit of five items.

After selecting **Enable bottom navigation bar**, click **Add Button...** to add a button to the menu bar. For each button you can specify a name (with multiple translations if needed) and an icon. Once an element is added to the list in SAB, double-click on it to modify it.



There are six possible elements to link to:

Contents

This displays the contents menu screen, if there is one.

Bible

This will display the last, current book being viewed, or can display any book in any collection. When adding the button you can specify the target book to open or modify it later under the button's **Book** tab.

	<i>If you have any non-Bible books in your app, it is best to rename the Bible menu item to be Read or Books or something similar.</i>
---	--

Plans

If reading plans are included in the app, this will display the reading plans selection screen.

Search

If the Search function is enabled, this open the search screen.

Settings

This will display the settings screen, allowing the user to modify the app settings.

About

This will display the About box.

To modify this...	Adjust this style...
The bottom navigation bar background	ui.bottom-navigation.
The text under each icon	ui.bottom-navigation.item.text
The highlighted text of the current icon	ui.bottom-navigation.item.text.selected
The icon color	ui.bottom-navigation.item.icon
The highlighted color of the current icon	ui.bottom-navigation.item.icon.selected

12.5. Book Navigation

The book navigation menu allows the customization of how a user selects and views books, and how Scripture references are handled.


12.5.1. The *Navigation* tab

Book Navigation

Books are most commonly selected by tapping on a book name displayed in the main app menu bar (the book selection popup). You can specify whether selecting a book automatically displays the chapter selector and then the verse selector.

If you turn off the book selection popup, you will need to provide another way to switch books e.g. a contents menu.

Books can be displayed using either a book list view or a grid view.



If the grid view is chosen, SAB uses the book's abbreviation as listed under the book's **Book** tab. The background colors can be set for the different groupings in the grid view (Gospels, Pauline Epistle etc.) using the **Appearance** ➤ **Colors** ➤ [Book Colors](#) tab.

To modify this...	Adjust this style...
Book selector in menu bar	ui.selector.book
Chapter selector in menu bar	ui.selector.chapter
Book, Chapter and Verse selector tabs	ui.selector.tabs
Background for drop-down book list view	ui.button.book-list
Background for drop-down book grid view	ui.button.book-grid
Titles of book groups	ui.text.book-group-title

Chapter and Verse Navigation

Use the options here to specify how chapter and verse selection occurs in your app menu.

12.5.2. The *First Book and Chapter* tab

If there is no contents menu, you can specify which book and chapter is displayed when the app starts for the first time. You can select from any book in the primary book collection.



You may choose to open at a “Getting Started” or “Help” book to give the user help in learning how to navigate in your app. You can create this using the [Word](#) or [SFM](#) formats and add it to the primary book collection.

Normally, you will want to open the app at the last book viewed, but you can specify here to always open at your specified First Book and Chapter.

12.5.3. The *References* tab

These are set in Paratext or can be specified using USFM markers in any book file. Normally, selecting a reference causes a popup to show allowing the user to read a portion of the reference or jump to the source location. You can, alternatively, make selecting a reference open the source location full screen.

To modify this...	Adjust this style...
The cross reference popup body including background color	body.crossref
The reference popup title	span.ref
The reference background and text style	span.reflink

12.6. Deep Linking

Deep Linking allows you to direct people to specific pages within the app, using a link on a website, in a messaging app, social media or email.

A deep link can look something like this:

mamara-bible://LUK.15

or

<https://mamara.org/bible/LUK.15>

or

<https://www.wycliffe.org/mexico/huichol/bible?ref=LUK.15>

If you share one of these links with a friend on WhatsApp, Facebook or email, and they tap on the link on their smartphone, the app (if already installed) will open and go directly to Luke chapter 15.

12.6.1. Setting up Deep Linking

To set up deep linking in your app:

1. Go to the **Navigation** ➤ **Deep Linking** page within Scripture App Builder.
2. Select **Enable Deep Linking**.
3. Specify one or two link **schemes** to be associated with your app: a custom URI and/or a URL.

Custom URI Scheme

The first type of link scheme is a **custom URI** (Uniform Resource Identifier). This is a sequence of characters beginning with a letter and then any combination of letters, digits, plus (+), period (.), or hyphen (-). It is followed by a colon and two forward slashes (://).

Here are some examples:

mamara-bible://
biblemalinke://
proverbstoday://
tharaka-scripture://
gospels-tanzania://

Make sure that you do not choose a custom URI already in use by a popular app, such as:

fb:// Facebook
twitter:// Twitter
whatsapp:// WhatsApp
youtube:// YouTube

youversion:// YouVersion Bible App

URL Scheme

The second type of scheme is a **URL** (Uniform Resource Locator), which is like a web address. It begins with `http://` or `https://`. It can include a path.

Here are some examples:

```
https://mamara.org/  
https://mamara.org/bible/  
http://www.gospels-tanzania.org/  
https://wycliffe.org/mexico/huichol/bible/  
https://scriptureearth.org/mexico/hch/
```

12.6.2. Creating Deep Links

This section explains how you create deep links to content in the app. We will look at how to specify Bible references (books, chapters, verses), book collections, and how to turn the audio toolbar on when the app opens.

Specifying Bible references in a deep link

A reference is specified in the form `BBB.C.V`, where `BBB` is the book ID, `C` is the chapter number and `V` is an optional verse number.

Examples:

```
LUK.15 Luke chapter 15  
JHN.3.16 John chapter 3 verse 16  
EPH.2.8 Ephesians chapter 2 verse 8
```

Please note that:

- The reference is case insensitive, so `luk.15`, `Luk.15` and `LUK.15` are all recognised as referring to Luke chapter 15.
- The app will recognise [OSIS book abbreviations](#) as well as Paratext codes, such as `Luke.15`, `1Thess.3.5`, `1Pet.2`.

There are two ways of specifying the reference in a deep link:

Method 1: Append the reference immediately after the link scheme, e.g.

```
mamara-bible://JHN.3.16  
https://mamara.org/bible/JHN.3.16
```

Method 2: Specify the reference in a query string, after `'?'` and `'ref='`, e.g.

```
mamara-bible://?ref=JHN.3.16
```

<https://mamara.org/bible?ref=JHN.3.16>

When someone taps on this link, the app (if installed) will open at the specified book, chapter and verse, using the currently selected layout and book collections.

Specifying book collections in a deep link

You can specify a book collection in the deep link, using a reference of the form DDD/BBB.C.V, where DDD is the book collection ID.

Here are some examples:

mamara-bible://[MYK/JHN.3.16](#)
<https://mamara.org/bible/MYK/JHN.3.16>
<https://mamara.org/bible?ref=MYK/JHN.3.16>

If you specify a book collection, the app will ensure that this book collection is being displayed:

- If the app is in single pane layout, the book collection will be changed to the specified collection if it is not there already.
- If the app is in two pane or verse-by-verse layout, and if the specified book collection is not among the two or three on the screen, the layout will be changed to single pane with the specified book collection.

Turning on the audio toolbar in a deep link

You can turn on the audio toolbar when the app launches, with the addition of the **audio=1** parameter in the query string of the deep link.

Here are some examples:

mamara-bible://JHN.3.16?[audio=1](#)
<https://mamara.org/bible/MYK/JHN.3.16?audio=1>

Note that a query string begins with the question mark (?) character before the first parameters, and then an ampersand (&) before subsequent parameters. So if you are using the 'ref=' method of specifying a reference, you will need to use '&', e.g.

mamara-bible://?ref=JHN.3.16&[audio=1](#)
<https://mamara.org/bible?ref=JHN.3.16&audio=1>

12.6.3. Deferred Deep Linking

The deep links described above will only work if the user already has the app installed. If they do not have the app, when they tap on the link, their device will not recognise it and an error message will appear.

Branch (branch.io) provides a way of handling **deferred deep links**. If a user taps on a link to the app but does not have the app installed yet, the link will first redirect the user to the app store to download the app. Then after the app is installed and launched for the first time, the user will be taken to the deep link page.

Setting up the app to use Branch

To use Branch for deferred links:

1. Go to the **Branch** website, <https://branch.io/> and **Sign Up** for an account if you do not already have one.
2. Create a new app in the Branch dashboard.
3. Go to the **Link Settings** page, find the **Android** section and click the checkbox 'I have an Android App'.
4. Enter the custom URI scheme and where to download the app (e.g. on Google Play).
5. Within Scripture App Builder, go to the **App** ➤ **Deep Linking** page.
6. Select **Use Branch for Deferred links**.
7. Enter the **Branch Key** for this app. This can be found on the **Account Settings** page in Branch and will be something like:

key_live_abCdeF2GQ7ID9rLPlXk91khczmpGZl71

8. Enter the **Default Link Domain** for this app. This can be found on the **Link Settings** page in Branch and will be something like:

mamara-bible.app.link

Creating deferred links

Deep links using Branch will look something like this:

<https://mamara-bible.app.link?ref=JHN.3.16>

where mamara-bible.app.link is the **Default Link Domain** specified on the Branch **Link Settings** page.

Please note that you need to use the **?ref=** method of specifying the reference. You cannot use <https://mamara-bible.app.link/JHN.3.16>.


12.7. Tab Types (Book Tabs)

It is possible to create an app which displays books with two or more tabs, for example:

- A “Text” tab in which you display the Scripture text, and a corresponding “Questions” tab which contains Bible study questions.
- A “Text” tab in which you display the Scripture text, and a “Commentary” tab which contains an explanation and application of the text.
- A “Song” tab in which you display the words of a song, and a corresponding “Music” tab which contains the music score or guitar chords.

Tabs can be labelled with a **title** or an **icon**.

You can associate **audio files** with a tab.



Text and Question tabs

To create a tab type:

If the type of tab you would like to use is not yet defined, click the Add Tab Type button and follow the instructions in the wizard.

To add a tab to a book, see [Books > <collection name> > <book name> > Tabs](#).

13. The *Engagement* project menu

Engagement with the Scriptures is a critical element of Bible apps. It is important to prayerfully design your apps with the elements necessary to help users access and understand the Scripture resources it contains. SAB has a number of important engagement features to help in this regard.

13.1. Onboarding

Onboarding screens are a series of screens that user can step through the first time the app is opened after being installed. This allows you to display certain features, give help or other useful information to the user.



Although there is not a theoretical limit to the number of onboarding screens, you should consider a maximum of about 10.

There are 3 tabs in the Onboarding parameters area:

13.1.1. The *Onboarding Screens* tab

Use the **Add Screen...** button to add a screen to the series. This launches the short **Add Onboarding Screen** wizard:

- First, choose an image to display. This can be a screenshot of a particular feature of your app. You might annotate the screenshot to highlight a certain feature or setting.
- Click **Next**.
- Add optional title text above and/or below the image. Title text will be centered and bold. You can add optional, centered subtitle text as well. You can also add multiple translations to these text fields, based on the number of interface translations in your app.
- Click **Finish** when you're done.

To modify the top or bottom text styles, see the [Onboarding Screens Styles](#).

When you have created several screens, you can click and drag them in the list window to reorder them.

To edit a screen, double-click on it to change the picture, text or background color (see the **Settings** tab below). You can also right-click on a screen to **Edit**, **Delete** or **Export to HTML**.

13.1.2. The *Settings* tab

Under **Navigation Drawer**, check the box to add a link to (re)view the onboarding screens. You can change the default menu item title (App Tour) and add translations.


Under **Background Color**, click **Change Default Color** to adjust the background color of the onboarding screens. You can select a different color for each of the Normal, Sepia and Dark color themes.

Under **Image Resizing**, select the maximum width in pixels of your onboarding images.

13.1.3. The Viewer tab

Use the Viewer tab to see an example of how your onboarding screens will look in your app. Use the page arrows or dropdown screen number to view all your screens.

Here are several example onboarding screens:





13.2. Annotations

Annotations provide ways for a user to deepen their personal interaction with and study of the Scriptures. If the user taps a verse in the app, it will be selected (underlined) and the text selection toolbar will appear at the bottom of the screen. From this toolbar they can choose to highlight the selected text, add a note, place a bookmark, play audio beginning at this verse, copy the text to the clipboard or share it. For more information on settings styles for annotation features, see [Appendix 3](#).

Users can synchronize their highlights, notes and bookmarks with another device. To enable this, please see the section on [User Accounts](#).




*If your book is not a Scripture text (i.e. does not have verses), by default you will not be able to tap on a sentence to highlight it. If you want users to be able to select the sentence, you will need to add \v verse markers to the book file but then hide the verse markers so they don't show. To do this, select the book in the collection and choose the **Features** tab. Use the **Show Verse Numbers** selector and set it to off.*

Highlighting

Users cannot highlight titles or sub-headings, just verses of Scripture (or books with hidden verse markers). To highlight one or more verses, the user can do the following:

1. Tap on the verse or verses. The app will underline them.
2. Select the highlighter pen button from the text selection toolbar.

- They will get a choice of highlighter pen colors: yellow, green, orange, blue and pink. Tap on one of them.



To remove a highlight, a user can do the following:

- Tap on the verse or verses for which they want to remove the highlighting.
- Select the highlighter pen button from the text selection toolbar.
- Choose the white color to remove the highlighting.

To view a list of highlighted verses, the user can select **Highlights** from the app's navigation drawer menu. On this screen one can sort highlights by date, reference or color (tap on the Sort button on the app bar). One can delete highlights or tap on an item to go to the highlighted verse. One can also share the list of highlighted verses with someone else (tap on the Share button on the app bar).

Only full verses can be highlighted. A single tap to select a verse provides a simple interface for users and is much easier to do than dragging start and end cursors to select a string of words.

To modify this...	Adjust this style...
Highlight background and text color for highlighter pen 1.	div.hlp1
Highlight background and text color for highlighter pen 2.	div.hlp2
Highlight background and text color for highlighter pen 3.	div.hlp3


Highlight background and text color for highlighter pen 4.	div.hlp4
Highlight background and text color for highlighter pen 5.	div.hlp5
The visual formatting of selected text	div.selected

Notes

Using the **Notes** features, app users can add personal reflections, teaching notes, feedback on the translation, etc.

To add a note to a verse, the user can do the following:

1. Tap on the verse. The app will underline it.
2. Select the Note button  from the text selection toolbar.
3. The Add Note screen will appear. Type the note. Special characters can appear as buttons as on the Search screen.
4. Save the note using the tick button on the toolbar. A note icon  will be displayed at the end of the verse. Tap on this icon to see the note in a popup window at the bottom of the screen. Tap on the edit icon to enter the Edit Note screen.




To view a list of notes, select **Notes** from the app's navigation drawer menu. On this screen the user can sort notes by date or reference (tap on the Sort button on the app bar). They can edit or delete notes or tap on an item to go to the verse with the note. They can also share the list of notes with someone else (tap on the Share button on the app bar).

Users can use the notes sharing feature to allow reviewers in the language community to send feedback on a translation. For this, specify an email address and subject line under **Sharing Annotations**.

Bookmarks

To add a bookmark to a verse, a user can do the following:

1. Tap on the verse. The app will underline it.
2. Select the bookmark button from the text selection toolbar. A red bookmark icon  will be displayed at the end of the selected verse.



To remove a bookmark from a verse, a user does the following:

1. Tap on the bookmark icon  at the end of the verse. The app will underline the verse.
2. Select the red bookmark button from the text selection toolbar. The bookmark will be removed.

To view a list of bookmarks, select **Bookmarks** in the app's navigation drawer menu. On this screen you can sort bookmarks by date or reference (tap on the Sort button on the app bar). You can delete bookmarks or tap on an item to go to the verse with the bookmark. You can also share the list of bookmarked verses with someone else (tap on the Share button on the app bar).

Play Audio from Selected Text


If audio is present in the user's current chapter, enabling this allows a user to tap on a verse or verses and then tap on the Play button in the text selection toolbar. Audio playing will start at the first of the selected verses.

13.3. Assistant (AI)

The AI Assistant provides Bible engagement help on a selected passage, such as a whole chapter or selected verses. You can set up the Assistant with a list of possible tasks, for example:

- “Give me some Bible study questions”
- “Share some devotional thoughts”
- “Suggest ways to apply this to my life”
- “Show how this passage fits into the message of the book”

These tasks are displayed in the Assistant tab. When the user selects one of them, the app connects to an AI provider, asks the question and displays the received response on the screen.



The list of tasks on the Assistant tab The response generated by the AI provider

To configure the AI Assistant:

1. On the **Assistant Tasks** tab, add some tasks, either by clicking **Add Task** or **Add Task from Gallery**. For each task you will need:

- **A task name:** This is the internal name for the task, not displayed to the user.
Example: *"Bible Study Questions"*.
- **A task title:** This is the title of the task which is displayed to the user.
Example: *"Give me some Bible study questions"*.

Write the title in the languages of the app user interface. You can provide translations.

- **A task prompt:** This is the prompt to be sent to the AI provider when a user selects this task. It is not visible to the user.

Example: *"Look at %reference% and give me six questions for a Bible study. These should be discovery Bible study style questions which encourage engagement with the text and discussion about the content, meaning and application."*

When defining prompts, you can use the following variables:

- o **%reference%** - for the current Bible reference
- o **%book%** - for the current book name
- o **%chapter%** - for the current chapter number
- o **%biblical-language%** - for the current biblical language (Greek or Hebrew).

2. On the **AI Provider** tab, choose a provider from the possible options.
3. On the corresponding **Settings** tab, e.g. "OpenAI Settings" or "Groq Settings", enter the API key for the provider. You will need to have created an account with the provider for this, as well as specifying a billing method.
4. Test the Assistant in the **Viewer** tab.

13.4. News Feeds

News Feeds allow for dynamic, up-to-date content to be displayed in your app. A News Feed is delivered to your app via an RSS feed. This is a standardized web feed format (usually XML) that allows apps to pull data updates from a website. For your app to have a news feed from a particular website, that website must have an accessible URL that points to the RSS feed. This is usually the main website address with **/feed/** added at the end, e.g. <https://www.biblesociety-nigeria.org/feed/>

13.4.1. The Feeds tab

Use the **Feeds** tab to add one or more RSS feeds to your app. Once added here, you will need to provide access to the feed by adding it to the Contents Menu, Navigation Drawer and/or bottom navigation toolbar. You can do this under their respective settings, or right-click on a feed to add them directly.

Click **Add Feed...** to add an RSS feed. You will need to add a title and then enter the URL to the feed. As stated above, this is usually the main website address with **/feed/** added at the end, e.g. **https://scripture-engagement.org/feed/**
Click the **Test** button to test the URL.

13.4.2. The *Settings* tab

Use the **Image Resizing** setting to set a limit to the size of the images coming from the feed. The default maximum width is 1,080 pixels, but you might be able to have a smaller maximum. Test a few sizes to see.

13.4.3. The *Viewer* tab

Use the **Viewer** tab to see how a feed will be displayed in your app. Use the dropdown list box to select a feed to view. Click **View in Browser** to see the feed in a browser page.

13.5. Bible Reading Plans

Scripture apps can contain a selection of Bible plans, which include one or more daily readings. To add a plan, use the **Plans** tab. For more information on adjusting the styles of various elements of the plans, see [Appendix 3](#).

13.5.1. The *Plans* tab (for adding and rearranging plans)

You can create your own reading plans, or add ones that someone else has created.

On the Plans tab, use the **Add Plan From Gallery...** button to add one of the plans that come with SAB.

Use the **Add Plan...** button to add a plan you or someone else has created.

Plans are defined in text files with the following format:

```
\id PLAN1
\title Read through the Gospels
\descr Read the Gospels of Matthew and Mark,
learning about Jesus, what he did, what he said and
why he came.
\img plan1.jpg
\day 1
\ref MAT 1:1-17
\day 2
\ref MAT 1:18-25
\ref MRK 1:1-8
\day 3
\ref MAT 2
```

The standard format markers to use are as follows:

\id	Unique identifier for the plan (for internal use)
\title	Title of the plan (seen by the user)
\descr	Description of the plan (seen by the user)
\img	Image
\day	Day in the plan (\day 1, \day 2, \day 3, etc.)
\ref	Scripture reference to read. There can be one or more \ref lines for each day. References are defined using the Paratext book codes (GEN, EXO, LEV, etc.).
\heading	Heading to include before one or more references for a day.

If you need to translate a plan for different user interface languages, you can do this by adding the language code in square brackets after the standard format marker:

```

\id PLAN1



\title [en] Read through the Gospels
\title [fr] Lire les évangiles

\descr [en] Read the Gospels of Matthew and Mark,
learning about Jesus, what he did, what he said and
why he came.
\descr [fr] Lire les évangiles de Matthieu et de
Marc, et apprendre à connaître Jésus, ce qu'il a
fait, ce qu'il a dit et pourquoi il est venu.

\day 1
\ref MAT 1:1-17

```

Double-click the plan in the table to edit the name, description or image.
Below are some screenshots of the Plans feature in action.





*When naming the plan, don't put the number of days in the plan name as SAB will automatically put that in the subtitle.
Don't forgot to use the Translations button to add titles and descriptions in all your interface languages if they do not already exist in the plan file.*

13.5.2. The Plans Settings tab

Use the Plans ➤ Settings tab to specify the default daily reminder times for plans.

13.5.3. The Plans Viewer tab

Use the Plans ➤ Viewer tab to get an idea of how the plan selection screen will look in the app.



You can easily generate reading plans using an AI tool like Microsoft CoPilot. Give it a plan as a model and then ask it to generate a new plan using that model. You should always check the output, however, to make sure the book IDs, chapters and verses are correct.

13.5.4. Editing Plan Features

Double-click on a plan in the Plans tab list to bring up the **Edit Plan** dialog box. This has three tabs:

Title and Description

- **Plan ID:** This used internally to identify the plan
- **Title:** This is set within the plan's SFM file but can be modified here and translations added for the various interface languages available in the app.
- **Description:** This is also set within the plan's SFM file but can be modified here and translations added for the various interface languages available in the app

Image

Use the image tab to change the plan picture, and / or use the drop-down list box to change the image depending on the currently selected interface language.

Plan For Each Day

Use this tab to view and verify the verses for each day of the plan.

13.5.5. Adding Devotional Notes to a Plan

You can create a set of devotional notes to add to a reading plan by doing the following steps:

1. Create a book in SFM or Word format with each devotional note in a separate chapter using the \c marker. Give it a unique book ID. If you define it in SFM, you can use the [other formatting markers](#) to format your text. Since the notes are

defined as a book, you can audio, videos and illustrations in the same way as you would an ordinary book

2. Add the book to a book collection and set its book type to “Plan Notes”.
3. In the associated reading plan file, refer to the relevant chapter (page) of the devotional notes as you would for the chapter of a book, e.g. if the notes book has an ID of “DEV01”, write “\ref DEV01 3” to show the third page of devotional notes.
4. When the devotional notes are shown, no chapter number or chapter selector will be shown. The user will not be able to swipe left or right.

13.6. Resources

You can include Bible engagement resources in the app, such as Study Bible notes.

13.6.1. The *Bible Engagement Resources* tab

There are two sources for resources: the [Aquifer](#), or personalized custom resources.

Aquifer Resources

The [Aquifer](#) provides resources like the Tyndale and Biblica study notes. These are available in several languages, and the number of new resources is being updated regularly.

To add a resource, click the “**Add Resources from Aquifer...**” button. Select the resource you want to add and click **Next**. Then select the language for the resource. A drop-down list will show you the available languages and number of articles for each one. Choose the one you want and click **Next** to download the resources. They will display in the resource list window.

To display a resource in a specific book collection in the app, go to [Books > < book collection name > > Resources](#).

Custom Resources

You can define your own, custom resources to include as notes in the Scripture text. These can be defined like any other book using the [SFM](#) file format.

13.6.2. The *Display Settings* tab


Use the Display Mode drop-down to select the way you want your resources to appear in the Scripture text: as a collapsible block or always visible.

13.7. Verse of the Day

Notifications can be helpful for developing the habit of reading God’s Word every day.

13.7.1. The *Verse of the Day* tab

Your app can be configured to send a daily verse of the day. The verse appears as a notification in the device's notification tray. When you tap on it, the app will open and highlight the verse.



These notifications work offline. They are sent from the app rather than being sent over the internet. The user can enable or disable this feature and set their preferred time of day for the notification in the application's settings screen.



You can also have the Verse of the Day appear in the [Contents Menu](#) if you implement one.

To allow the user to have a verse of the day notification, do the following:

1. Select **Include Verse of the Day in this app**. If this option is not selected, Verse of the Day will not be included in the app and the app user will not be able to turn it on. You can allow the user to turn off/on verse of the day in the [app settings](#) under the navigation drawer.
2. If you want the notifications to be turned on by default, select **Turn on Verse of the Day notifications by default**. If this option is not selected, the user will need to go to the Settings screen in the app in order to turn on the notifications.
3. Choose a **time of day** for the Verse of the Day to appear. Consider what default time of day in your cultural context might be the best for receiving the notification. The user will be able to change this in the [app Settings](#).
4. Choose the appropriate **Christmas** and **Easter** date traditions.
5. Specify whether the verse can be displayed using the standard system font or whether it needs to be displayed using a custom font. We recommend you select

the system font unless you have a more complex script that cannot be displayed well in such fonts.

13.7.2. The Verses tab

Use the **Verses** tab to verify the list of verses from which the app will pull the verse notifications. SAB will create the list based on the actual Scripture books available in the app.

You may want to change a day's specific verse for a significant cultural event or holiday. To do this, double-click on the date and choose an alternate verse.

Use the **Special Dates** tab to modify which verses are displayed for the specified special dates.

SAB pulls verses from its **verses.txt** file, located under the Scripture App Builder installation folder (by default on Windows, the installation folder is **C:\Program Files(x86)\SIL\Scripture App Builder**) under the **info** subfolder.

Click **Rebuild Choice of Verses** to randomly reassign verses for the year, pulling from the verses.txt file.

Click **Export...** to export the current list of verses in a simplified text file. You can edit this list and then use the **Import...** button to reimport it to SAB.



*If you modify **verses.txt**, it is liable to be overwritten next time you install an updated version of SAB. Similarly, if you modify a verse in the list on the **Verses** or **Special Dates** tabs or import your own verses, choosing **Rebuild Choice of Verses** will overwrite your changes.*

13.7.3. The Daily Reminder tab

Your app can be configured to send a daily reminder to read the Bible. The reminder appears as a notification in the device's notification tray. When you tap on it, the app will open.

These notifications work offline. They are sent from the app rather than being sent over the internet. The user can turn on or off this feature and set their preferred time of day for the notification in the [app settings](#) screen.

By default, **Daily Reminder** notifications are not included in the app. To configure them in the app builder:

1. Select **Include Daily Reminder in this app**. If this option is not selected, a Daily Reminder will not be included in the app and the app user will not be able to turn it on.

2. If you want the notifications to be turned on by default, select **Turn on Daily Reminder by default**. If this option is not selected, the user will need to go to the Settings screen in the app in order to turn on the notifications.
3. Choose a default **Time of day** for the Daily Reminder to appear. The user will be able to change this in the [app Settings](#).
4. You can customize the **Title** of the Daily Reminder and the **Message** that is displayed. You can add different text translations for any of the interface languages you have selected in **Appearance > Interface > Languages**.

13.7.4. The Notification Icon tab

Click on the **Notification Icon** tab. You can create your own notification icon that will be used for both the Verse of the Day and Daily Reminder notifications.

Use the provided link to the **Notification Icon Generator** to easily create a notification icon. Download the zip package and use **Add Icon Images...** to select the zip file.


13.8. Verse on Image

Including the Verse on Image feature can be an important Scripture Engagement tool to encourage believers to share God's word with each other, or to evangelize non-believers. It can also be used to create Facebook, Instagram or other social media postings to increase interest in the language and/or in spiritual topics.

If you tap on a verse in the app, it will be selected (underlined) and the text selection toolbar will appear at the bottom of the screen. On this toolbar you can tap the image button which will take you to the Verse on Image editor:



*If your book is not a Scripture text (i.e. does not have verses), by default you will not be able to tap on a sentence to highlight it. If you want users to be able to select the sentence, you will need to add \v verse markers to the book file but then hide the verse markers so they don't show. To do this, select the book in the collection and choose the **Features** tab. Use the **Show Verse Numbers** selector and turn it to off.*



You can change the following **text attributes**:


	Text position (drag the text around the image with your finger)
≡ ↔	Text width (pinch the text or use the slider)
Ff	Text font
AA	Text size
B	Bold or italics
AV ↔	Letter spacing
↑ ≡	Line spacing
≡	Left, center or right alignment
◊	Text color
◐	Text opacity (transparency)
T ⋮	Text shadow or glow

If you double-tap the text, you can **edit the text** itself.

You can change the following **background image attributes**:

	Image selected from one of the built-in images
	Image selected from the photo gallery on your phone or tablet
	Brightness
	Contrast
	Saturation
	Blur

When you are happy with the text and image, use the buttons at the top right of the screen to **save** the image or **share** it with others.



See [below](#) for sharing the image as a video.

13.8.1. The Verse on Image tab

To activate the Verse on Image function in your app, check the box **Include the 'Verse on Image' editor in the app**.

If you have audio and timing files for the selected verse, it is possible to share the image as a video with the text and audio combined. To activate this option, go to the **Verse on Image** tab and check the box **Allow saving as a video, combining the text and audio**. This will require the image processing library, **FFmpeg**, to be included within the app.



*The FFmpeg library will add around 52MB to your APK by default. You can reduce the size of the APK by creating separate APK files for each phone architecture, including only the respective portions of the library in each one. See the Multiple APKs section under **App** ➤ **APK**.*

13.8.2. The *Backgrounds* tab

Users can either use one of the backgrounds included in the app or choose their own background from their phone image gallery.

As part of your Scripture Engagement strategy, try to include a set of backgrounds in your app that might appeal to the users and prompt them to share verses with others.

SAB provides several default images but you can add more in several ways:

Use the **Add Image...** button to add images that you provide. These can be photos that you, friends or colleagues have taken, or ones from a website. Just make sure you have the rights to use the images. The **Backgrounds** tab has links to several sites that provide free images, though you should still give credit in your About box.

You can also add images from the SAB gallery using **Choose from Gallery...** Pay attention to the **File Size** of the images, as your app will increase in size with each one.



Try to choose images that are relatively simple with an uncluttered center area so that the overlaid text can be easily read.

We recommend using the **Crop each image to make it square** and **Resize the image files to reduce the app size** checkboxes. Pick a maximum width that reflects an average screen resolution of your target phones e.g. 720 - 1024 pixels.

You can also provide a choice of fonts for users to apply to the text in their images. To do this, go to the **Appearance ➤ Fonts ➤ Font Files** tab.

Setting the Text Area

Once you have added a background to the list, you can double-click on it to access the **View Image** dialog box. Here you can view details about the image, or click on the **Text Area** tab to set a pre-defined area in which the verse text will appear.

13.8.3. The *Watermarks* tab

Use the Watermark tab to specify a small, PNG image that will be placed on all verse on image pictures. You can use this to “brand” your images so people associate them with your app, hopefully creating interest in installing the app itself and accessing God’s Word.

14. The *Media* project menu

14.1. Audio

Audio is a critical part of any app, as it is possible that many users do not have strong reading skills, especially in their own language.

Here are some questions you may be asking about audio. Click each one to jump to the related section:

- [How can I associate audio files with the text?](#)
- [How can I reduce the size of my audio files?](#)
- [How do I create the audio timing files for audio-text synchronization?](#)
- [How do I distribute the audio files with my app?](#)
- [How are the timing files distributed for the app?](#)
- [How can I use audio clips in the app?](#)
- [How can I create subtitles from text and timing files?](#)

14.1.1. The **File Source** tab

Use the File Source tab to specify how audio files are accessed and distributed with your app. There are four ways of including audio files in your app: assets, external folder, internet download or FCBH download. You can use a single **file source** for all of the files in an app or you can combine two or more sources in an app. You can specify a file source for each audio file (though not audio clip) and therefore specify them on a chapter by chapter / page by page basis.



*In deciding whether to include audio within the APK or via another file source, it is important to consider the needs of the users and their access to the Internet. You may consider putting just one book's audio in the APK (or even just a set of chapters) and have the rest available for download. If you do this, consider having the app open at a book and chapter with audio, and make sure the audio toolbar is displayed. To open the app at a specific book, go to **Navigation** ➤ **Book Navigation** ➤ **Navigation** and look for the **First Book and Chapter** fields. To make the audio toolbar appear by default, go to **Media** ➤ **Audio** ➤ **Audio Toolbar** and select **Show audio toolbar when the app is launched**. SAB will automatically hide the toolbar for chapters or pages with no audio.*

To specify the file source(s) in Scripture App Builder, you need to do two things:

1. Define the available file sources under the File Source tab. You can modify, add and remove file sources here.
2. Go to the **Audio Files** tab for a book or book collection, and after adding audio, assign a file source for each file. To change the source for a file or files, select the rows you want to change, right-click on the selection and choose **Change Source**.

The following sections describe the different file source types:

1. **Assets**

The audio files will be packaged inside the APK file for the app. This is the easiest method for a few files (e.g. one book) and requires no permissions. But be beware that the APK will get very large if you have several books of audio. The maximum size of an app that can be installed from the Google Play store is 200 MB.

2. External Folder

No audio files are packaged within the app, so the APK is small. The app will look in a specified folder to find the audio files it needs. If you are distributing the app via memory card, you include the folder of audio files on the memory card together with the APK. This method requires the 'Read external storage' permission but not internet access.

You can place the audio files inside sub-folders and sub-sub-folders in the specified folder, using any folder names you choose.

For example, here are some possible folder names:

- \Bible Files
 - \1 Old Testament
 - \01 Genesis
 - \02 Exodus
 - \2 New Testament
 - \01 Matthew
 - \02 Mark

or

- \NT Mamara
 - \01 Macoo
 - \02 Marika
 - \03 Luka
 - \04 Yohana

There is no need to use 01, 02, etc. in the folder names, but these can be useful if folders are listed in alphabetical order.

Alternatively, you can place all the audio files in a single folder without using any sub folders.

If the app does not find audio files in the specified folder or its sub-folders, it will also search the other folders on the device to see if it can find them there. For example, if the specified folder name is 'Audio 123' but the files are located in the 'Audio 456' folder instead, the app should find them. Once it has found a folder with a needed audio file, it will keep a note of it so it knows where to look next time.

3. Internet Download

Like method 2, no audio files are packaged within the app, so the APK is small. The app will look in a specified SD card folder to find the audio files it needs. If it doesn't find them there, it will look in all the other folders on the device. If it still cannot find them, the app can download the files one by one when it needs them from a website of your choice. This method requires the 'Read external storage', 'Write external storage', 'Connection state' and 'Internet' permissions.

Audio filenames

The internet download works best if your audio filenames do not include any spaces. A filename of the form "LNG-MAT-01.mp3" is better than "LNG MAT 01.mp3".

Audio file hosting

Recommended storage locations for the files on the internet include:

- **A language-specific website**

If you have a language-specific website for making resources available for download, you could place the audio files in a folder on the website.

For example, if your website is called 'www.ourlanguage.org', you could upload the audio files to a folder called 'audio'. The http address for your audio files would then be: <http://www.ourlanguage.org/audio>

Your website administrator should be able to help you do this.

- **Cloud Storage Services**

Amazon S3 (Simple Storage Service): <http://aws.amazon.com/s3/>

Backblaze B2 Cloud Storage: <https://www.backblaze.com/b2/cloud-storage.html>

Google Cloud Storage: <https://cloud.google.com/storage/>

These cloud storage services are designed for fast, reliable and secure online storage. Once you have created an account, you create a 'bucket' in which to place your audio files. When you add the files, you need to make them public and make a note of the web address link to use to access them, e.g. <http://s3.amazonaws.com/yourbucketname>

You will get some months of free storage before there is a charge according to the bandwidth used, i.e. how many MB of audio users download. It might be easiest to organise this kind of cloud storage at an organisational level rather than creating a new account for each language.

4. FCBH Bible Brain

If the audio files that your app uses come from Faith Comes By Hearing (FCBH), there is no need to upload them to the internet. They are already online and can be accessed via [Bible Brain](#). This is the server used by the [Bible.is](#) website and the Bible.is mobile

app. Take a look at the Bible.is website to see if the language you are interested in is already available.

If you have any non-FCBH Scripture recordings, those you have recorded in-house with the help of your own organisation's technicians, FCBH is willing to consider hosting these files as well in Bible Brain. This applies, for example, to good quality recordings of complete Bible books – but not Bible story portions or teaching materials. To investigate this option, please contact your area FCBH representative.

For your app to be able to download files from Bible Brain, you will need to register with FCBH and provide the app with your Bible Brain **API key**, received on registration, and the **Fileset ID** of the audio files. This method requires the 'Read external storage', 'Write external storage', 'Connection state' and 'Internet' permissions.

When building your app, you will need to have downloaded the FCBH audio files onto your computer and add them to the Audio Files page. This is so SAB can see the filenames and allow you to create corresponding timing files for text-audio synchronization. The files are used for the app building process and will not be packaged within the APK file.

Getting an API Key

The Bible Brain API Key is a 32-character alpha-numeric string.

To get a key, you need to register with FCBH:

1. Go to <https://biblebrain.com>
2. Click **Get Your API Key**.
3. On the **Request Your API Key** form, fill in your details, mentioning that you are building apps with *Scripture App Builder* and click **Submit**.

Getting the Fileset ID

After you get your API key from FCBH, you will need to look for the **Fileset ID** for the audio files you need.

The Fileset ID is a 10-character string which uniquely identifies the set of audio files for a language, e.g. "MYKWBTN2DA" (for the Minyanka NT), "TPIPNGN2DA" (for the Tok Pisin NT).

To find the Fileset ID for a language and Bible translation:

1. Go to the **FCBH MP3 Downloads** page:
<https://www.faithcomesbyhearing.com/audio-bible-resources/mp3-downloads>
2. Enter the **Language** and select a **Version**.
3. Look at the URL in your web browser's address bar. The last 10 characters are the Fileset ID.

Here is an alternative method to find the Fileset ID:

1. Go to the **Bible Brain** page of the FCBH website using <https://biblebrain.com> and click on the **Developer Docs** button.
2. Go to the **Available Content** page. You can find this in the menu on the left of the screen.
3. Enter the language or country name to filter the search results.
4. Click on the language name in red to go to the language page on the Bible.is website.
5. Take a look at the URL in the address bar to find the **first six characters** of the Fileset ID. This will include the language code and version, e.g.

MYKWBT – Minyanka (Wycliffe Bible Translators)

BBOBSM – Konabere (Bible Society of Mali)

6. The **seventh** character of the Fileset ID is the **collection type**:¹
 - o **C** - Complete (all books and chapters of both testaments)
 - o **N** - New Testament (all books and chapters)
 - o **O** - Old Testament (all books and chapters)
 - o **P** - Partial (incomplete set of books or chapters)
 - o **S** - Story (Bible-related content, not a formal translation, not usually organized by book or chapter)
7. The **eighth** character of the Fileset ID is the **drama type**:
 - o **1** - “non-drama”, usually multi-voice without background music, but sometimes single-voice
 - o **2** - “drama”, meaning that it is multi-voice with background music.
8. The **ninth and tenth** characters are the **media type**, which will be “**DA**” for digital audio.

The combined Fileset ID will have 10 characters, e.g.:

- o MYKWBTN2DA – Minyanka, Wycliffe, New Testament, Drama, Audio
- o BBOBSMN1DA – Konabere, Bible Society of Mali, NT, Non-Drama, Audio

Configuring your app to use the API Key and Fileset ID

Once you have an **API Key** and a **Fileset ID**:

1. Go to **Media** ➤ **Audio** ➤ **File Source**.
2. Click **Add File Source**.

¹<https://www.faithcomesbyhearing.com/bible-brain/core-concepts>

3. Select “FCBH Bible Brain” as the **Source**.
4. Enter your API Key and Fileset ID in the fields provided.

Edit File Source

Specify the details of this file source.

Name/Description ☒ Default

Source

Specify how the app will access the online media files.

Access Method

Specify the parameters for the FCBH Bible Brain. If you do not have a key, [Request](#) an API Key. If you test your key and it does not work, then click Contact Support.

API Key

Fileset ID

Download to Folder

5. Click the **Test** button to verify that the API Key and Fileset ID are valid and that they will enable your app to access the required audio files.
6. You can modify the **Access Method** to specify whether app users will be able to download and/or stream the audio files. You might find that only streaming is allowed for certain Fileset IDs, due to licensing restrictions.

14.1.2. The **Audio Files** tab

If you have a single book collection, audio files can be added here, but it is preferable to add them under a book collection or book’s **Audio Files** tab. As soon as a second book collection is added, audio files will no longer be listed here. For details on how to add files, see [How can I associate audio files with the text?](#)

14.1.3. The **Audio Toolbar** tab

The audio toolbar automatically appears at the bottom of a book page that contains audio. Use the settings here to specify how the toolbar appears.

We recommend enabling **Show audio toolbar when the app is launched** (to make it clear to the user that there is audio), and the setting **Allow the user to turn off/on the audio toolbar**.

Use the **Play Button Style** and **Size** options to specify how the toolbar looks.

Use the **Repeat Mode** and **Repeat Selected Audio** buttons to enable those features which can help users in memorizing Scripture or just listening to a passage several times.

14.1.4. The *Audio Settings* tab

The Audio Settings tab contains a miscellaneous group of audio-related functions that you can enable or disable.

Highlight the current phrase when playing audio...

If your audio has timing files, checking this box will highlight the audio as it's read. This is enabled by default. You can specify if the user can turn this feature off under [Navigation Drawer > Settings](#).

At the end of a chapter/page...continue playing audio

This is enabled by default. Uncheck the box if you want the audio to stop at the end of a chapter or page.

At the end of a book...continue playing audio

This is not enabled by default. Check the box to enable.

Pause audio if the phone receives an incoming call

This option is on by default and is a courtesy to the user. Do not uncheck unless you have a specific reason for disabling this.

Access Method

As the option states, this provides the default choice for the case where a user has the option to download or stream audio. The user can modify this in the [app settings](#).


Audio Speed and Audio Timer

There are two items that are automatically added to the audio toolbar on the right side under the three vertical dots: the **Audio Speed** and the **Audio Timer**. You do not have to add anything to your app to make these available (apart from having audio in the active book collection). Users can use the **Audio Speed** to adjust the speed of the recorded audio (it does a nice job!). Users can set the **Audio Timer** to listen to the recorded audio for a set number of minutes. The three-dot menu will display the current time remaining.



For Audio Only books, the timer icon will appear on the bottom row of the audio toolbar, next to the Playback speed icon.

To turn off a timer that is running, press the menu button, select "Timer" and choose "Off".



14.1.5. The *Audio Synchronization* tab

The **Audio Synchronization** tab allows you to configure the settings for creating timing files in order to highlight text as it is read and/or create slideshow videos.

You can specify global, phrase-ending markers to separate your text files into discreet phrases for highlighting. These settings will apply to all book collections unless overridden at the book collection level.

To actually create audio timing files, go to the [Audio Synchronization](#) tab under the appropriate book collection.

14.1.6. The *Audio Clips* tab

The **Audio Clips** tab is similar to the **Audio Files** tab, but is for adding short audio files that are associated with actions, including quiz items and sound effects, and titles in the Contents menu. For more information on adding audio clips, see [How can I use audio clips in the app?](#)

14.1.7. The *Downloads* tab

The **Downloads** tab allows you to specify several parameters regarding the download of audio.

Download Manager

The download manager allows users to manage the download of audio for multiple books at the same time. This greatly facilitates users who have occasional internet access and wish to get a quantity of audio at one time, rather than chapter by chapter. Select **Use the Download Manager in this app** to enable this feature to appear under the navigation drawer menu.

Android Storage Locations

For devices running **Android 9 or below**, use the following options to specify how audio files are handled:

Search all folders on the device...

If audio files can be downloaded using a specified [File Source](#), the download folder is specified on the File Source's Edit File Source page. If SAB cannot find the audio file there, enabling this option (which is on by default) will search the whole phone for the audio file.



A user may possibly move audio files on their phone. If you want to ensure that a user does not have to download an audio file again, enable the Search all folders function. However, when a user plays audio for a chapter with no downloaded audio, SAB will first search the whole phone for the file before offering to download it. This may take a long time (minutes), so it is preferable in most cases to uncheck this option.

Write a .nomedia file...

Normally, downloaded audio can be found by a phone's media player and played outside the app. There may be cases, though, where security concerns make it better to hide the audio. If this is the case, check the box to write the **.nomedia** file.

For devices running **Android 10 and above**, you can specify where downloaded audio files are stored. See the text on this tab in SAB for details on the options.

14.1.8. How can I associate audio files with the text?

Scripture App Builder allows you to use two different types of audio file:

- **Audio files that correspond to a page of text in the app**, e.g. the audio recording of a chapter of the Bible or the text in a picture story book. These can be linked to timing files to enable synchronized highlighting of the text when the audio is playing.
- **Short audio clips** which are played when the user taps a linked word, phrase or image in the app.

The first of these types of file is the most common in SAB apps and the instructions in this section will refer to these. [Go here for more information on using audio clips](#)

To associate audio with pages of text in your app, you will need one audio file per chapter or page. For example, if you have a book 'Matthew' with 28 chapters, you will need 28 audio files, one for each chapter.

For Matthew chapter 1 → **Bible-MAT-01.mp3**

For Matthew chapter 2 → **Bible-MAT-02.mp3**

For Matthew chapter 3 → **Bible-MAT-03.mp3**, etc.

If you have several audio files per chapter or several chapters in one audio file, you will need to concatenate or split your files to create files of one chapter each before SAB can use them. This could be done using [Audacity](#).

For picture story books, you can choose whether you have one audio file per page, or a single audio file for the whole book. We normally recommend having one file per page.

To add audio files:

1. Go to the **Audio Files** tab for the book, or the **Audio Files** tab for the book collection.
2. Click the **Add Audio Files...** button to select audio files you have already. Alternatively, click **Add from FCBH...** to specify audio files to download from FCHB's Bible Brain server. You will need an API key to do this. This key is specified under **Media > Audio > File Source** when adding a source from the FCBH Bible Brain.
3. Select the audio files to add.

SAB will try to match the audio files to the chapters in the book(s), so you should use audio filenames that will make it obvious which file corresponds to which book and chapter.



*Put page or chapter numbers at the end or beginning of the filename and use a leading zero for numbers less than 10. E.g.
John_chapter_01.mp3*

The optional timing files can be added on the same page: one timing file per audio file.

14.1.9. How can I reduce the size of my audio files?

It is possible to reduce the size of audio files by using various tools (e.g. Audacity or Scripture App Builder) to compress them. Care must be taken, though, to make sure the quality of the files does not suffer. Since the audio files will generally be playing on a phone, you can probably at least convert the files from stereo to mono (from 2 channels to 1). You can also experiment with reducing the frequency and bit-depth of the files and then playing them through a phone speaker or on your computer to check the quality.

Scripture App Builder has some simple, built-in audio file compression tools and can convert your audio files into various formats. To do this, select one or more of your audio files in SAB, right-click on the selection and choose **Convert Audio Files...** Choose the format and quality settings you desire, confirm the output folder and click **Create Files**. By default, the converted audio files will be placed in an **Audio** subfolder in your **Scripture Apps** folder. If you want to use these converted files, you will need to remove your original files within SAB and then add the new ones.

14.1.10. How do I create the audio timing files for audio-text synchronization?

The timing files tell the app when to begin highlighting each verse or phrase.

There are three ways of creating these files:

1. Create the timing files manually using the **Audacity** audio editing program. For instructions, please refer to the document *Using Audacity for Audio-Text Synchronization*.
2. Automate the creation of the timing files using **aeneas**. For instructions, please refer to the document *Using aeneas for Audio-Text Synchronization*.
3. Use **HearThis** to record the audio. When you export the MP3 files, there is an option to export a set of timing files at the same time. For instructions, please refer to the document *Using HearThis for Audio Recording*.

To modify this...	Adjust this style...
Text highlight color when playing audio	highlighting

14.1.11. How are the timing files distributed for the app?

If you have timing files for audio-text synchronization, they are always packaged in the app assets whatever the audio source setting chosen in Error: Reference source not found above. They are not downloaded from anywhere.

If timing files are not available when the app is compiled and are subsequently created by someone who isn't building the app (such as a volunteer), they can be placed in the external folder for testing. For more details, please see section 6.7 in the document *Using Audacity for Audio-Text Synchronization*, which answers the question “I’d like to give someone else the task of creating timing files. Is there any way of them testing these without needing to know how to build the app?”

14.1.12. How can I use audio clips in the app?

Audio clips are short audio files which are played when the user taps a linked word, phrase or image in the app. Audio clips are used as sound effects in quizzes, as audio prompts in a contents menu and can be set as sounds to play when an image or text phrase is tapped on.

To include an audio clip in your app:


1. Go to **Media ➤ Audio ➤ Audio Clips**.
2. Click **Add Audio Clips...** and select the audio file you want to add.
3. Add a hyperlink to this audio file in your text.

You can do this using the markdown format with `[]` and `()`, e.g.

[Click me to hear this word](word1.mp3)

[\fig image with sound \fig*](image_sound.mp3)

or if your text is in a Word document, select a word or a phrase, right-click, **Hyperlink...** and enter the audio filename as the address to link to.



Clips added here can be used anywhere in a text file, and also in the Contents menu.

Specify the audio filename without a path, e.g. “word1.mp3” rather than “C:\My clips\word1.mp3”.

To modify this...	Adjust this style...
Audio clip links	a.audio-link

14.1.13. How can I create subtitles from text and timing files?

If you have text and timing files for audio synchronisation, Scripture App Builder can create subtitle files for you. These can be of one of the following four formats:

- SubRip SRT subtitles (.srt)
- SAMI subtitles for Windows Media Player (.smi)
- WEBVTT Web Video Text Tracks (.vtt)
- Adobe Encore Text Scripts (.txt)

To create a subtitles file, go to the **Audio Files** tab, right-click and select **Export Subtitles**.

14.2. Video

Videos can be very powerful and engaging from a Scripture Engagement perspective. However, they can also dramatically increase the size of your app if they are included in

your app installer file. It is therefore recommended that you include links to online videos whenever possible.

14.2.1. The *Videos* tab

The app can handle two types of video:

- **Videos for offline use**--MP4 files which can be packaged within the app assets, distributed on memory cards, or downloaded from the internet for use and sharing offline.
- **Videos hosted online for streaming**, e.g. YouTube, Vimeo or other (MP4) streaming video files, and Jesus Film and LUMO (Gospel Films) video clips.

When added to your project, videos are assigned a video ID and can then be added to one or more places in your book files.

To add an **offline** MP4 video file:

1. Click **Add Videos...**
2. Select **Video files in MP4 format**, and click **Next**.
3. Click **Add Videos...** and select the MP4 video files to add.
4. Click **Finish**.

To add a single **online** video :

1. Click **Add Videos...**
2. Select **Online streaming video, from YouTube, Vimeo, etc.**, and click **Next**.
3. Enter the video URL in the Online Address field, e.g.
<http://www.youtube.com/watch?v=ABcDEdGHiJ>.
4. Click **Finish**.

To add a series of online video clips from the Jesus Film (if available):

1. Click **Add Videos...**
2. Select **Jesus film clips**, and click **Next**.
3. Select the **Country** and then the **Language**. It may take some seconds for the lists to update. If the Jesus Film has been dubbed into your target language, it should be available in the language list.
4. Select in which book collection to add the clips. Note: the book collection will need to have the whole Gospel of Luke available.
5. Choose whether you want to add titles under each video clip. If yes, choose the from the list of available languages. Note: these will be languages of wider communication.
6. Click **Finish**.

To add a series of online video clips from Gospel (LUMO) Films by Faith Comes By Hearing (if available):

1. Click **Add Videos...**
2. Select **Gospel Film clips from Faith Comes By Hearing**, and click **Next**.
3. Enter your API key. if you already have an API key from including audio from FCBH's Bible Brain server, you can use that one here. If you don't have a key, use the link provided to request one.
4. Select the **Country** and then the **Language**. It may take some seconds for the lists to update. If the Gospel Film has been dubbed into your target language, it should be available in the language list.
5. Select in which book collection to add the clips. Note: the book collection will need to have the related Gospel book available.
6. Click **Finish**.

Once a video or list of videos have been added, they will appear in the table under the **Videos** tab and each assigned a video ID. Double-click on a video to access its [configuration options](#) e.g. its location, thumbnail and title.



To specify the placement in the configuration options, the book will need to have chapter and verse markers to specify the location. If you want to place a video in a book without chapter and verse markers, you will need to edit the book file and use [markdown format](#) to specify the location.

14.2.2. The Video Settings tab

This tab allows you set various configuration options for playing videos in your app.

To modify this...	Adjust this style...
Video block (background around video)	div.video-block
Video title (title of video if added)	span.video-title
Video title block (background of title)	div.video-title

14.2.3. The File Source tab

Use different File Sources to specify where a particular resource is accessed—either built into the APK or downloaded or streamed from an external source. Note that this tab mirrors the [File Source tab](#) under **Media** ➤ **Audio**. See that section for more details. Remember that it is not advised to include video files in your APK installer file unless they are relatively small.

14.2.4. How do I modify a video's location and configuration options?

Double-click on a video in the **Videos** table to access its **Edit Video** dialog box. This dialog box has three tabs:

Video

- Video ID: SAB assigns a unique video ID to each video. You may modify it here.
- Title: Use the Title field to display a title under a video's thumbnail.
- Online Video: You can modify the video's URL here.
- Offline Video: For an offline video, update the File Name and File Source.

Thumbnail

- Select File: Choose a jpg or png image to display as a thumbnail.
- Select Frame: Choose a frame from the video (if an offline MP4).
- Grab Online Image: SAB will try to get an image from the video service (YouTube etc.)

Placement

Specify a position within a chapter of Scripture--before or after a given verse or at the top or bottom of a page.

Alternatively, you can place a video marker in a source book file:

- **Video markers in SFM book files:** Use the `\video` marker, together with the ID of the video within an SFM book file, e.g.

```
\s This is a sub heading
\p Here is an example video to view:
\video V1
\p Here is another video:
\video V2
```

- **Video markers in Word documents:** Use the word `VIDEO:`, together with the ID of the video within a book's Word document, e.g.

```
This is a sub heading
Here is an example video to view:
VIDEO: V1

Here is another video:
VIDEO: V2
```

The `VIDEO:` tag should be at the start of a new paragraph, and include a colon (:) before the video ID.

14.2.5. How do I reduce the size of a video that I want to package within the app?

If you want to include MP4 video files within the app, you need to make sure that they are as small as possible, otherwise your app will become too big to publish.

There are some good video compression tools online which can reduce the size of a video considerably without losing much quality. An example is the Clideo Compress Video tool, at <https://clideo.com>.

14.2.6. How can I create slideshow videos using audio and timing files?

Slideshow videos are videos created using a set of still images together with audio files from a *Scripture App Builder* project. While the audio plays, the images will pan and/or zoom. Subtitles will be generated from the text in the app.



To create slideshow videos, please see the documentation manual #12, “Creating Slideshow Videos”.

14.3. Illustrations

Use the **Illustrations** configuration screen to add images to your app. Note that these are not the specific interface images found under the Appearance > Graphics menu, but rather images that are available to be placed in books or the About box.

There are several configuration options:

Include and show illustrations in this app

Make sure this box is checked for pictures to show up. Uncheck it if for any reason you want to temporarily hide all images.

Allow users to view images full screen and zoom in to see the details

Check this box if you want to allow users to view the images at a larger size.

Resize the image files to reduce the app size

This is recommended to keep your app size as small as possible. Pick a maximum width that reflects an average screen resolution of your target phones e.g. 720 - 1024 pixels. This will apply to all your illustrations in the table, unless modified individually.



You can override the size and zoom settings for a specific picture by double-clicking on it in the image list and modifying its settings.

14.3.1. Adding Illustrations / images

Use the Add Image... button to add one or more images. These can be in JPEG, PNG or GIF format. Images will appear in the image table with a thumbnail, dimensions, file size, file name and placement info. Note that the file size is the original image file size, not the size after SAB reduces the file size (if the Resize option is selected).



Make sure the references to your images use a file name that is exactly the same as the image file you add to SAB. Image file names are CASE SENSITIVE.

*When an image is added, SAB copies the image into the **images\illustrations** subfolder of the [project's data folder](#).*

14.3.2. Modifying an Image Size or Placement


Once an image has been added to the Illustrations table list, double-click on it to open the Image and Placements dialog box. This has four tabs:

Image

A summary of the image file name, dimensions and file size (before resizing is applied).

Placement

Use the **Add Placement...** button open the **Add Placement** dialog box. You can specify a location in any book collection's book, chapter and verse location. A single image can have multiple placements (but does not take up more room in the app than just the single instance). You can also specify an optional caption.



If you want to place an image in an exact location in a non-Scripture book, you will either have to have hidden verse markers in the text so you can specify the "verse" location, or use the \img or \fig...\fig markers to locate it directly in the book file without using the Placement feature.*

If you want to add an image to the About box, see the section on [formatting codes](#) in the About project menu.

Zoom

Use the zoom settings to override the main zoom settings under the main **Illustrations** tab.

Resizing

Use the resize settings to override the main resize settings under the main **Illustrations** tab.

14.4. Documents

You can add PDF documents to your app. These can be accessed via the [Contents Menu](#) or the [Navigation Drawer](#). Add the PDF here, and it will be selectable as an item to link to in those areas. The PDF will appear in the app in a PDF viewer that can be navigated and zoomed in or out.

The *Document* tab

To add a PDF document, click **Add Documents...**

The *Viewer* tab

Use the Viewer tab to get an idea of how the PDF will appear in the app.

14.5. Radio

You can include streaming web radio (internet radio) stations in your app.

To add a web radio station:

1. Go to **Media ➤ Radio**.
2. Click **Add Radio Station...**
3. Enter a unique ID for the station (not seen by the user), a short name, and the web address (URL) from which the radio station is being streamed. Sample URLs can be found at <https://streamurl.link>.

Click **Next**.

4. Choose an image to display when the radio station is playing. This could be the radio station's logo.

Click **Next**.

5. Choose whether to add a link to this station from the Contents menu.

Click **Finish**.

6. Compile the app to test the radio stations on your device.

15. The *Books* project menu

The **Books** project menu is where all your book collections and individual books are added and modified.

15.1. The *Book Collections* tab


A Book Collection is a set of books that can be logically grouped together. Most simple apps have a single book collection (called **Main Collection** by default). Books that are in the same collection show up in the book list on your app's menu bar, unless you specifically hide them.

The most common use for multiple book collections is having two or more translations in your app. For reasons why to consider this, see [Why and how should I add multiple translations to my app?](#)

If you have multiple book collections, you can allow the user to view more than one at a time by configuring them under the Layouts tab.

15.1.1. Adding a Book Collection

Click **Add Book Collection...** to launch the Add Book Collection wizard. The process for adding a book collection depends on the type of books you want to add:



A. Books from Paratext, the Digital Bible Library, Word documents, Bloom or text files

- Select this option on the **Book Type** screen and then choose the specific book files by clicking **Add Books...** on the subsequent **Books** screen.
- If the book names are capitalized, the next page of the wizard is titled **Book Names** and will allow you to change them to uppercase and lowercase if desired.
- Choose the appropriate **Book Order**.
- Specify the **Language** for this collection. Click **Select...** to choose the language code from a list of languages. If necessary, select the check box to specify additional credentials, such as script, region, and variant.

- On the **Book Collection Name** page, enter a name and short name for the new book collection. You can also add an optional description.



The short name is the one that will appear at the top right of the viewer page in the app and will be tap-able to display the layout configuration dialog.

*If there is only one collection in an app, the default book collection name is **Main Collection**. You can change this by clicking on **Main Collection** in the project's tree view and then changing the **Book Collection Name** under the **Book Collection** tab. If you add one or more other collections, SAB will prompt you to change the name "Main Collection" if you haven't already.*

*To add a description for the collection, add that on the collection's **Details** tab.*

- Enter the specific **Copyright and Licensing** information for this collection.
- Specify the text in the **Page Footer** if necessary. Some collections may have a requirement for a specific copyright information at the bottom of each page.
- Specify any **Restrictions** for the viewing of the collection.
- Click **Finish**.

B. Audio-only books

- Select this option on the **Book Type** screen and then choose which type of audio-only books to add on the **Add Audio-only Books** screen. Note that if you choose **Selected Bible Books** you will next be asked which books to add.
- Select an **image pour livres audio**.
- Choose the **Language** for this collection. Click **Select...** to choose the language code from a list of languages. If necessary, select the check box to specify additional credentials, such as script, region, and variant.
- On the **Book Collection Name** page, enter a name and short name for the new book collection. You can also add an optional description.
- Enter the specific **Copyright and Licensing** information for this collection.
- Specify the text in the **Page Footer** if necessary. Some collections may have a requirement for a specific copyright information at the bottom of each page.
- Specify any **Restrictions** for the viewing of the collection.
- Click **Finish**.

C. Commonly used Bibles

- Select this option on the **Book Type** screen and then choose which **Additional Bible Versions** you would like to add. Note the checkbox at

the bottom of the screen to limit the additional books to those that are also in the Main Collection (the first collection in the list).

- Click Finish.

D. Books from the YouVersion platform

- Select this option on the **Book Type** screen and then choose which language name or code to search for on the **YouVersion Language** screen.
- Choose the specific Bible to download on the **YouVersion Bible** screen.
- Follow the steps on the **YouVersion App Key** page to get permission for the Bible version.
- Click Finish.

Configure the **Styles** for this new book collection on the book collection Styles page.

Go to the **About** box page and verify that the copyright and licensing information for this book collection are displaying correctly.

Once you add a new book collection, it will appear in the book collections table.



Click and drag on a book collection in the table to change the order that it appears in the layout selector

15.1.2. Importing a Book Collection

Book collections can be exported from one project and imported into another. This provides an easy way to transfer a collection and all its settings. For example, if you decide to include a certain translation like the French Louis Segond in several of your apps, you can configure it in one project, including its copyright information, styles and restrictions, and then export it to use in another app.

To Import a book collection, click the **Import...** button. Select an **.appBooks** file and click **Open**.


To export a book collection, see [Export](#) under the book collection context menu.

15.2. The *Layouts* tab


Multiple translations can be displayed in the app in one of three layouts:

1. **Single Pane:** view one translation at a time, in the same way as you would in an app with a single translation.
2. **Two Pane:** view two translations at a time. In portrait mode, the translations will be displayed one on top of the other. In landscape mode, the translations will be displayed side by side. The user can drag the separator line up/down or left/right to change the amount of screen space allocated to each translation.


3. **Verse-by-Verse:** view two or three translations at a time, with each being displayed verse by verse, i.e. verse 1 in translation A, followed by verse 1 in translation B, verse 2 in translation A, verse 2 in translation B, etc. The different translations will be displayed in different color fonts. For information on adjusting the styles for the verse by verse text display, see [Appendix 3](#).



Single Pane Layout Two Pane Layout (portrait)




Two Pane Layout (landscape)



Verse-by-Verse Layout Configuration

Within the app, you can choose to give the user the permission to configure these layouts on the **Select Language and Layout** screen. To configure what the user will see within this screen, choose which layouts are available (Single Pane, Two Pane and Verse-by-Verse) and the default book collections for each layout type. For information on adjusting the styles for this screen, see [Appendix 3](#).



In Two Pane view, if you select “Link panes,” SAB will attempt to show the same translated book in the upper and lower pane. To do this, both book collections need to have the same books with the same book IDs. The book IDs are usually the standard, Paratext IDs.

15.3. The **Layout Configuration** tab

Use this tab’s settings to configure how the user gains access to the **Select Language and Layout** (layout configuration) screen. There are 3 places a user can potentially access this:

- from a menu item in the navigation drawer
- from an icon on the app toolbar
- from tapping on the [book collection abbreviation](#) at the top right of the pane.

Check or uncheck these features depending on your user’s needs.

If multiple book collections (translations) is a key feature of your app, you can check the box to show the layout configuration screen when the app is launched for the first time.

15.4. The **Compare Versions** tab

Select **Enable Compare Versions** if you would like to give users the ability to tap on a verse and compare it with the same verse in all other available book collections.

Tapping on a verse displays the verse context menu with a vertical 3 dot icon at the extreme left or right, depending on the text direction. Tapping on this icon gives the user the ability to compare versions.

hnëmu ãa Rahab yeho.^c Bos yeho rëm
Obed, hnëmu ãa Rit yeho.^d Obed yeho
rëm Yese ⁶ale yeho rëm ahnañ ale
ñaciko David ãa.^e

David yeho rëm Salomo ãa, hnëmu ãa
Uri ryënkwekawo ñëla. ⁷Salomo yeho
rëm Robowam ãa. Robowam yeho rëm
Abiya ãa. Abiya yeho rëm
Yosafat ãa. Yosafat yeho rëm

↔ Compare Versions



← Compare Versions

Wamey

Wëlin wamac vacërakëlo Yesu Këris ale
hnagiko hnënk ahnañ ale ñaciko
David, do David, umë dënk, hnë hnënk
acërakëlo fu Abëraham hna nagiko.

Matiye 1.1

Français Louis Segond

Généalogie de Jésus-Christ, fils de
David, fils d'Abraham.

Matthieu 1:1

WEB

The book of the genealogy of Jesus
Christ, the son of David, the son of
Abraham.

Matthew 1:1

This option is turned on by default.

15.5. The YouVersion Platform tab

You can use the YouVersion platform to allow users to display additional Bible versions within the app. An "Add Bible" button will be added to the layout screen, giving users a choice of hundreds of additional Bibles and New Testaments.

Check the details under the tab to find out how to subscribe to this free service.

15.6. The Book Collection Context Menu

Clicking on the **Books** menu item in the project tree view displays the table of book collections (which may only include the default **Main Collection**).

Right-clicking on a collection in the table brings up the book collection context menu.

15.6.1. View

Select **View** to open the book collection and display its [configuration window](#) with accompanying tabs.

15.6.2. Delete

Select **Delete** to remove this book collection from your app. Note: this option is not available if you only have one collection.

15.6.3. Export

Choose **Export** to save the book collection as an **.appBooks** file that can be imported into another project using the [Import](#) function.

15.6.4. Fine Tuning File Manager...

You can output your timing file information to send to others who can help with fine-tuning the timings. Follow the Wizard and then post the resulting zip files somewhere where they can be shared. See section 5.4 in the document *Using aeneas for Audio-Text Synchronization* under the SAB **Help** menu.

If you need help fine-tuning timings, the SAB-assist volunteer group can help. Contact Andrew Shafe (Andrew_shafe@sil.org) for more details.

15.6.5. Create Slideshow Videos...

For more information on slideshow videos, see [How can I create slideshow videos using audio and timing files?](#) and the document *Creating Slideshow Videos* under the SAB **Help** menu. Note that you will need audio files with timing information in order to create the videos.

15.7. Configuring a book collection

To configure a book collection, click on **Books** and then double-click on the collection name in the table, or click on the collection name (**Main Collection** by default) in the project tree view under **Books**.

15.7.1. The *Book Collection* tab

The Book Collections tab allows you to view and modify the collection ID and name, and to add or remove books from the collection.

Book Collection Id

Collections are by default named C01, C02... etc. SAB uses the collection ID to name the [project data folder](#) that holds SAB's copy of the collection's book files on your computer. Use the **Change Id...** button to enter a new collection ID.



If you have more than one collection, you might consider giving each collection a more descriptive ID so you can easily tell which data folder on your computer is for which collection. E.g. if you have a collection for the Dioula language (language code DYU) and another collection for the French Louis Segond, give the first collection an ID of DYU and the second LSG.

Book Collection Name

Give the collection a clear name so the user can easily distinguish between collections if you have more than one. You could use the language name or the name of a particular translation, especially if you have more than one collection in a given language e.g. The French Louis Segond and the French Semeur.

Add Books...

Use the **Add Books...** button to add one or more books to a collection. Adding books this way does not ask for any specific book details. You can add those later by double-clicking on a book in the collection book table. If you want to one or more audio-only books, use the **Add Using Wizard...** button.

Add Using Wizard...

This is very similar to the Add Books... button, except that it first asks if you want to add a text book or an audio-only book.

Once a book or books have been added, they will appear in the book table. To modify a book's settings, double-click on it in the table. Right-click on the book in the table to access its context-sensitive menu. See the Book context menu.

You can change the order of books in a collection by clicking and dragging them in the book table.



Many of the options at the global app level also have a corresponding setting at the book collection level. The book collection setting will override the global setting for that collection only. Similarly, many of the book collection settings also have corresponding settings at the book level. These will affect only the specific book.

15.7.2. The *Details* tab

Use the **Details** tab to configure how the collection appears in the **Select language and layout** screen.

Description

Enter an optional description. This will appear under the selectors in the **Select language and layout** screen. For example, if the collection holds the English NIV, the description might be “The English New International Version of the Bible.”

Short Name

Enter a **short name** for the collection if desired. Note that this should indeed be short—perhaps 10 characters max. The short name is displayed at the top right of the app screen if the corresponding option is selected under the book collection [Layout Configuration](#) tab. Users can tap on the short name to display the app’s **Select language and layout** screen.

Image

You can specify an image for the collection if desired. This will appear alongside the book collection name and description in the app’s **Select language and layout** screen. Choose an image that will be meaningful even at a very small size.

15.7.3. The *Language* tab

You can set an optional language code and name for the book collection here (with script, region or variant info, if needed). This is necessary if you will be building a [Modern PWA](#).

15.7.4. The *Copyright & Licensing* tab

The **Copyright & Licensing** tab provides a convenient way to localize copyright information for a specific book collection. It is extremely important to have the rights to distribute text, audio, images and videos in your app. If you do not know what to put here, please ask the publishing department of your organization for advice. They will want to make sure you get this right and do not simply make a guess as to what to include.

Use the **Copyright helper...** button to aid you in formulating your copyright information. Remember that each resource (text, audio etc.) will need a separate copyright statement.


Information from these tabs is automatically propagated to the About box using the book collection's id and a special formatting code.

With an example book collection ID of FRA, there are four possible codes:

1. **%copyright-all:FRA%** -- This will display the combined information from the book collection text, audio and illustrations copyright tabs.
2. **%copyright-text:FRA%** -- This will display just the book collection text copyright information.
3. **%copyright-audio:FRA%** -- This will display just the book collection text copyright information.
4. **%copyright-illustrations:FRA%** -- This will display just the book collection text copyright information.

Place any of these formatting codes in the About box configuration area to have the corresponding information appear.

15.7.5. The *Layouts* tab



The Layouts tab provides collection-specific details as to how a collection appears in the **Select language and layout** screen. It overrides the settings in the Layouts tab under the Books menu for this specific collection.

Restrictions

Some book collections may have stricter licensing regulations which restrict them from being displayed in a single pane layout i.e. by themselves. It is very important to follow

the licensing requirements of any collection you add (including obtaining permission to use the collection in your app), and turn on this setting if necessary.

15.7.6. The *Sharing* tab

Using the Sharing tab you can turn off or on specific settings that affect whether and how a user can share text from this collection. Check the copyright licensing restrictions for your collection to tell which settings to allow.

Sharing audio and video clips

Sharing audio or video clips via social media can be a key Scripture Engagement component. However, SAB will need to add an extra code library to its data to allow for this. This library can add quite a bit of size to the app installer file. If you are planning on distributing an APK file, the total extra size will be in the region of 52MB. However, creating Android App Bundles (AABs) – which are required for publishing to the Google Play Store – will mean that the resulting additional size for each bundle will be minimized (13MB or so).

15.7.7. The *Styles* tab

The book collection **Styles** tab is very similar to the [Appearance > Styles](#) menu, with a few exceptions. First of all, setting a style here will override the global style setting for this specific collection. You can therefore customize each collection's style if desired.


This tab also allows some more customization for this specific book collection:

Text Font

Specify which font is used for this collection. The font must have been added in the [Appearance > Fonts > Font Files](#) tab.

Default Text Size

Specify a default text size for this collection. Some fonts require a larger default text size for visibility or to better match the font size in another collection.



If you have more than one collection, view them side by side in two pane view in your app to see if their font sizes are similar.

Default Line Height

Adjust the default line height here if necessary.

Text Direction

Set the **Text Direction** for this book collection. This will be independent of the overall text direction in the app, set under [Appearance > Interface > Layout Direction](#).

Language Code

Set the language code for this collection, if desired. This is necessary if you will be building a [Modern PWA](#).

Numeral System

If the book collection language has a unique numeral system, select it from the list of available systems here.

Verse Numbers

You can specify here whether this collection uses the End of Ayah verse numbering if desired.

Keyboard

If you have added a language-specific keyboard under [Appearance > Fonts > Keyboards](#) you will need to select it here to make it available for this collection.

15.7.8. The *Fonts* tab

Using the **Fonts** tab you can either allow the user to select from any of the fonts you have provided under [Appearance > Fonts > Font Files](#) or you can restrict their choice for this collection. These fonts are the ones that will be available under the app's Text Appearance popup and Verse on Image editor.

15.7.9. The *Footer* tab

It can be useful to display a footer block at the bottom of each chapter of text. Each collection can have a unique page footer. This can contain information such as:

- The name of the Bible translation
- Copyright and licensing details
- Contact email addresses and phone numbers
- Website links for more resources or to order printed materials
- Link to discussion groups on social media

You can also define a book-specific footer. Click on the book in the project tree view and then select the **Features** tab. Set the **Footer** selector to “**Use book-specific setting.**” This will activate a **Footer** tab for the book. Select that tab and define the footer block as desired.

On the Footer tab explanatory text, you will find details of the formatting codes you can use, which are similar to those you can use on the About page ([see the About page section](#)). You can also set the font, text size and text direction.

To modify this...	Adjust this text style...
Footer box (box around the footer)	div.footer
Footer text	span.footer
Footer line	div.footer.line

15.7.10. The *Scripture References* tab

Each collection may have a unique way it formats Scripture references. Use the provided fields to specify the formatting. You can test a reference to make sure it links to the correct book, chapter and verse.

Use the provided checkboxes to specify whether you want Scripture references in introductions and glossaries to actually become links.

15.7.11. The *Links* tab

Each collection may have a unique way it handles footnotes and cross references. Use the provided fields to specify whether the links will show up and if so, how they are formatted.

Footnotes

Specify whether footnotes are shown and what sort of caller(s) to use.

Cross References

Specify whether cross references are shown and what sort of caller(s) to use.

15.7.12. The *Resources* tab

This tab only appears if you have defined some resources under the [Engagement > Resources > Bible Engagement Resources](#) tab. If so, they will appear here. For each resource you can choose whether it is available in this collection and whether it is displayed by default.

15.7.13. The *Study Bible* tab

Each collection may have a unique way it handles Paratext-formatted explanatory text, sidebars and extended footnotes. Use the provided fields to specify whether these will be displayed and if so, how they are formatted. For more information as to how to format and include these, see [Study Bible Styles](#).

15.7.14. The *Book Order* tab

Each collection may have a unique book ordering according to the relevant church tradition. The default is Western Protestant, but you can select any from the list.

15.7.15. The *Versification* tab

Each book collection may have a unique versification system. For example, French Bibles include Psalm headings as verses. You can import a .vrs verse mapping file to make sure the correct verses are mapped together in dual pane and verse by verse layouts.

15.7.16. The *Audio Files* tab

Specify any audio files for this book collection under the **Audio Files** tab. Alternatively, you can add the audio files on a per book basis using the individual book settings, in which case they will still automatically appear here. For more details on adding audio, see [How can I associate audio files with the text?](#)

15.7.17. The *Audio Synchronization* tab

The Audio Synchronization tab allows you to configure the settings for creating timing files in order to highlight text as it is read and/or create slideshow videos.

Audio Synchronization

You can specify phrase-ending markers to separate your text files into discreet phrases for highlighting. These can be set at the app-level (i.e. for all book collections) under [Media > Audio > Audio Synchronization](#) or overridden here for this specific collection.

Phrase Lists for Audio Synchronization

You can create phrase list text files based on the phrase-ending markers set above. These files can be used for creating timing files with Audacity (rather than with Aeneas).

Click **Create Phrase Lists...** to enter the **Phrase Lists** wizard which has the following screens:

1. **Phrase List File Type** – Choose from Word, comma-separated values or tab-delimited.
2. **Synchronization Level** – Choose phrase by phrase or verse by verse.
3. **Phrases** – confirm the punctuation marks you want to use to delineate phrases.
4. **Headings and Markers** – specify whether section headings should be included (i.e if section headers are recorded in the audio) and whether abc markers should be used.
5. **Output Folder** – specify the output folder.

Select **Create Files** to create the phrase lists.

Synchronization using aeneas

Select this button to initiate the **Audio synchronization using aeneas** wizard. For more details, please see the document *Using aeneas for Audio-Text Synchronization*, available under the SAB Help menu.

Timing File Validation

Use this to validate your timing files to find any missing labels.

15.7.18. The *Changes* tab

You can define a set of regular expression or find / replace entries that will be applied to books in this collection during the build process, not affecting the original files. The entries under this book collection **Changes** tab override the app-level entries set under [Appearance > Changes](#).

15.7.19. The *Characters* tab

SAB will create a list of all the characters found in all books in this collection and list them under the **Characters** tab. Click **Validate Font** to make sure that the font you selected under the book collection's [Styles](#) tab can display all the characters.

15.7.20. Book Collection Book Table Actions

The book collection book table appears when the book collection name is clicked on in the project tree view. It is the list of books in the collection that appears in the project configuration area to the right of the screen.

Selecting one or more books

In the Book Collection book table, select a book by clicking on it. To select more than one book, hold the Ctrl key down and click on the books. To select a range of books, click on the first book, hold the Shift key down and click on the last book in the range. Alternatively, click anywhere in the book table and use Cntrl + A to select all the books. In the example below, a single book (MAT) is selected in the Wamey book collection.

The screenshot shows the Scripture App Builder interface. On the left is a project tree view with a 'Books' folder expanded, showing a list of book collections. The 'Wamey' collection is selected. The main area displays the 'Book Collection Book Table' for 'Wamey'. The table has columns: Book Id, Name, Group, Filename, and Last Modified. The book 'MAT' (Matiye) is selected, highlighted in green. Below the table, there are buttons for 'Add Books...' and 'Add Using Wizard...'. The interface also shows various tabs for configuration, including 'Scripture References', 'Links', 'Study Bible', 'Book Order', 'Verification', 'Audio Files', 'Audio Synchronization', 'Changes', and 'Characters'.

Book Id	Name	Group	Filename	Last Modified
INT	Int		A7INTcouNT1.SFM	04 May 2021 10:33:34
GEN	Wapégwala	OT	01GENcouNT1.SFM	04 May 2021 10:33:27
MAT	Matiye	NT	41MATcouNT1.SFM	04 May 2021 10:33:27
MRK	Marek	NT	42MRKcouNT1.SFM	04 May 2021 10:33:27
LUK	Lik	NT	43LUKcouNT1.SFM	04 May 2021 10:33:28
JHN	San	NT	44JHNcouNT1.SFM	04 May 2021 10:33:28
ACT	Vantiyehn	NT	45ACTcouNT1.SFM	04 May 2021 10:33:28
ROM	Vevé Rom	NT	46ROMcouNT1.SFM	04 May 2021 10:33:28
1CO	1 Vevé Korent	NT	471COcouNT1.SFM	04 May 2021 10:33:29
2CO	2 Vevé Korent	NT	482COcouNT1.SFM	04 May 2021 10:33:29
GAL	Vevé Galasi	NT	49GALcouNT1.SFM	04 May 2021 10:33:29
EPH	Vevé Efes	NT	50EPHcouNT1.SFM	04 May 2021 10:33:29
PHP	Vevé Filip	NT	51PHPcouNT1.SFM	04 May 2021 10:33:29
COL	Vevé Kolos	NT	52COLcouNT1.SFM	04 May 2021 10:33:30
1TH	1 Vevé Tesalonik	NT	531THcouNT1.SFM	04 May 2021 10:33:30
2TH	2 Vevé Tesalonik	NT	542THcouNT1.SFM	04 May 2021 10:33:30
1TI	1 Timote	NT	551TIcouNT1.SFM	04 May 2021 10:33:30

Rearranging the order of books

Select the book or books you want to move and click and drag them to the desired ordered position.

The Book context menu

With one or more books selected in the table, right-click on any of them to display the collection's Book context menu. See the [collection's book context menu actions](#) below. Note that this is different from the Book context menu that displays when right-clicking on a book in the project tree view.

15.7.21. Book Collection book table context menu actions

With one or more books selected in the book collection book table, right-click on any of them to display the collection's book context menu. This has the following items:

View Book

This opens the target book's configuration window.

Remove Book

This removes the target book from the collection. Note that this will not remove it from the project data folder or delete the original source file, but will append a **.deleted** suffix to the copy in the data folder, preventing it from being incorporated into the project.

Add to Contents Menu

You can quickly add an existing book to a contents menu by choosing “**Add to Contents Menu**”. If you have more than one contents menu “screen”, you can choose which screen to add it to. Go to **Navigation > Contents Menu** to further customize the menu entry.

Export to HTML

Selecting this will convert the book into HTML files, one per chapter, along with the accompanying CSS (Cascading Style Sheets), fonts and JS (java Script) files. These will all be placed in a folder named with the project’s package name and placed under App Builder > Scripture Apps > HTML Output on your computer. The first chapter will then be displayed in your browser. You can page through the chapters to view their formatting, and test any audio and timing files.

Export to HTML settings

Selecting this displays the Export to HTML settings dialog box with two tabs:

- **Audio Files tab**
You can specify from where the HTML Output retrieves any necessary audio files.
- **Progressive Web App tab**
If you have a [Progressive Web App](#) set up, you can select to have that included in the HTML output.

Export to EPUB

Selecting this will convert the book into an .epub file which will be placed in the folder App Builder > Scripture Apps > EPUB Output on your computer. See [Publishing > E-books \(EPUB\)](#) for more details.

Create Phrase Lists...

For help with Phrase Lists, see the book collection’s [Audio Synchronization tab](#) for more details.

Synchronize Audio and Text...

Selecting this will open the **Synchronize Audio and Text** wizard. For more details, see the book-level [Audio Synchronization tab](#).

Fine Tune Timings...

Selecting this will open the Fine Tune Timings interface in your browser. For more details, please see the document *Using Audacity for Audio Text Synchronization* under the SAB **Help** menu.

Fine Tuning File Manager...

Selecting this will open the **Fine Tuning File Manager** wizard for exporting timing files to be fine-tuned. See [Fine Tuning File Manager](#) for more details.

Create Slideshow Videos

For more information on slideshow videos, see [How can I create slideshow videos using audio and timing files?](#) and the document *Creating Slideshow Videos* under the SAB **Help** menu. Note that you will need audio files with timing information in order to create the videos.

Show Original Source

This will display a dialog box showing the book file's original source file location and when it was last updated.

Update from Source

If the source book file is newer than SAB's copy in the project data folder, SAB's copy will be updated.

Change Name to Mixed Case

If the book name is in all-caps, this will change it to mixed case.

Change Book Group...

Selecting this allows you to assign or change this book's book group to any of the default or added book groups. For more details on book groups, see [Adding a New Book Group](#).

15.8. Configuring a Book

To configure an individual book, click on **Books** ➤ **<the book collection name>** to display the list of books in that collection. They will appear in table form in the configuration area to the right, and also as a list in the project tree view. Double-click on a book in the table or single click a book in the project tree view list to display its configuration tabs. You can also right-click on a book in the collection's tree view on the left side of the screen to bring up the [book's tree view context menu](#). This is slightly different than the context menu that displays when right-clicking on a book in the book table.

15.8.1. The Book tab

The Book tab displays information that SAB determined from the book ID and the marker information in the book file.



For Scripture books, it is important to follow the [USFM book ID conventions for Scripture texts](#). For non-Scripture books, they must have a unique id using only **alpha-numeric characters or underscores**.

Book Name

SAB will do its best to find the book name in the book file. Normally, the book name is specified using the \toc2 marker. If SAB cannot find the book name, it will just use the book ID. See [Where do the Default Book Names and Abbreviations Come From?](#) You can modify the book name using the text entry field. Click **More...** to enter additional spellings.

Abbreviation

SAB will do its best to find the book abbreviation in the book file. Normally, the book abbreviation is specified using the \toc3 marker. If SAB cannot find the book name, it will just leave the field blank. The book abbreviation can be shown as a selectable button in the top-right of the page viewer screen in the app. Clicking on it will bring up the **Select Language and Layout screen**. See the [Layout Configuration tab](#) for more details.

Book Type

There are five book types. SAB will attempt to figure out the type of book based on either the specific ID or by the content.

The book types are the following:

- **Default** – this is the most commonly used type for Scripture texts and represents a text-centric series of pages.
- [Picture Story Book](#) – this is a particular type of book that includes at least one picture per page, normally with accompanying text. If the book uses an \img image marker, SAB will normally automatically set its type to Picture Story Book.
- [Song book](#) – If your book is intended to be a song book, with one song per page, you should manually set its book type to song book. See the song book section for more details.
- **Glossary** – A glossary is treated slightly differently than other books. It has an ID of GLO and can be linked to via marked glossary words in the other texts. See [How do glossary entry popups work?](#) for more details.
- **Plan Notes**— A book where each page represents a devotional section that can be referenced in a [Bible reading plan](#)..

Group and Subgroup

Books can be assigned a group and subgroup if desired. In the app's book selector menu, books will be listed under their group. In the grid view, book tiles will be coloured dependent on their subgroup.

SAB comes with three defined book groups:

Book group short name	Book group full name	Translation string name
NT	New Testament	Book_Group_NT
OT	Old Testament	Book_Group_OT
DC	Deuterocanonical	Book_Group_DC

You can change the names and/or add translations for the book groups under the **Appearance > Interface > Translations** tab. Search for the translation string name. For details on how to add your own groups, see [Adding a New Book Group](#).

SAB comes with eight defined subgroups:

- **Gospel**
- **Acts**
- **Pentateuch**
- **Historical**
- **PoetryWisdom**
- **MajorProphet**
- **MinorProphet**
- **PaulineEpistle**
- **GeneralEpistle**
- **Revelation**

These do not have interface translations as they do not appear in the app. They are used to define colors in the book selector popup grid view, so their colors can be assigned under [Appearance > Colors > Book Colors](#). For details on how to add your own subgroups, see [Adding a New Book Subgroup](#).

15.8.2. Adding a New Book Group

You can add your own book groups if you want to differentiate between certain non-Scripture books that are in the same book collection.

For example, you may have an app with Scripture texts and Bible studies, all in the same collection. You can add a “Bible studies” book group as a category in the book selector. To do this, go to any book’s Book tab and type the name of the new group directly into the Group list field. Keep the name fairly short—it is just going to be an internal name to represent the group. Now go to the **Appearance > Interface > Translations** tab and search for **Group**. You will see a new group entry named with your group name. For example, if your group name is “**Studies**”, you will see an entry named **Book_Group_Studies**. You can then fill in the translated name that you wish to appear e.g. **Bible Studies**.

15.8.3. Adding a New Book Subgroup

You can add your own book subgroups if you want to differentiate between certain types of non-Scripture books that are in the same book collection. These will appear as different colored backgrounds in the book selector grid view.

For example, you may have an app with Scripture texts, song books and Bible studies, all in the same collection. You can add a “Resources” book group as a category in the book selector (see above). Then create a song book and Bible study subgroup to further group those resources in the book selector grid view. To do this, go to any book’s Book tab and type the name of the new subgroup directly into the Subgroup list field. Keep the name fairly short—it is just going to be an internal name to represent the subgroup. Now go to the [Appearance > Colors > Book Colors](#) tab. You will see a new subgroup entry named with your subgroup name. For example, if your group name is “**Song**

books", you will see an entry named **Song books**. You can then select the colors that you wish it to appear with.

15.8.4. The *Song Index* tab

This tab only appears if your book type is set to **Song Book** and your book file has the correct song book format. See [Song Books](#) for more details. The Song Index tab displays how the automatically-generated song book index will display in the app, allowing the user to select a song by song number or alphabetically by title.

15.8.5. The *Styles* tab

The book **Styles** tab presents two choices:

- **Use default styles for this book** – This sets the book style based on the book collection's style set under [Book Collection > Styles](#).
- **Customize styles for this book** – Choosing this transforms the Styles tab to resemble the book collection styles tab with all the same settings. Changing these settings will only affect the current book, however. For more information on the various settings, see the [Book Collection Styles](#) tab.

15.8.6. The *Fonts* tab

The book **Fonts** tab presents two choices:

- **Use the same fonts as specified for the book collection** – This sets the book's available fonts as those set on the book collection's **Fonts** tab. See [Book Collection > Fonts](#).
- **Use any of the fonts selected below** – Choosing this transforms the Fonts tab to display the [table of fonts](#) available in the associated book collection. Select or unselect any fonts that you want the user to be able to use for this book in the Text Appearance popup and Verse on Image editor.

15.8.7. The *Features* tab

By default, books inherit the app-level and collection-level book configuration settings. The Features tab allows you to override those specific settings for the current book.

Show in book selector

By default, all books in a collection appear in the app's book selector. Use this setting to hide a book from the selector list.



If, for example, you have a mix of Scripture texts and other book resources (quizzes, song books, Bible studies etc.) in the same book collection, the book list selector will become very long. In this case, it might be better to hide the non-Scripture resource books in the list, and instead provide a contents menu to access them. This can be much more user-friendly.

Show chapter numbers

By default, chapter numbers (using the \c marker) are shown. You may decide to hide them in certain cases – for example, in a Picture Story Book.

Position of chapter numbers

For reasons of style, you have the possibility here to override this book's chapter number display settings.

Show verse numbers

The \v verse marker enables SAB to allow users to tap on a sentence to highlight it and access the selected verse features. You may want to allow users to use those features, even if this book does not have verses. In that case, you can add the \v verse markers to the book file, but hide them from being displayed.

Continue playing audio at end of chapter

You can override this setting if for some reason you want this book's audio setting to be different than that [set at the app level](#).

Lock orientation of screen

Use this setting to force a certain orientation (portrait or landscape) for the viewing of this book.

Footer

By default, this is set to display any footer applied at the book collection level. You can choose to specify a particular footer for this book by choosing the **book-specific setting**. This will cause an extra **Footer** tab to appear in this book's configuration screen.

15.8.8. The Footer tab

By default, books inherit any footer information set at the book collection level. To override this, enter the necessary information in this book's **Footer** tab. See the [Footer explanation for the book collection](#) for more details.

15.8.9. The Audio Files tab

Specify any audio files for this book under the **Audio Files** tab. Alternatively, you can add the audio files on a per collection basis using the book collection Audio Files tab, in which case they will still automatically appear here. For more details on adding audio, see [How can I associate audio files with the text?](#)

15.8.10. The Audio Synchronization tab

The **Audio Synchronization** tab allows you to configure the settings for creating timing files in order to highlight text as it is read and/or create slideshow videos. This tab is identical to the one at the book collection level, but allows you to modifying the phrase-ending characters for this book alone. It also provides a way to create phrase lists, run the synchronization and validate the timing files for this book alone.

15.8.11. The *Tabs* tab

It is possible to create an app which displays books with two or more tabs, with different content on each one. You will first need to set up which tab types you have available. See [Navigation > Tab Types](#) for more details.

To add a tab to a book:

1. Select the book to which you would like to add the tab, and go to its **Tabs** tab.
2. Click the **Add Tab** button.
3. On the **Tab Type** page of the wizard, select the tab type for the tab you would like to add. Then click **Next**.
4. On the **Book** page of the wizard, click the **Browse** button and select the book file to use in the tab. This could be a text file in SFM format or a Word document.
5. If the book you choose for the tab has a single chapter, this will be displayed in the tab whatever chapter is chosen in the main tab (e.g., the same discovery Bible study questions for each chapter).
6. If the book you choose for the tab has multiple chapters, the app will display the chapter in the tab that corresponds to the chapter selected in the main tab (e.g. a different set of Bible study questions for each chapter).
7. Click **Finish**.
8. If you have any audio files for the tab, go to the **Audio Files** tab and add the audio and timing files.
9. Compile the app and test it on your device.

15.8.12. The *Cover* tab

As well as building a smartphone app, you can create e-books in EPUB format. EPUB documents are readable by a number of e-book readers on Windows, Mac, iOS and Android platforms. See [Publishing > E-books \(EPUB\)](#) for more details.

If you want to create an EPUB book from a single book, you can specify its cover here on the **Cover** tab. The image specifications are listed in the tab description in SAB.

15.8.13. The *Changes* tab

You can define a set of regular expression or find / replace entries that will be applied to a book during the build process, not affecting the original file. The entries under this book **Changes** tab override the app-level and collection-level entries set under [Appearance > Changes](#) and [Books > <book collection name> > Changes](#).

15.8.14. The *Characters* tab

SAB will create a list of all the characters found in this book and list them under the **Characters** tab. Click **Validate Font** to make sure that the font you selected under the [book](#) or [book collection's Styles](#) tabs can display all the characters.

15.8.15. The *Book File* tab

Use the Book File tab to view the actual book SFM file. Note that even if the book was added as a Word document, SAB will convert it internally to SFM. Viewing it this way may help you figure out any formatting problems.

Chapter

Use the chapter selector to step through the chapters.

Project

The Project field shows the path to where SAB is storing its copy of the file, usually in the books subfolder of the project data folder. To the right of the path is the last time that the file was updated. If instead it says **(Not found)**, that file has been deleted or moved.

Source

The Source field shows the path from where the source book file was added. For Paratext projects, this may be the Paratext project's local data folder. See using SAB with Paratext files. To the right of the path is the last time that the file was updated. If instead it says **(Not found)**, that file has been deleted or moved.



It is not generally recommended to directly modify book files in the project data folder, since updating them from their source file will erase any changes.

Edit Source

If SAB can find your source file, the **Edit Source** button will be displayed. Click to open the source book file in your text editor. Note that this will not modify SAB's copy of the book. Once finished editing, save the file and then click the **Update from Source** button.

Update from Source

If you have edited your source file, click **Update from Source** to make sure SAB copies this updated file to its project folder. A message will be displayed stating that the file has been updated.

Export As Text File

If you imported a Word doc as your book file, SAB will convert it internally to SFM. You can export this converted file as a .txt file which will allow you to have greater control over the markers and formatting. You will need to remove the original Word doc file and then add the text file as your new book file.

Show After Changes

If any Change expressions have been added at the app, collection or book level, the **Show After Changes** checkbox will be displayed. Click to show the book file after the changes have been applied. This is a good way to make sure your changes were applied correctly before building the app.

15.8.16. The Viewer tab

The **Viewer** tab displays the book file using all the current styles, colors, formatting and settings. If an audio file is associated with the book file, an audio toolbar will display at the bottom of the viewer allowing the audio to be tested. If there is timing information associated with the file and highlighting is enabled, the text and audio should be synced in the Viewer.

Refresh


Use the Refresh button to update the Viewer if you've modified the source file.

View in Browser

Use the **View in Browser** button to convert your book to HTML and open a browser window to display it.

15.8.17. The project tree view Book context menu

If you right-click on a single book in a book collection's list of books in its project tree view (on the left side of the SAB screen), the book's context menu will display.



Export to HTML

Selecting this will convert the book into HTML files, one per chapter, along with the accompanying CSS (Cascading Style Sheets), fonts and JS (java Script) files. These will all be placed in a folder named with the project's package name and placed under App Builder > Scripture Apps > HTML Output on your computer. The first chapter will then be displayed in your browser. You can page through the chapters to view their formatting, and test any audio and timing files.

Export to HTML settings

Selecting this displays the Export to HTML settings dialog box with two tabs:

- **Audio Files tab**
You can specify from where the HTML Output retrieves any necessary audio files.
- **Progressive Web App tab**
If you have a [Progressive Web App](#) set up, you can select to have that included in the HTML output.

Export to EPUB

Selecting this will convert the book into an .epub file which will be placed in the folder App Builder > Scripture Apps > EPUB Output on your computer. See [Publishing > E-books \(EPUB\)](#) for more details.

Create Phrase Lists...

For help with Phrase Lists, see the book collection's [Audio Synchronization tab](#) for more details.

Synchronize Audio and Text...

Selecting this will open the **Synchronize Audio and Text** wizard. For more details, see the book-level [Audio Synchronization tab](#).

Fine Tune Timings...

Selecting this will actually open the **Fine Tuning File Manager** wizard for exporting timing files to be fine-tuned. See [Fine Tuning File Manager](#) for more details. To fine tune this particular book's timings instead, right-click on the book in the book table in the project's configuration area and select **Fine Tune Timings...**

Update from Source


If the source book file is newer than SAB's copy in the project data folder, SAB's copy will be updated.

Remove Book

This removes the target book from the collection. Note that this will not remove it from the project data folder or delete the original source file, but will append a **.deleted** suffix to the copy in the data folder, preventing it from being incorporated into the project.

16. Picture Story Books

In most cases, a picture story book is a book with a picture at the top of each page and a few sentences of text underneath. In the app, the picture will stay at the top of the screen and the text will scroll, though it is possible to have the picture or pictures scroll with the text instead. Picture Story Books are intended to be fairly simple books for things like illustrated Bible stories, Bible studies, other Bible resources, literacy or health books.



Audio-text highlighting works as it does for Scripture text, and when the audio reaches the end of a page, the app will move to the next page of the story. In this way, the story will be automatically read in its entirety.

When the device screen is in landscape orientation, the picture will be displayed to take up the whole screen. If you specify a timing file alongside the audio file, each phrase will be displayed as a subtitle over the image. The effect is a narrated slideshow video of the story.



You can choose to associate a single audio file with the whole picture story book, or one audio file per page. One file per page seems to work better when the audio pauses between page turns.



Make sure that audio files are clearly and uniquely named. SAB will need to figure out which audio file to associate with which page, so clearly include the number in the file name (i.e. at the end of the name) using a leading zero. Include the book name so you don't confuse the audio for several books.

*E.g. **my_book_page_01.mp3***

16.1. How do I define a picture story book?

Picture story books can be defined in one of two formats:

- [Microsoft Word \(.docx\) documents](#), or
- [Text files using standard format markers \(SFM\)](#).




Even though Word documents may appear easier, they work best only for very simple story books. If you want more control over the formatting and features of the book, use the SFM format.

16.2. What do picture story books in Word documents look like?

To create a Microsoft Word document to define a picture story book:

1. Start with a new blank document in Word.
2. Insert a picture at the top of the first page.
3. Add the story text for this page below the image.




4. Insert a page break after the text using **CTRL+Enter**, or **Insert ➤ Page Break**.
5. Insert a picture at the top of the second page and place the story text under it.
6. Insert a page break after the text using **CTRL+Enter**, or **Insert ➤ Page Break**.
7. Continue adding additional pages in this way.
8. Save the document in **.docx** format.


You can add images to the document in .jpeg, .jpg, .png, .tif or .gif formats and Microsoft Word will convert them automatically to the format recognised by Scripture App Builder.

If you have large image files it is best to resize them. You can do this either before adding them to the document or within Word itself:

1. Select one of the images in Word.
2. Click **Compress Pictures** on the picture format ribbon or toolbar.
3. Select **All Pictures in document**.
4. Select the resolution as **Web/Screen**.



5. Click **OK**.
6. Save the document.



*SAB converts Word documents into its own internal SFM document format with a unique book ID. When you click the book file in the project tree in SAB, choose the **Book File** tab in the configuration area on the right. This will display the converted file and can help you fix formatting issues. In general, it is best to create your own SFM file over which you will have greater formatting control.*

16.3. What do picture story books in SFM format text files look like?

They start with an id of your choice (using only **alpha-numeric characters or underscores**):

`\id STO29`

and a title:

`\toc2 The Story of the Unmerciful Servant`

Each page begins with the `\page` marker:

`\page 1`

followed by an image filename:

`\img obs-29-01.jpg`

and then the text for that page, using USFM markers like `\p` for paragraphs:

\p One day, Peter asked Jesus, "Master, how many times should I forgive my brother when he sins against me? Up to seven times?"
\p Jesus said, "Not seven times, but seventy times seven!"
\p By this, Jesus meant that we should always forgive. Then Jesus told this story.

Here is an example:

\id STO29

\toc2 The Story of the Unmerciful Servant

\page 1

\img obs-29-01.jpg

\p One day, Peter asked Jesus, "Master, how many times should I forgive my brother when he sins against me? Up to seven times?"

\p Jesus said, "Not seven times, but seventy times seven!"

\p By this, Jesus meant that we should always forgive. Then Jesus told this story.

\page 2

\img obs-29-02.jpg

\p Jesus said, "The kingdom of God is like a king who wanted to settle accounts with his servants. One of his servants owed a huge debt worth 200,000 years' wages."

\page 3

\img obs-29-03.jpg

\p "Since the servant could not pay the debt, the king said, 'Sell this man and his family as slaves to make payment on his debt.'"

\page 4

\img obs-29-04.jpg

\p "The servant fell on his knees before the king and said, 'Please be patient with me, and I will pay the full amount that I owe you.' The king felt pity for the servant, so he canceled all of his debt and let him go."

etc.



For a more complete list of SFM markers you can use with Scripture App Builder, see [Appendix 2](#)

The book files must be **plain text files**. If you have Unicode characters, the text files should use **UTF-8 encoding**. To create a text file in Windows, use a text editor such as Notepad. To create a text file on a Mac, use TextEdit, remembering to choose Plain text files in the preferences because otherwise the default file type is RTF (which contains a lot of additional formatting codes).

16.4. Where do the pictures go?


If you have defined the picture story book as a Word document, the images in the document will be added automatically to the app illustrations collection when you add the book. You can see them on the **Illustrations** page for the book.

If you have defined the picture story book as an SFM text file, you need to add the images to Scripture App Builder separately. Do this on the [Media > Illustrations](#) page. You can use either PNG or JPG files. Try and make them as small as possible without compromising image quality. This will keep your app size small and reduce page load time.

16.5. How can I get the pictures to move when the audio is playing?

If you have audio in your book, you can add pan and zoom effects to the images when the audio is playing. To specify the motion:

1. Go to the **Story Pages** tab for the book.
2. Select an image at the top of the page.
3. Select the **Motion** tab below the images.
4. Select **Specify the start and end positions**.




5. Drag and resize the start and end rectangles in the images to specify the start and end positions.



Vary the positions to add some interest. For example, alternate between panning in and panning out, or follow the indicated motion of the image itself (e.g. pan left to right if the people are walking towards the left).

6. Do this for each image in the book. By default, the movement effect is timed to correspond to the length of the audio.



*If your audio is longer than around 20 seconds, the movement may occur too slowly. Click on the **Duration** tab and set the duration to be around 20 seconds and adjust as necessary.*

16.6. What about font and font size?

A popular font designed for those learning to read is **Andika** or **Andika Compact**. Specify the fonts available to the user under the [Appearance > Fonts](#) menu. Set the specific book collection's font under the [<book collection> > Fonts](#) tab.

If you have a small amount of text per picture, it is best to use a larger font size by default. You can change this within Scripture App Builder on the [<book collection> > Styles](#) tab by modifying the **Default text size** property.

Use [Appearance > Formatting > Text Size](#) to set the range of text sizes from which the user can select.

16.7. What audio timing labels are used?

If you have one audio file for the whole book, timing labels are of the form:

- 1a - 1st phrase on page 1
- 1b - 2nd phrase on page 1
- 1c - 3rd phrase on page 1
- 2a - 1st phrase on page 2
- 2b - 2nd phrase on page 2, etc.

If you have one audio file per page, timing labels are of the form:


- a - 1st phrase on the page
- b - 2nd phrase on the page
- c - 3rd phrase on the page

To help with the creation of the timing files, generate phrase lists on the **Audio Synchronization** tab for the book, or use **aeneas** to automate the synchronization process.

16.8. How can I add background music when the audio is playing?

You can add background music and sound effects behind the audio narration track. To do this:

1. Go to the **Story Pages** tab for the book.
2. Select the first image at the top of the page.
3. Select the **Background Music** tab below the images.
4. Select **Play this audio file as background music**.
5. Click **Select File...** and choose the background music audio file.



6. Drag the slider to modify the volume of the background music.
7. Select each of the following pages in the book and specify whether to Continue playing the background music from the previous page, whether to play a different background music track or whether to stop playing any background music.

16.9. Where can I get sample story book text and pictures?

Have a look at **Open Bible Stories** here: <https://door43.org/en/obs>

See FreeBibleImages.org for many image sets for Bible stories and characters. Be sure to add copyright information in the **About** box if you use any images in your apps.



If you have translated Bible texts, it is fairly simple to create Bible story books using free images from places like FreeBibleImages.org. You can make these into separate apps, or group them into Bible story sets in a single app, using a [Contents Menu](#) to allow the user to access

them.

16.10. How can I record the audio files?

Use your favourite sound recording software, such as Audacity. You will need to decide how fast or slow you want the reader to read. In some contexts, it might be good for picture story books to be read fairly slowly. Remember that it is generally best to record one file for each page.

17. Song Books

17.1. How do I define a song book?

You can build a song book file similar to other book files, but with one song per 'chapter'. Song books are defined in one of two formats:

- [Microsoft Word \(.docx\) documents](#), or
- [Text files using standard format markers \(SFM\)](#).

See the sections below for a description of these formats.

Audio can be added with audio-text synchronization so that each line of the song is highlighted as it is sung.




When you add your songbook to the app, click on the book in the project tree view and select the **Book** tab. Make sure the **Book Type** selector is set to **Song Book**. If it is, SAB will automatically a Song Index comprised of 2 contents menus—one listed by song title and the other by song number. You can preview these under the **Song Index** tab.

17.2. What do song books in Word documents look like?

To create a Microsoft Word document to define a song book:

1. Start with a new blank document in Word.
2. Type the songs or copy them from another document.
3. For each song, place the song number on a line by itself before its corresponding title and lyrics.




4. Create the following paragraph styles:


Style	Use
c	Chapter number
s	Song title
q1	Line of the song
q2	Line of a chorus (more indentation)

To create a style:

- Select the line/paragraph of text that corresponds to this style, i.e. if you are creating the style 'c', select one of the lines with a song number. If you are creating the style 'q1', select a line of the song lyrics.
- Click on the down arrow to the right of the styles ribbon.



- c. Then select **Create a style** from the menu that appears.




- d. Type the style name into the dialog box and press OK.

Do this for c, s, q1 and q2.


5. Apply the above styles to all the chapter numbers, song titles and the lines of the song lyrics.


To apply a style:

- a. Select the line/paragraph to which you want to apply the style.
- b. Click on the down arrow to the right of the styles ribbon.



- c. Select the style you want to apply.





As you apply the styles, the F4 key can be useful to repeat your previous action.

All of the songs are contained within a single Word document.

6. Save the document in **.docx** format.

17.3. What do song books in SFM format text files look like?

Start with an id of your choice (using only **alpha-numeric characters or underscores**):

\id SONGBOOK1

and a title:

\toc2 Our Song Book

Each song begins with the \c marker and the number of the song:

\c 1

The marker \q (or \q1) is used for line of the song lyrics and \q2 for indented lines, such as for a chorus.

Use \b for blank lines between verses.

```
\id BAT
\toc2 Batoli Betiw

\b
\c 1
\s Ala Tanu! Aleluya!
```

```
\q An k'Ala tanu
\q Ala Denke ko la,
\q O sara ka kunun
\q Ka jenamaya.
\b
\q2 Ala Tanu! Aleluya!
\q2 Ala Tanu! Amiina!
\q2 Ala Tanu! Aleluya!
\q2 Yesu be na tun.
\b
\q An bee tununna
\q Dibi Fanga de la,
\q Bari Matigi nana,
\q A ye an bee tila.
\b
\q A y'an kunmabo
\q A y'an bee horonya,
\q A y'a ni to an kono
\q K'an dusu jeya.
\b
\q Yesu mana na,
\q A na ke Masa ye,
\q A na dipe bee mara,
\q Ka Sitane tije.
```

```
\c 2
\s An Fa Ala, Dubatigi

\b
\q An Fa Ala, Dubatigi,
\q An be barika da i ye,
\q Ka i tanu, ka i bato,
\q I ka kan ni bonya ye.
\b
\q2 Kuma duman ke ne da la,
\q2 Ka ne Kisibaa ko fo.
\q2 Aleluya! Aleluya!
\q2 Yesu ye ne kunmabo.
\b
\q Ne be Ala sira taama,
\q An Matigi barika la.
\q Ne y'a don ko Ala sonna
\q Ne ka taa sankolo la
```


If you are used to using Paratext, these SFM codes will be familiar since they are how you mark up poetry in such as Psalms. For a list of poetry markers see [Poetry Styles](#).

All of the songs are contained within a single file.

The SFM songbook file must be a **plain text file**. If you have Unicode characters, the text files should use **UTF-8 encoding**. To create a text file in Windows, use **Notepad**. To create a text file on a Mac, use **TextEdit**, remembering to choose Plain text files in the preferences because otherwise the default file type is RTF (which contains a lot of additional formatting codes).



*When you add your songbook to the app, click the book in the project tree and select the Book tab. Make sure the book type selector is set to **Song Book**. If this is the case, SAB will automatically display a Song Index consisting of 2 content menus, one listed by song title and the other by song number. You can preview them under the [Song Index](#) tab.*



If you do not see a [Song Index](#) tab for the song book, make sure the **Book Type** is set to **Song Book**. If you try to add an image in your Song Book using an `\img` marker, SAB will change your Song Book type to Picture Story Book. Instead, use the `\fig <image filename> \fig*` markers.

17.4. How can we associate audio with each song?


A separate audio file and corresponding timing file needs to be created for each song.

Timing labels are of the form:

- a - 1st line of the song
- b - 2nd line of the song
- c - 3rd line of the song
- d - 4th line of the song, etc.

To help with the creation of the timing files, generate phrase lists on the **Audio Synchronization** page for the book.

Automated synchronization is unlikely to work for songs, so you will need to use the manual tagging method using Audacity and Timing Labels Assistant. Please see the document *Using Audacity for Audio Text Synchronization* for instructions.




If your song text exactly matches the song lyrics, including all repetitions, you may be able to create timing files automatically using aeneas. It becomes more challenging if there are musical introductions or conclusions to the songs, and especially if there is one or more

musical interludes during the song.

18. Registration Screen

You can define a registration screen to be shown when a user launches the app for the first time. This allows you to collect contact information, for example to connect people with Bible reading/listening discussion groups.



To set up a registration screen, you need to do some configuration work in two places:

- within Scripture App Builder, and
- in the Google Firebase console.

18.1. Setting up the Registration Screen

To set up the registration screen within the app builder:

1. Go to the **App** ➤ **Security** page.
2. Select **Require each user to register with their details when they first use the app**.
3. Click the **Configure Registration** button.

4. Follow the instructions in each of the tabs in the Configure Registration dialog:
 - **Registration Screen:** specify the title and text to show on the registration screen.
 - **User Details:** specify the input fields (such as name, telephone number, email address), that you will ask the user to provide. You can specify which of these are required and which are optional.
 - **Skip Registration:** choose whether you want the user to be able to skip the registration process. If they do press the Skip button, specify when you want the app to ask them again.
 - **Registration Completed:** specify the title and text to be displayed on the screen which is shown to the user after they have successfully registered.
 - **Image:** specify an image to be displayed at the top of the screen, such as your organisation's logo or the app icon.
 - **Database:** choose whether the user data will be stored in an app-specific path in the database (which is useful if you use the same database for several apps), or at the top level of the database (which is fine if you have just one app). More information about configuring your database can be found in the following section.
 - **Styles:** you can adjust the styling of the screens by adjusting the style declarations.

Use the **Test** buttons on the **Registration Screen** and **Registration Completed** tabs to preview the screens in a browser.

5. Click **OK** when you are finished in the dialog.

18.2. Setting up the database in the Google Firebase console

To set up the database, which will contain the registered users' information, you need to add Firebase to your app, create a database, set up authentication and configure rules.

Add Firebase to your app

Follow the instructions in setting up a Firebase project, described in the section above on [Firebase Analytics](#).

Create a Database

To create a database:

1. In your Firebase project console, select **Realtime Database** from the menu on the left of the screen (the option below Firestore Database).
2. Click the **Create database** button.

3. On the first page of **Set up database**, choose where you would like the data to be stored, then click **Next**.
4. On the second page of **Set up database**, choose **Start in locked mode**, and click **Enable**.

Set up Authentication

To set up authentication:

1. In your Firebase project console, select **Authentication** from the menu on the left of the screen.
2. Select the **Sign-in method** tab.
3. Click on **Email/Password** and enable this authentication method. This is used when viewing registered users in a web browser
4. Click **Save** to confirm your changes and return to the Sign-in method tab.
5. Click on **Anonymous** (at the bottom of the Sign-in providers list) and enable this authentication method. This is used during user registration in the app.
6. Click **Save** to confirm your changes and return to the Sign-in method tab.

Configure Rules

Rules are required to tell Firebase who will have access rights to read and write to the database. To configure the database rules:

1. In your Firebase project console, select **Realtime Database** from the menu on the left of the screen.
2. Select the **Rules** tab.
3. The rules you specify will depend on the path you have chosen on the **Database** tab in the Registration configuration.

If you have chosen to store the user information in an **app-specific location**, e.g. `"/apps/your-app-package-name/users/"`, the rules need to be as follows:

```
{
  "rules": {
    "apps": {
      "$package": {
        "users": {
          "$uid": {
            ".read": false,
            ".write": "$uid === auth.uid"
          }
        }
      }
    }
  }
}
```

If you have chosen to store the user information at the **top level of the database**, e.g. `"/users/"`, the rules need to be as follows:

```
{
  "rules": {
    "users": {
      "$uid": {
        ".read": false,
        ".write": "$uid === auth.uid"
      }
    }
  }
}
```

These rules give write access only to the user who is making the registration. No one will have read access (except for you when you view the database from the Firebase console).



*Make sure you copy the rules exactly. An easy way to get the rules you need is to click the **Database Rules** button on the Database tab. This will give you the rules you can copy.*



*If you are also using [User Accounts](#) in this app, you will need to combine the database rules for the registered users (Registration screen) with the rules for the signed up users (User Accounts). Please see below, **Rules FAQ**, for more details.*

4. Click **Publish** to confirm your changes.

Rules FAQ

Q. If we have also enabled User Accounts for this app, what rules do we need to use?

If you are using both *User Accounts* and a *Registration Screen*, you need to combine the rules as follows:

```
{
  "rules": {
    "apps": {
      "$package": {
        "users": {
          "$uid": {
            ".read": false,
            ".write": "$uid === auth.uid"
          }
        }
      }
    },
    "authenticated-users": {
      "$uid": {
        ".read": "$uid == auth.uid",
        ".write": "$uid == auth.uid"
      }
    }
  }
}
```

The above rules assume that you want to store the user information in an app-specific location. If you have chosen the top-level location, you need to remove the “apps” and “\$package” elements above.

Q. If we want an administrator to have read access to the Registered users to display in a web browser, what rule do we use?

If you want to give an administrator read access to the data, to be displayed in a web browser (See **Configure Registration** ➤ **User Details** ➤ **View Data**), here is the rule to use:

```
{
  "rules": {
    "apps": {
      "$package": {
        "users": {
          "$uid": {
            ".read": "(auth != null) && (auth.token.email == 'me@abcd.com')",
            ".write": "$uid === auth.uid"
          }
        }
      }
    }
  }
}
```

(where me@abcd.com is a user added on the **Authentication** page)

The above rules assume that you want to store the user information in an app-specific location. If you have chosen the top-level location, you need to remove the “apps” and “\$package” elements above.

19. Progressive Web Apps

In addition to building a smartphone app, you can create two separate types of [Progressive Web App](#) (PWA). The first type (Static PWA) uses the “Generate HTML” static HTML output of Scripture App Builder originally used to test text/audio synchronization. The second type (Modern PWA) is a modern web application that replicates many of the smartphone app features.

For a PWA to be installable, it must be published to a web server that serves the files using HTTPS.

19.1. Why Would I Want a Progressive Web App?

Instead of being distributed via the Google Play Store or Apple App Store, PWAs are published as websites. They can be installed from the browser on all platforms, including mobile (iOS and Android) as well as desktop (Windows, Mac, Linux).

19.2. Which Progressive Web App Should I Use?

The Static PWA uses the Java code from the smartphone app to generate the HTML from the USFM/USX files so that the HTML matches closely the display in the smartphone app. However, it is limited to a single book collection and audio location, the book/chapter/verse navigation is simple, and there are minimal app features implemented. When used as a PWA, it can take a long time for all of the static HTML files to be downloaded by the browser. It may take quite a while before it can be added to the home screen of the device and used offline.

The Modern PWA is a proper web app implementation with support for multiple book collections, all the audio sources (including streaming from FCBH BibleBrain), and many of the features of the smartphone app. It is not complete yet but will be improved over time. It uses a separate JavaScript library to read the USFM/USX files and display the content as HTML. There may be differences in the HTML output that will be improved as well. Due to how the Modern PWA is designed, the download will be significantly faster and be available quickly to be added to the home screen of the device and used offline.

19.3. Audio in PWA

If your project uses WebM (Ogg Opus) audio format for some or all of the audio files, this format is not supported by Safari on iOS and some older versions of macOS (it works with Safari 16.0 or later). Both PWAs will fall back to MP3 and CAF audio formats if WebM is not supported. If you want the PWA to work with Safari on macOS or iOS, make sure to include an MP3 or CAF file for each WebM file with the same base

filename (e.g. mat1.mp3 or mat1.caf along with mat1.webm). Remember, all browsers on iOS use the Safari web browser component internally so this affects all browsers on iOS.

When using an FCBH Bible Brain audio source with the Modern PWA, if you use a Fileset ID for WebM audio, it will have “-opus16” at the end (e.g. ENGWEBN2DA-opus16). Since this will not work on iOS, the Modern PWA will attempt to use the MP3 equivalent.

19.4. Building a Static PWA

19.4.1. Installing Prerequisites for Static PWA on Windows

In order to create the files needed for a PWA, you need to have 2 components installed on your computer:

1. **Node.js**
2. **Workbox-cli**

Here are more details on installing both of these components.

Go to the Node.js Downloads page:

<https://nodejs.org/en/download/>

There are many download files on this page. You are looking for the file that corresponds to your computer’s operating system type. It is easiest to download the msi (installer package file) rather than the zip file.

Downloads

Latest LTS Version: **12.17.0** (includes npm 6.14.4)

Download the Node.js source code or a pre-built installer for your platform, and start developing today.

LTS Recommended For Most Users	Current Latest Features	
 Windows Installer node-v12.17.0-x86.msi	 macOS Installer node-v12.17.0.pkg	 Source Code node-v12.17.0.tar.gz

Windows Installer (.msi)	32-bit	64-bit
Windows Binary (.zip)	32-bit	64-bit
macOS Installer (.pkg)	64-bit	
macOS Binary (.tar.gz)	64-bit	
Linux Binaries (x64)	64-bit	
Linux Binaries (ARM)	ARMv7	ARMv8

When the file has downloaded, run it to install Node.js on your computer. After installing Node.js, bring up a command prompt. Click on the Windows (start) icon and type `command prompt` and press Enter. Paste in this command and press enter:

```
npm install workbox-cli -global
```

Once this command finishes running, you have the prerequisite tools for exporting PWA files. Close SAB if it is open and restart it.

Sometimes, there may be issues installing workbox-cli. If this happens, you will be unable to check the **Include Progressive Web App files** checkbox mentioned below. To fix this issue clear the npm cache by running the following command:

```
npm cache clean -force
```

And then re-run the above install command.

19.4.2. Installing Prerequisites for Static PWA on Linux

In order to create the files needed for a PWA, you need to have 2 components installed on your computer:


1. **Node.js**
2. **Workbox-cli**

Here are more details on installing both of these components.

First, find the most recent Long Term Stable (LTS) release version of Node.js. Go to:

<https://nodejs.org/en/download/>

And find the line near the top of the page that begins “Latest LTS Version:”.



Take note of the number before the first dot, as this is the major version you want to install.

Follow the instructions at:

<https://github.com/nodesource/distributions>

to install that major version for your Linux distribution.

Once you have Node.js installed, open a Terminal window and run the following command:

```
sudo npm install workbox-cli -global
```

Once this command finishes running, you have the prerequisite tools for exporting PWA files. Close SAB if it is open and restart it.

Sometimes, there may be issues installing workbox-cli. If this happens, you will be unable to check the **Include Progressive Web App files** checkbox mentioned below. To fix this issue clear the npm cache by running the following command:

```
npm cache clean -force
```

And then re-run the above install command.

19.4.3. How do I export Static PWA files?

To export PWA files, you have to first have to configure the PWA settings. In SAB, right click the collection that you want to export and select **Export to HTML Settings**. In the resulting window, select the **Progressive Web App** tab.

In this tab, check the **Include Progressive Web App files** checkbox. If it is grayed out, ensure you have installed Node.js and Workbox-cli, then see the above note about clearing the npm cache.

Enter a **Name** and **Short Name**. Click **OK**.

Right click the collection again and select **Export to HTML**.

The generated PWA files will be saved in the default HTML output folder. See **Tools > Settings... > Default Folders**.

19.4.4. How do I Add Audio to my Static PWA?

Since PWAs are installed to devices through the internet, they cannot rely on audio files stored locally on your machine. You will need to host audio files through an HTTPS server so that the PWA can download it from any device. HTTPS is preferred over HTTP since some devices will reject HTTP downloads.

If you want your PWA to have audio capabilities, right click on the collection you want to export as a PWA. Select **Export to HTML Settings**. In the resulting window, you should be on the **Audio Files** tab.

Select the **Use the following path to the files, e.g. a URL address** menu button and enter the URL from which your audio files can be downloaded.

19.5. Building a Modern PWA

Scripture App Builder includes all the software to build a Modern PWA. There are no additional prerequisites.

19.5.1. Configuration for Modern PWA

A Modern PWA uses the existing configuration of the smartphone app. There is an additional requirement to specify the Language for the Book Collections. Go to the **Books** ➤ **Book Collection Name** ➤ **Language** page and specify the **Language Code**.


If the PWA will be published to a subdirectory of a web server (e.g. <https://example.com/bible> instead of <https://example.com>), go to the **Publishing** ➤ **Web App (PWA)** ➤ **Subdirectory** page and specify the subdirectory (e.g. /bible).

19.5.2. How Do I Build a Modern PWA?

Building a Modern PWA is like building a smartphone app. Click the **Build PWA** button on the toolbar at the top of the screen. If something is not configured correctly for the build to work, you will be notified. A compilation window will appear. Wait while the PWA is compiled. When it completes successfully, go to **File** ➤ **View PWA Output Folder** to find the output files from the PWA build.

19.5.3. How Do I Test a Modern PWA?

With the Static PWA, you can open the Static HTML files from your computer. With the Modern PWA, you need a web server to run it. To preview the Modern PWA, click on the **Run PWA** button on the toolbar at the top of the screen. A compilation window will appear. When the build is complete, a terminal window and a browser window will appear. The terminal will run the PWA on a local web server. The terminal window will display the URLs of the local web server. If your smartphone is on the same network as your computer, you can test the PWA on your smartphone by opening a web browser on your smartphone and entering the URL for the entry labeled **Network** (e.g. <http://172.23.87.150:4173> in the screenshot on the left). If there are multiple **Network** entries (e.g. Windows running Windows Subsystem for Linux on the right), then start trying them from the top of the list (e.g. <http://192.168.4.34:4173>).



```
Administrator: Windows PowerShell
> appbuilder-pwa@0.0.1 preview
> vite preview --host --open

Local: http://localhost:4173/
Network: http://172.23.87.150:4173/
press h to show help

Windows PowerShell
> appbuilder-pwa@0.0.1 preview
> vite preview --host --open

Local: http://localhost:4173/
Network: http://192.168.4.34:4173/
Network: http://192.168.56.1:4173/
Network: http://172.17.208.1:4173/
Network: http://172.21.32.1:4173/
Network: http://172.19.192.1:4173/
Network: http://172.23.80.1:4173/
press h to show help
```

Make sure to close the terminal window when you are done testing the PWA.

19.5.4. How Do I Publish a Modern PWA?

To publish a Modern PWA, copy the files from the **PWA Output Folder** to a web server connected to the Internet. For the PWA to be installable on a smartphone or desktop computer, the web server needs to serve the files using HTTPS. PWA installation works with supporting browsers. See <https://web.dev/learn/pwa/installation/> for more details.

20. Publishing and Distribution

Before you distribute your app, please use the *App Publishing Checklist* (available via the Help menu in SAB or on the SAB website) to verify that it is ready to publish.

Apps built with Scripture App Builder can be published on the Google Play store, distributed by memory card, shared by Bluetooth or Wi-Fi transfer, uploaded to websites, or sent out by email. For more information, please see the user manual *Distributing Apps* (available via the Help menu in SAB or on the SAB website).

21. Appendix 1: How SAB stores your project data files



When you select a source file to load into your app, SAB will make a copy of it in the project's data folder. However, it will maintain the link to the source file. If you update the source file, you will need to select the file in the project tree view, right-click it and select **Update From Source**. This will copy the updated file into the project's data folder.

Alternatively, select the file, select the **Book File** tab in the configuration area and click the **Update From Source** button.

As part of the installation process, SAB creates a number of folders for its data files. By default, these are in a hierarchy under your **Documents** folder. The following is an explanation of the various folders from the top-level down:

21.1. General-use SAB data folders

1. **App Builders:** this folder contains the top-level folders for the various installed app builders i.e. Scripture Apps, Reading Apps etc.
2. **Scripture Apps:** this folder contains all the subfolders related to Scripture App Builder data files.
3. **APK Output:** this folder is where SAB places your compiled APK files (the app installation files that need to be copied to a phone). You can open this folder by selecting **File ➤ View APK Output Folder**.
4. **App Projects:** SAB stores your app projects in this folder, with the subfolders named after each project. If you have a project selected in the Tree View, you can view its project folder by selecting **File ➤ View Project Folder**.



If you want to share your app project with someone else (i.e. someone who can help you test and find problems with your app), you'll need to give them your project folder and all it contains. They can copy it into their own App Projects folder, open it in SAB and use their own, temporary keystore to build, run and test your project. If audio files are necessary for your app and they are not stored in your project's audio subfolder, you will need to copy those separately.

G. <group names>: If you have created a group for your project files, the group folder will be at this level.

H. <project names>: Your project folders will be either at this level or underneath the <group name> folder, if appropriate.

- i. **<project name>.appDef**: For example, **My_NT_Bible_App.appDef**. This is your project's definition file—the file that stores most of the project's attributes.
 - ii. **<project name>_data**: For example: **My_NT_Bible_App_data**. This is the project's parent data folder. All the project's data items are in subfolders beneath.
- 5. **Audio**: Any audio files that are converted within SAB are placed here.
- 6. **Epub Output**: Any created Epub files are placed here.
- 7. **HTML Output**: If you use the Export to HTML feature, the output files will go here.
- 8. **IPA Output** (Mac only): If you are building apps for iOS, output files will be placed here. You can open this folder by selecting **File ➤ View IPA Output Folder**.
- 9. **Phrases**: Phrase list files generated as part of the text / audio synchronization process go here.
- 10. **PWA Output**: The output from the Build PWA function is placed here. *You can open this folder by selecting **File ➤ View PWA Output Folder**.*

21.2. Project-specific data folders

SAB project folders have the project definition file (**<project-name>.appDef**) and a parent data folder (**<project-name_data**). The following are explanations of the various project data subfolders:

- 1. **About**: several text files including the text of the About box, the expiry notice and the “audio not found” notice.
- 2. **Audio**: the audio files for your app. These are copied here from your source audio folder if you have selected **Copy files to app projects data folder** under the **Audio Files** section of **Tools ➤ Settings ➤ Files**.
- 3. **Books**: SAB stores your book files here in folders named after each book collection's ID.
- 4. **Contents**: the **Contents.xml** file that describes your contents menu structure and data, and an **images** subfolder for the contents menu images.
- 5. **Firebase**: if your project uses Firebase, the **google-services.json** file is placed here.
- 6. **Fonts**: the font files included with your app

7. **Images:** most of the images associated with your app in their respective sub-folders including illustrations, backgrounds, borders, menu, watermark and all the various sizes of icon files.
8. **Plans:** reading plan text files and their images.
9. **Publish:** all the Google Play Store listing data in its various subfolders and associated json files.
10. **Timings:** timing files for audio synchronization
11. **Verses:** the verses.txt file describing the verses of the day
12. **Video:** MP4s included in your app and video image stills.

21.3. Using SAB with Paratext files

If you use Send/Receive in Paratext 9 under Windows, your latest SFM Scripture files are normally found in the following folder:

C:\My Paratext 9 Projects\<project ID>.

You can now select books from your Paratext folder as part of the New App wizard. However, you can also add them directly from there at a later time. With either method, SAB will copy them into your project data folder (under the **Books\<Collection ID>** subfolder. If you do a Send / Receive and get updates, you will need to right-click the updated books in the SAB's project tree view (under the book collection name) and select **Update from Source**. Alternatively, select the file, select the **Book File** tab in the configuration area and click the **Update From Source** button.

22. Appendix 2: Useful App Builder SFM markers

22.1. Headings

- `\id` a unique, internal identifier for the book, not visible to the user.
- `\h` or `\toc2` the wording that appears in the book list selection menu
- `\toc3` the abbreviation that appears in the Book grid selection menu
- `\rem` Not displayed. Comment line for your use

22.2. Pages and Chapters

- `\c` or `\page` Used to separate material into different chapters or pages

22.3. Paragraphs

- `\s1` section header or for songs a song title
- `\b` a blank line
- `\p` a paragraph with indented first line
- `\pi` an indented paragraph with indented first line
- `\pc` a centered paragraph
- `\pmr` paragraph right aligned, Used for chords in song books
- `\m` a paragraph with no first line indent
- `\mi` an indented paragraph with no first line indent
- `\q1` used in songs for song verse, indented with first line hanging indent
- `\q2` used in songs for song chorus, more indented with first line hanging indent

22.4. Media

- `\video` Video ID
- `\img` File name of image to go at top of page (text scrolls independently) – used for story books
- `\fig filename.jpg\fig*` Used for inline picture insertion
- `\fig |filename.jpg| | |Caption here|\fig*` Used for inline picture with caption.
- `\fig DESC|FILE|SIZE|LOC|COPY|CAP|REF\fig*` Full specification from USFM reference.

22.5. Links to other books or audio files.

`[Hyperlink text](link location)` used for internal or external hyperlinks.

22.5.1. Examples

To link to a website:

`[this page](https://github.com/SILAsiaPub/AppBuilder-workaround/edit/master/RAB-cheat-sheet.md)` – this shows a “this page” link that links to the specified website

To link to a book chapter in the current collection:

[[go to Book Id B001 chapter 2 in app](#)](B001.2) – the book ID is B001

To link to a book chapter in a different collection:

[[go to collection C03 and book MAT Chapter 1](#)](C03.MAT.1) – the collection ID is C03 and book ID is MAT

To tap on a link to play a sound:

[[Play the sound](#)](audioclip.mp3) -- Tap on *Play the sound* to play the clip

To tap on an image to play a sound:

[[fig image.jpg](#) \fig*](audioclip.mp3) Tap on the jpg image to play a sound

22.6. Character markup

- [\bd](#) bolded words [\bd*](#) bold words
- [\it](#) italicised words [\it*](#) italicised words

23. Appendix 3: SAB body and text styles explanation

For more detailed explanations of styles including examples of formatted Scripture, see the [USFM documentation](#).

23.1. Body Styles

These apply to the page or box areas that contain text and images.

To modify this...	Adjust this style...
Display of page body – default body style that applies to all other body styles	body
Display of single or two-pane view page body – specific changes from default body style including page margins	body.single
Display of verse by verse view page body– specific changes from default body style including page margins	body.verse-by-verse
The About box	body.about
Scripture link popup box	body.scrpopup
Display of page for a story book including page margins	body.story
Glossary word popup box	body.glossary

23.2. Link Styles

To modify this...	Adjust this style...
The default link style. Other links are based on this style.	a:link
A link to a verse	a.verse-link
A link to an audio file	a.audio-link
A link to a website	a.web-link
A link to an email address	a.email-link
A link to a telephone number	a.tel-link
The text / audio synchronization highlight	highlighting

23.3. Number Styles

Most of these number styles relate directly to styles in the [USFM documentation](#).

To modify this...	Adjust this style...
Standard chapter #, above the first verse	div.c
Dropped chapter #, drop indented into first verses	div.c-drop
Chapter label – when chapter numbers are headings	div.cl
Verse number	span.v
The spacing after a verse number	span.vsp
An alternate verse number – for translations that need to show several versification systems	span.va
End of ayah marker	span.ayah

23.4. Heading Styles

Most of these header styles relate directly to styles in the [USFM documentation](#).

To modify this...	Adjust this style...
Section heading style 1	div.s
Section heading style 2	div.s2
Major section style 1 – e.g. Psalms Book One	div.ms
Major section style 2	div.ms2
Parallel passage reference (usually under a section heading)	div.r
Parallel passage reference link (color of the ref link)	div.r a
Reference after section heading style 1	div.s + div.r
Reference after section heading style 2	div.s2 + div.r
Section reference range – shows what verses this section applies to	div.sr
Major section reference, used after major section	div.mr
Inline quotation reference (e.g. for OT passage quoted in NT)	span.rq
Descriptive title – used in Psalms under Psalm title	div.d
Speaker identification – used to identify speaker in books of Job and Song of Songs (Solomon)	div.sp
Major Title 1 – most important part of title e.g. ACTS	div.mt
Major Title 2 – subordinate part of title e.g. of the Apostles	div.mt2

Major Title 3 – subordinate part of title	div.mt3
Major Title 4 – subordinate part of title	div.mt4
Major Title at ending 1 – most important part of ending title e.g. JOHN	div.mte
Major Title at ending 2 – subordinate part of ending title e.g. The End of the Gospel of	div.mte2
Major Title at ending 3 – subordinate part of ending title	div.mte3

23.5. Paragraph Styles

Most of these paragraph styles relate directly to styles in the [USFM documentation](#).

To modify this...	Adjust this style...
Default normal paragraph style	div.p
Continuation (margin) paragraph with no indent	div.m
Opening of an epistle	div.po
Closing of an epistle – usually right aligned	div.cls
Centered paragraph	div.pc
Embedded text opening – e.g. used for a note or letter within the text	div.pmo
Embedded text paragraph	div.pm
Embedded text closing salutation	div.pmc
Embedded text refrain	div.pmr
Right-aligned paragraph	div.pr
Indented paragraph style 1	div.pi
Indented paragraph style 2	div.pi2
Indented flush left paragraph style – no first line indent	div.mi
Liturgical note	div.lit

23.6. Poetry Styles

Most of these poetry styles relate directly to styles in the [USFM documentation](#).

To modify this...	Adjust this style...
Poetry line 1 – default attributes for line style 1	div.q
Poetry line 1 single digit number style	div.q-v
Poetry line 1 double digit number style	div.q-vv
Poetry line 2 – default attributes for line style 1	div.q2
Poetry line 2 single digit number style	div.q2-v
Poetry line 2 double digit number style	div.q2-vv
Poetry line 3 – default attributes for line style 1	div.q3
Poetry line 3 single digit number style	div.q3-v
Poetry line 3 double digit number style	div.q3-vv
Poetry line 4 – default attributes for line style 1	div.q4
Poetry line 4 single digit number style	div.q4-v
Poetry line 4 double digit number style	div.q4-vv
Poetry line centered	div.qc

Poetry line right	div.qr
Embedded text poetic line 1 – when someone quotes a poem	div.qm
Embedded text poetic line 1 – when someone quotes a poem	div.qm2
Acrostic Heading – Hebrew letter e.g. Aleph	div.qa
Hebrew note – e.g. musical direction at the end of a Psalm	div.qd
Selah	span.qs
Acrostic within a line of text	span.qac
Blank line	div.b
Semantic division between sections of text 1	div.sd
Semantic division between sections of text 2	div.sd2
Extra spacing at top of a list or poetry	div.top-spacing

23.7. List Styles

These are used for numbered lists in a text block. Most of these list styles relate directly to styles in the [USFM documentation](#).

To modify this...	Adjust this style...
An optional header line for the list	div.lh
List level 1 formatting including background	div.li
Single-digit list number formatting for a list level 1?	div.li-v
Double-digit list number formatting for a list level 1?	div.li-vv
List level 2 formatting including background	div.li2
Single-digit list number formatting for a list level 2?	div.li2-v
Double-digit list number formatting for a list level 2?	div.li2-vv
List level 3 formatting including background	div.li3
A optional footer line for the list	

23.8. Special Text Styles

These are used for the various formatting requirements for specialized text forms in Bible translations. Most of these styles relate directly to the **Words and Characters > Special Text** styles in the [USFM documentation](#). They are all “span” styles, meaning that both a leading and trailing marker are needed to define the span of the formatting.

For example:

span.wj refers to Jesus’ spoken words, usually written in red in some translations. To define a section as Jesus’ words, you would need the **\wj** and **\wj*** markers around the text: **\wj I am the Way, the Truth and the Life. \wj***

Change the **span.wj** style to affect how the text between the markers appears.

23.9. Formatting Styles

These are used for the various standard formatting requirements for text sections. Most of these styles relate directly to the **Words and Characters > Character Styling** styles in

the [USFM documentation](#). They are all “span” styles, meaning that both a leading and trailing marker are needed to define the extent of the formatting.

For example:

span.it refers to words written in italics. To define a text section in italics, you would need the `\it` and `\it*` markers around the text: `\it This is in italics \it*`

Change the **span.it** style to affect how the text between the markers appears.

23.10. Footnotes Styles

These are used for the various standard formatting requirements for footnotes. Most of these styles relate directly to the **Footnotes** and **Footnote > Footnote Content Elements** styles in the [USFM documentation](#).

To modify this...	Adjust this style...
The footnote popup body including background color	body.footnote

23.11. Cross Reference Styles

These are used for the various standard formatting requirements for cross references. Most of these styles relate directly to the **Cross References** and **Cross References > Cross Reference Content Elements** styles in the [USFM documentation](#). One extra style is `body.crossref` as shown below.

To modify this...	Adjust this style...
The cross reference popup body including background color	body.crossref

For the reference popup title, and actual reference background, see [Footer Styles \(with reference styles\)](#).

23.12. Illustrations and Video Styles

These are used for formatting the parts of the app screen used for displaying images or videos. This includes formatting the captions and video titles.

To modify this...	Adjust this style...
The general placement of the image within the image block	span.image
The block around the image, including padding margins	div.image-block
The block around the caption, including padding margins	div.caption
The general placement of the caption (and text style) within the caption block	span.caption
The block around the video, including padding margins	div.video-block

To modify this...	Adjust this style...
Placement and style of the video title (title of video if added)	span.video-title
The block around the video title, including padding margins	div.video-title

23.13. Introduction Styles

These are used for the various standard formatting requirements for introductions. Most of these styles relate directly to the **Introductions** styles in the [USFM documentation](#).

23.14. Study Bible Styles

These are used for the various formatting requirements for [study Bible notes](#), defined using \im and \ip markers. Turning on the notes feature causes a horizontal block to be displayed with a title and + symbol for expanding the block.

To modify this...	Adjust this style...
The general placement of the study notes block including padding margins.	.study-bible-block
The study notes horizontal block displaying the title.	.study-bible-heading
The study notes horizontal block when selected.	.study-bible-heading:hover
The study notes expanded display of content including background.	.study-bible-content

23.15. Table Styles

These are used for the various standard formatting requirements for tables. Most of these styles relate directly to the **Tables** styles in the [USFM documentation](#).

23.16. Formatted Block Styles

These can be used for providing a shaded background to a section of text. To specify the start and end of the shaded section, use the \zblock# ... \zblocke markers. There are currently four block styles available. For example:

\zblock1

\v 1 In the beginning was the Word, and the Word was with God, and the Word was God.

\v 2 He was with God in the beginning.

\v 3 Through him all things were made; without him nothing was made that has been made.

\zblocke

To modify this...	Adjust this style...
The padding and background color for formatted block style 1	div.block1
The padding and background color for formatted block style 2	div.block2
The padding and background color for formatted block style 3	div.block3
The padding and background color for formatted block style 4	div.block4

23.17. Highlighter Pen Styles

These are used for the five highlighter pen color choices displayed when a verse is selected and **Engagement** > **Annotations** > **Highlighting** is turned on in the app.

To modify this...	Adjust this style...
Highlight background and text color for highlighter pen 1.	div.hlp1
Highlight background and text color for highlighter pen 2.	div.hlp2
Highlight background and text color for highlighter pen 3.	div.hlp3
Highlight background and text color for highlighter pen 4.	div.hlp4
Highlight background and text color for highlighter pen 5.	div.hlp5
The visual formatting of selected text	div.selected

23.18. Footer Styles (with reference styles)

These are used for the various standard formatting requirements for footers, specified under the <Collection Name> > **Footer** tab.

To modify this...	Adjust this style...
The footer box including padding	div.footer
Not sure	div.footer-line
The actual footer text including its color and background color.	span.footer
The footer box background	div.footer-pane2
The reference popup title	span.ref
The reference background and text style	span.reflink

23.19. Contents Menu Styles

These are used for the various **Navigation** ➤ **Contents** menu elements.

To modify this...	Adjust this style...
The contents page including padding and overall background. Set direction to RTL for right-to-left	body.contents
An individual contents menu item's inset rectangular area containing both the image and titles, no matter what the item links to. This effects all menu items.	div.contents-item-block
The total block area containing a contents menu heading item	div.contents-heading-block
The area containing just the menu item's text, including background and text style	div.contents-text-block
The total area of a menu item that goes directly to a book	div.contents-link-ref
The total area of a menu item that goes directly to another menu screen	div.contents-link-screen
Not sure	a.contents-link :hover
The location of the image block. Set "float" to "right" to have the image on the right.	div.contents-image-block
Set the overall percentage of what the images width is set to in the contents settings tab. i.e. if the contents settings' image width is set to 40% and img.contents-image width is 80%, image width will be 80% of 40%	img.contents-image
The text attributes for just the contents menu item's subtitle	div.contents-title
The text attributes for just the contents menu item's title	div.contents-subtitle
The text attributes for just the contents menu item's reference text	div.contents-ref
The text attributes for just a contents menu heading item's title	div.contents-heading-title
The text attributes for just a contents menu heading item's subtitle	div.contents-heading-subtitle

23.20. Layout Styles

These are used for formatting the various panes under **Books** ➤ **Layouts**.

To modify this...	Adjust this text style...
Background of the whole layout page	body.layout

Layout type title (e.g. "single pane", "two-pane")	div.layout-title
Layout item number and background for dual pane and interlinear views	div.layout-subtitle
Margin before first item in the list	div.layout-subtitle-first
Layout book collection name whole block	div.layout-item-block
Layout book collection name selection	div.layout-item-selected
Layout book collection name text block	div.layout-text-block
Not sure	div.layout-image-block
Not sure	image.layout-image
Layout book collection name text	div.layout-item-name
Layout book collection description text	div.layout-item-description
Position of dropdown arrow for collection selection	div.layout-dropdown-right
Position of dropdown arrow for collection selection	div.layout-dropdown-left

23.21. Verse by Verse / Interlinear Pane Styles

These are used for formatting the verse by verse pane under **Books > Layouts**. Verse by verse breaks the text into individual verses with up to two other translations displayed per verse in an interlinear format. Translation (or language) 1 is the current main language for the book collection. Translation (or language) 2 is the first extra language to be displayed. Translation (or language) 3 is the second extra language. Note the difference in numbering, therefore, in the style names.

To modify this...	Adjust this text style...
Not sure	div.verse-block
Position of 2 nd and 3 rd verse texts	div.verse-by-verse-block
Spacing between verses	div.verse-by-verse-verse
Text formatting for 2 nd verse text	div.verse-by-verse-1
Text formatting for 3 rd verse text	div.verse-by-verse-2

23.22. Annotations Styles

These are used for formatting elements of the Notes and Bookmarks features, including the position of the icons and the appearance of the Notes and Bookmarks lists under the navigation drawer menu.

To modify this...	Adjust this text style...
Body of notes page that displays lists of notes	body.annotations
Body of the notes entry page	body.annotation-note
Rectangular block holding an individual note (including note background)	div.annotation-item-block
Not sure	div.annotation-item-color

Position of note icon within a note (margins etc.)	div.annotation-item-icon
The block holding the 3-dot menu including height, width and background color	div.annotation-item-menu
The verse reference in each note	div.annotation-item-reference
Formatting of the note text itself	div.annotation-item-text
Not sure	div.annotation-item-title
Formatting for the note's date text	div.annotation-item-date
Not sure	div.annotation-edit-button
Positioning of note icon image	img.annotation-note
Positioning of bookmark icon image	img.annotation-bookmark
Formatting of text for main title of message when there are no notes ("You do not have any notes.")	div.annotation-message-none
Formatting of text for subtitle of message when there are no notes ("To add one, tap...")	div.annotation-message-none-info

23.23. History Styles

These are used for formatting elements of the History list under the navigation drawer menu. The History shows a list of the last book and chapter accessed, including the book collection name and the date.

To modify this...	Adjust this text style...
Body of the history page that displays lists of history items	body.history
Rectangular block holding an individual history item	div.history-item-block
The book collection of the history item	div.history-item-book-collection
The verse reference in each item	div.history-item-reference
The date reference in each item	div.history-item-date
Formatting of text for main title of message when there are no history items ("There is no history.")	div.history-message-none
Formatting of text for subtitle of message when there is no history ("Items will be added here...")	div.history-message-none-info

23.24. Downloads Styles

These are used for formatting the download manager screen. These are not currently in use.

To modify this...	Adjust this text style...
	body.downloads

	div.download-title
	div.download-select-all-items
	div.download-checkbox
	div.download-item
	div.download-item-name
	div.download-item-info
	div.download-item-progress
	div.download-item-progress-bar
	div.download-item-selected

23.25. Reading Plan Styles

These are used for formatting the various aspects of reading plans.

To modify this...	Adjust this text style...
The entire background of the plan chooser screen	body.plan-chooser
The entire background of each plan's details tab (when a plan is selected)	body.plan-details
The entire background of each plan's days tab (when a plan is selected)	body.plan-day
The whole block for each plan chooser item including its image and text	div.plan-chooser-plan
The block containing the image. Set float to right to have image on right side	div.plan-image-block
Actual percentage size of image within the image block	img.plan-image
Title formatting for each plan on the chooser page	div.plan-chooser-title
Number of days formatting for each plan on the chooser page	div.plan-chooser-days
Formatting of plan title on the plan's details tab	div.plan-title
Formatting of plan description on the plan's details tab	div.plan-description
Formatting of text current state and start date	div.plan-state-and-date
Extra formatting for both title and number of days text on chooser page	a.plan-chooser-link
	a.plan-chooser-link :hover
The screen-width background for the daily reading items and boxes	div.plan-items
The block containing the daily reading items and checkboxes	table.plan-items-table
The block containing the daily reading items and checkboxes for RTL languages	table.plan-items-table-rtl

Formatting of text when plan completed	div.plan-item-completed
	div.plan-items-empty
Formatting of text for a Scripture reference item	span.plan-item-reference
	span.plan-item-notes
Formatting of text for heading fields	div.plan-item-heading
	td.plan-item-title-rtl
Scripture reference checkbox	td.plan-item-checkbox
The active day box / tab	div.plan-day-box-selected
A non-active box / tab	div.plan-day-box-unselected
	div.plan-day-box-empty
Formatting of day box day of the week	div.plan-day-box-weekday
Formatting of day box day number	div.plan-day-box-number
Formatting of day box month	div.plan-day-box-month
The plan setup buttons (Continue, Next...)	div.plan-button
Plan configuration (settings) background	body.plan-config
Plan configuration informational text above the configuration buttons	div.plan-config-info
Plan configuration (settings) buttons	div.plan-config-button
Plan progress explanation at bottom of the scripture portion read	div.plan-progress-block
	div.plan-progress-title
Plan progress text: “you have read”	div.plan-progress-info
Plan progress text—Scripture reference	div.plan-progress-reference
Plan progress button to “see plan”	div.plan-progress-button
Initial and subsequent plan setup page body	body.plan-setup
Text formatting for plan setup questions	div.plan-setup-question
Block formatting for an individual plan setup answer	div.plan-setup-answer
Block formatting for the whole background for the plan setup answers	div.plan-setup-answers
Formatting for radio buttons for Left to Right layouts	div.plan-setup-answer-radio-left
Formatting for radio buttons for Right to Left layouts	div.plan-setup-answer-radio-right
Text formatting for an individual plan setup answer	div.plan-setup-answer-name
Text formatting for a centered setup answer (e.g. the time of day field)	div.plan-setup-answer-center
Text formatting for starting Date field for setup	div.plan-setup-answer-date
Background of time of day field in setup	div.plan-setup-answer-time
Title of message at end of setup	div.plan-setup-title
Message at end of setup	div.plan-setup-message

23.26. Search Results Styles

These are used for formatting the various aspects of the search function.

To modify this...	Adjust this text style...
The entire background of the search results screen	body.search-results
	div.search-result-block
	div.search-result-reference
	div.search-result-context

23.27. Quiz Styles

These are used for formatting the various aspects of quizzes.

To modify this...	Adjust this style...
The entire background of a quiz page	body.quiz
The quiz question number including the background of the block it's contained in	div.quiz-question-number
Formatting for the quiz question	div.quiz-question
Positioning of the question image (if any)	img.quiz-question-image
Formatting for the quiz answer	div.quiz-answer
The formatting of an answer explanation	div.quiz-answer-explanation
The block for the quiz score	div.quiz-score-block
The actual quiz score and background	span.quiz-score
The text displayed before (above) the quiz score ("you have received a score of...")	div.quiz-score-before
The text displayed after (below) the quiz score stating the total number of questions	div.quiz-score-after
	div.quiz-score-commentary
Name of the quiz if protected by a lock code on the code entry screen	div.quiz-keypad-title
Message on the code entry screen	div.quiz-keypad-message
For the "quiz locked" message screen, the name of the quiz that is locked	div.quiz-locked-title
The message saying that the user needs to pass a different quiz	div.quiz-locked-message
The name of quiz that has to be passed first	div.quiz-locked-name

23.28. AI Assistant Styles

These are used for formatting the various aspects of the AI assistant.

To modify this...	Adjust this style...
Information about these styles coming soon...	body.assistant-tasks
	body.assistant-response
	div.assistant-reference
	div.assistant-heading
	div.assistant-message
	div.assistant-task
	div.assistant-task-color-1
	div.assistant-task-color-2
	div.assistant-task-color-3
	div.assistant-task-color-4
	div.assistant-response
	div.assistant-response-p
	div.assistant-response-h1
	div.assistant-response-h2
	div.assistant-response-h3
	div.assistant-response-h4
	div.assistant-response-bq
	div.assistant-footer
	div.assistant-button

23.29. Settings Styles

These are used for formatting the various aspects of the settings menu.

To modify this...	Adjust this style...
Formatting and background for the overall settings screen	body.settings
	body.settings-list
Formatting for the category items text (e.g. "Text Display")	div.settings-category
Overall padding for an individual settings item	div.settings-item
The thin line separating settings items	div.settings-separator
Formatting for the settings items' titles	div.settings-title
The text for each settings' current state or explanation	div.settings-summary
Position and size of a checkbox on the right	div.settings-checkbox-right
Position and size of a checkbox on the left	div.settings-checkbox-left
For settings with a choice of options, the title of the option list	div.settings-list-title
For settings with a choice of options, the background block of a single option	div.settings-list-entry
The format of a list option's text	div.settings-list-entry-name

Position and size of a left-side radio button in the options list	div.settings-radio-left
Position and size of a right-side radio button in the options list	div.settings-radio-right

23.30. Message Box Styles

These are used for formatting the various aspects of message boxes.

To modify this...	Adjust this style...
Information about these styles coming soon...	

23.31. Onboarding Screens Styles

These are used for formatting the various aspects of the onboarding screens.

To modify this...	Adjust this style...
The margin and background of the top text area	div.onboarding-top-text
The style of the top text title	div.onboarding-top-text-title
The style of the top text subtitle	div.onboarding-top-text-subtitle
The margin and background of the bottom text area	div.onboarding-bottom-text
The style of the bottom text title	div.onboarding- bottom -text-title
The style of the bottom text subtitle	div.onboarding- bottom -text-subtitle

23.32. User Accounts Styles

These are used for formatting the various aspects of the user accounts settings.

To modify this...	Adjust this style...
Information about these styles coming soon...	