

Keying chart for Gurmukhi WinScript

ਅ a	ਆ A	ਇ i	ਈ I	ਉ u	ਊ U	
ਏ e	ਐ E	ਓ o	ਔ O	ਅੰ aM	ਅੰ aS	ਅ: a:
ਕ k	ਕਾ kA	ਕਿ ki	ਕੀ kI	ਕੁ ku	ਕੂ kU	
ਕੇ ke	ਕੈ kE	ਕੋ ko	ਕੌ kO	ਕਾਂ kM	ਕਾਂ kS	ਕ: k:
ਕ k	ਖ K	ਗ g	ਘ G	ਙ W	ਕ਼ kq	ਖ਼ Kq
ਚ c	ਛ C	ਜ j	ਝ J	ਞ w	ਨਜ਼ nxy	ਜ਼ jq
ਟ f	ਠ F	ਡ [ਢ {	ਣ N	ਡ਼ [q	ਟ਼ fxf
ਤ t	ਥ T	ਦ d	ਧ D	ਨ n	ਤੁ txt	ਦੁ dxv
ਪ p	ਫ P	ਬ b	ਭ B	ਮ m	ਦੁ pxp	ਬ਼ bxb
ਯ y	ਰ r	ਲ l	ਵ v	ਰੁ ru	ਰੂ rU	ਰ਼ rxk
ਸ਼ z	ਸ s	ਹ h		ਰ਼ txr	ਜ਼ jxw	ਕ਼ kxr
ਫ਼ Pq						

Conjunct characters:

A simple conjunct is typed by pressing **[x]** between the consonants.

e.g. **[n][x][n]** → ਨ੍ਹ

A joined conjunct is typed by pressing **[x][x]** between the consonants.

e.g. **[n][x][x][n]** → ਨ੍ਹਨ

A non-joined conjunct is typed by pressing **[shift x]** between the consonants.

e.g. **[n][shift x][n]** → ਨ੍ਹਨ

Alternative: To change one type of conjunct to another, press the backtick **[`]** key after it.

e.g. ਨ੍ਹ **[`]** → ਨ੍ਹਨ

Dependent/Independent Vowels:

The keyboard will normally produce independent vowels, except after consonants, when it will produce dependent vowels.

e.g. **[i]** → ਏ **[g][i]** → ਗਿ

To force an independent vowel after a consonant, press **[a]** after the consonant.

e.g. **[g][a][i]** → ਗਏ

Alternative: To change one type of vowel to the other, press the backtick **[`]** key after it.

e.g. ਗਿ **[`]** → ਗਏ **[`]** → ਗਿ

Alternate forms:

In addition to altering conjuncts and vowels, the backtick **[`]** key can produce changes like these:

e.g. **[੪][`]** → 4 toggle digits: script ⇌ roman

["]][`] → " toggle smart quotes on/off

Alternate characters:

Various related characters can be obtained by pressing the same key again without pausing.

e.g. **[n]** → ਨ **[n]** → ਣ **[n]** → ਵ **[n]** → ਙ

If you actually want a sequence of the character, either pause or press **[a]** in between.

e.g. **[n][n]** → ਨਨ **[n][a][n]** → ਨਾਨ

Smart Quotes:

Press the single quote **[']** or double quote **["]** key again to switch between left and right smart quotes. e.g. **["]]["]** → "

Brackets:

Press the open or close parenthesis key up to 3 more times to obtain alternative forms of bracketing.

e.g. **([([([** → **([([([** → **([([([**

Note to Advanced Users:

If you need an independent ZWJ or ZWNJ character (very rare), type **[space]** followed by **[x]** or **[shift x]** respectively.

Gurmukhi WinScript Layout

~ `	! १	@ २	# ३	\$ ४	% ५	^ ६	& ७	* ८	(९) ०	-	+	← Backspace	
Tab ↔	Q ਼	W ਵ	E ਐ	R ਰ	T ਥ	Y ਯ	U ਊ	I ਈ	O ਔ	P ਫ	{ ਢ	}	 ।	
Caps Lock ⬆	A ਆ	S ਼	D ਧ	F ਠ	G ਘ	H ਃ	J ਝ	K ਖ	L ਲ	:	"	Enter ⬇		
Shift ⬆	Z ਸ਼	X ਖ਼	C ਚ	V ਵ	B ਭ	N ਨ	M ਮ	< ,	> .	?	Shift ⬆			
Ctrl	Win Key	Alt									Alt	Win Key	Menu	Ctrl