



MENU (https://login.sapo.pt/Login.do?to=https%3A%2F%2Fux.sapo.pt%2Fchecklists%2Faccessibilidade%2F)
MAIL (HTTPS://MAIL.SAPO.PT/LOGIN?)
LOGIN (https://login.sapo.pt/login.do?to=https%3A%2F%2Fux.sapo.pt%2Fchecklists%2Faccessibilidade%2F)
LOGOUT (https://ux.sapo.pt/logout.do?to=https%3A%2F%2Fux.sapo.pt%2Fchecklists%2Faccessibilidade%2F)
NEWSPAPERS (HTTPS://SAPO.PT/NOTICIAS/JORNAIS?utm_source=bsu&utm_medium=web&utm_campaign=bsu_logo&utm_content=ux)
UTM_SOURCE=BSU&UTM_MEDIUM=WEB&UTM_CAMPAIGN=BSU_MAINMENU&UTM_CONTENT=UX.SAPO.PT)



CHECKLIST FROM CHECKPOINTS OF:

Accessibility

The accessibility checklist consists of a set of checkpoints that can be done at any time, whether in the development phase of your website or in an optimization to improve accessibility on an existing website.

Most of the points relate to minor changes to HTML, so they won't have a major visual impact on the look and feel of your website. Only themes related to colors, contrasts and increased clickable areas may involve some visual changes.

Non-textual elements

☒ All images have alt text (alt)

All images must have the "alt" attribute. Alternative text should be used whenever the image conveys something relevant to the content. The text should be brief and noticeable. In images that don't add relevant information (e.g., an image of a soccer ball in a soccer article), the "alt" attribute must exist, but in this case it must be empty; e.g., alt="".

☒ Non-text items have an alternative text version

All images, illustrations, or other non-textual elements must have a way of being readable. This can be done through the "alt" attribute on images, but also through other techniques that always allow you to show an alternative version of the same content.

☒ Images containing blocks of text are not used

Images should never be used to show blocks of text. All text blocks must be in text format and never inside an image. Not only does this increase the page weight several times, it makes that content invisible to anyone who needs to use assistive technologies.

Forms

☐ All form fields have an associated <label>

All padding fields (input, select, textarea, etc) must have an associated label. Labels allow the field title to be clickable, increasing the clickable zone in checkboxes and radio buttons and making the form easier to read using assistive technologies (e.g., screen-reader). To associate a label with a field, simply match the label's "for" attribute to the input's "id", e.g.:

```
<label for="name">Name: </label><input id="name" type="text" /> or
```

```
<label>Name: <input id="name" type="text" /></label>
```

- ☐ **<fieldset> and <legend> are used to group the various fields in the forms**
Fieldsets should be used to create groups of fields and better organize forms. Each group can (and should) have a title, through the <legend> tag.
- ☒ **Forms are submitted via input/button and not through links and JavaScript**
All forms must work natively, that is, through the submit button. Forms can never rely solely on JavaScript to work.
- ☒ **Errors in forms are indicated in text and next to the field containing the error**
Error messages should be indicated next to the fields containing the error and not just at the top or bottom of the form. This allows errors to be better contextualized and helps us understand where users need to correct them.

Use of color and flashing elements

- ☒ **Not only color is used to convey information**
You should never just use color to convey some information. Along with color, other elements must be used that can convey the intended information. For example, in error messages, do not use red feathers. The color must be accompanied by an icon or other element that allows you to recognize what type of message it is.
- ☒ **There are no elements that flicker or change colors repeatedly**
Do not use elements that cause the page to blink or change color at frequencies above 2Hz and below 55Hz (1Hz = 1 rotation/oscillation/image per second) Five percent of epileptics are photosensitive and may have attacks caused by certain frequencies of blinking elements.

Navigation

- ☒ **Shortcuts are provided to skip repetitive links**
At the top of the pages there should be a link (which may be hidden) that allows you to jump directly to the content, so that users who need assistive technology (e.g. screen readers) do not have to navigate through all the menu links until they finally reach the content, on all pages.
- ☒ **The <title> of the pages is clear, direct and noticeable and is closely related to their content**
Headings are used by search engines to identify pages. If there is more than one page with the same title, they cannot be differentiated from each other by users or the browser's Favorites functionality. If the user bookmarks a page, they should not have to add or change the page title manually.
To avoid confusion, the page title should be similar to the title of existing content on the page.
- ☐ **The site is navigable using only the keyboard**
Keyboard navigation is a very important point in the accessibility of a website. Therefore, the outline of the links in the :hover effect should not be removed. Additionally, all :hover effects must also be duplicated for :focus.

A SUA PONTUAÇÃO: 15/18 🍷

Semantics and Readability

✓ The content is structured in a semantic way

The use of headers (`<h1>`, `<h2>`, `<h3>`, ...), paragraphs (`<p>`) and lists (`<ul>`, `<ol>`) serves to structure the content on the page semantically and gives meaning to the text. It allows you to create a hierarchical level between contents that makes sense when read without styles (CSS). The way in which contents are presented must follow a direct hierarchy from the most important item to the least important item. Hierarchical levels cannot be skipped:

✓ The language of the page is indicated in the HTML

Screen readers need to know what language the page is written in to adapt how they will read the content. For example, if the page is in Portuguese and the language isn't defined in the HTML, the screen reader will use an English reader to read Portuguese text, making it imperceptible. This is as simple as adding the `lang="pt-PT"` attribute to the `<html>` tag

✓ Tables have `<th>` headers defined

Row or column headers should be used to clearly identify the contents of a table. By using these headers it becomes easier to see what the row or column headings are and helps to better understand the information. For users with screen readers, these heads help match how the text will be read (e.g., title » data) rather than reading the table indiscriminately from left to right or top to bottom:

✓ The site works with images disabled

By disabling images in the browser, the site should be able to continue to be navigable and read smoothly:

✓ The site is readable and navigable with CSS disabled

By disabling CSS, we should be able to continue browsing and reading website content without any problems

✓ The site is readable by increasing the text 2 times

By increasing the text by at least 2x the site should not leave (the texts must continue to be readable, and the menus navigable):

📌 Share ([//www.facebook.com/sharer/sharer.php?](https://www.facebook.com/sharer/sharer.php?u=https://ux.sapo.pt/checklists/acessibilidade/&t=Checklist%20de%20Acessibilidade%20-%20SAPO%20UX)

[u=https://ux.sapo.pt/checklists/acessibilidade/](https://ux.sapo.pt/checklists/acessibilidade/)&t=Checklist de Acessibilidade - SAPO UX)

🐦 Twit ([//twitter.com/share?](https://twitter.com/share?url=https://ux.sapo.pt/checklists/acessibilidade/&via=sapo_ux&text=Checklist%20de%20Acessibilidade%20-%20SAPO%20UX)

[url=https://ux.sapo.pt/checklists/acessibilidade/](https://ux.sapo.pt/checklists/acessibilidade/)&via=sapo_ux&text=Checklist de Acessibilidade - SAPO UX)

🍻 +1 ([//plus.google.com/share?](https://plus.google.com/share?url=https://ux.sapo.pt/checklists/acessibilidade/)

[url=https://ux.sapo.pt/checklists/acessibilidade/](https://ux.sapo.pt/checklists/acessibilidade/))