

husky Mac/Linux Build Status Windows Build status

Git hooks made easy

Husky can prevent bad git commit, git push and more 😾 woof!

You're viewing the documentation for the next version of husky, click here if you prefer to view docs for the stable version (v0.14.3)

Install

```
npm install husky@next --save-dev
```

```
// package.json
{
    "husky": {
        "hooks": {
            "pre-commit": "npm test",
            "pre-push": "npm test",
            "...": "..."
        }
}
```

```
git commit -m 'Keep calm and commit'
```

Check documentation for more.

Uninstall

```
npm uninstall husky
```

Upgrading from 0.14

If you're upgrading from 0.14, simply move your hooks to husky.hooks:

Or run the following command which will do the same automatically for you;)

```
./node_modules/.bin/husky-upgrade
```

Alternatively, you can also use any of the files/formats that are supported by cosmiconfig. This means that you can place your husky hooks config in a huskyrc file or export them from a husky.config.js file as well. Cosmiconfig supports js,

json, and yaml file formats.

Features

- · Keeps existing user hooks
- · Supports GUI Git clients
- Supports all Git hooks (pre-commit, pre-push, ...)
- Auto-migrates Git hooks installed by ghooks

Used by

- jQuery
- babel
- create-react-app
- Next.js
- Hyper
- Kibana
- JSON Server
- Hotel
- ... and 21k+ other awesome repos 🞉

See also

- pkg-ok Prevents publishing a module with bad paths or incorrect line endings
- please-upgrade-node Show a message to upgrade Node instead of a stacktrace in your CLIs
- react-fake-props Fake props for your React tests

License

MIT - Typicode 🌵 - Patreon