Akatab - Font Features

Akatab is an OpenType-enabled font family that supports the Tifinagh script. It includes a number of optional features that may be useful or required for particular uses or languages. This document lists all the available features.

These OpenType features are primarily specified using four-letter tags (e.g. 'cv17'), although some applications may provide a direct way to control certain common features such as ligatures. For more information on how to access OpenType features in specific environments and applications, see Using Font Features.

This page uses web fonts (WOFF2) to demonstrate font features and should display correctly in all modern browsers. For a more concise example of how to use Akatab as a web font see Akatab Webfont Example. For detailed information see Using SIL Fonts on Web Pages.

If this document is not displaying correctly a PDF version is also provided in the documentation/pdf folder of the release package.

Complete feature list

Character variants

Alternate YA

Affects: U+2D30

Feature	Sample	Feature setting
Standard	•	cv01=0
Circle	o	cv01=1

Alternate YAF

Affects: U+2D3C

Feature	Sample	Feature setting
Standard	30	cv02=0
I-shape	I	cv02=1
Open top and bottom	H	cv02=2

Alternate YAGHH

Feature	Sample	Feature setting
Standard	X	cv03=0
Round bottom	8	cv03=1

Alternate YAGN

Affects: U+2D50

Feature	Sample	Feature setting
Standard	‡	cv04=0
Lowered bottom stroke	‡	cv04=1

Alternate YU

Affects: U+2D53

Feature	Sample	Feature setting
Standard	:	cv05=0
Short strokes	=	cv05=1

Alternate YAZ

Affects: U+2D63

Feature	Sample	Feature setting
Standard	*	cv06=0
Squared	#	cv06=1

Alternate AHAGGAR YAZH

Affects: U+2D4B

Feature	Sample	Feature setting
Standard	X	cv07=0
Squared	X	cv07=1

Alternate YAB

Affects: U+2D31

Feature	Sample	Feature setting
Standard	θ	cv08=0
Rectangle style	В	cv08=1

Alternate YAG

Feature	Sample	Feature setting
Standard	X	cv09=0
Rounded top	8	cv09=1

Alternate YAJ

Affects: U+2D36

Feature	Sample	Feature setting
Standard	Ϊ	cv10=0
Lower dots	Ţ.	cv10=1

Alternate YAH (Tuareg yab)

Affects: U+2D40

Feature	Sample	Feature setting
Standard	Φ	cv11=0
Rectangle style	0	cv11=1

Alternate YASH

Affects: U+2D5B

Feature	Sample	Feature setting
Standard	c	cv12=0
8 shape	8	cv12=1

Alternate YATT

Affects: U+2D5F

Feature	Sample	Feature setting
Standard	Æ	cv13=0
F shape	F	cv13=1

Alternate YADH

Affects: U+2D38

Feature	Sample	Feature setting
Standard	V	cv15=0
Rounded bottom	V	cv15=1

Alternate YAL and YAL

Affects: U+2D4D U+2D4F

Feature	Sample	Feature setting
Standard	1,1 1,1 11,11 11,11	cv19=0
Slanted	1/1 1/1 11/11 11/11	cv19=1

Alternate punctuation

Affects: U+0021 U+002C U+002E

Feature	Sample	Feature setting
Standard Latin	!,.	cv20=0
Decorative	♦ ₩ ■	cv20=1

Ligature variants

Alternate YAB YAT

Affects: U+2D31 U+2D5C

Feature	Sample	Feature setting
Standard	⊖+	cv31=0
Interior T	Θ	cv31=1

Alternate YAR YAT

Affects: U+2D54 U+2D5C

Feature	Sample	Feature setting
Standard	O+	cv32=0
Large interior T	⊕	cv32=1
Small interior T	Θ	cv32=2

Alternate YAS YAT

Affects: U+2D59 U+2D5C

Feature	Sample	Feature setting
Standard	O +	cv33=0
Large interior T lower dot	\oplus	cv33=1
Small interior T	⊕	cv33=2
Large interior T upper dot	<u>O</u> +	cv33=3

Alternate YAM YAT

Affects: U+2D4E U+2D5C

Feature	Sample	Feature setting
Standard	С ₊	cv34=0
Mid exterior T	Ð	cv34=1
Low interior T	Ð	cv34=2
Center T	Ð	cv34=3

Alternate YAF YAT

Affects: U+2D3C U+2D5C

Feature	Sample	Feature setting
Standard	34,	cv35=0
Single bar, middle exterior T	ŀ	cv02=1
Double bar, middle exterior T	J 6	cv35=1
Single bar, middle interior T	Ŧ	cv35=2
Open top & bottom, interior T	¥	cv35=3

Alternate YAN TUAREG YAK

Affects: U+2D4F U+2D3E

Feature	Sample	Feature setting
Standard	Î	cv36=0
Double cluster dots	į	cv36=1

Alternate YAN YAT

Affects: U+2D4F U+2D5C

Feature	Sample	Feature setting
Standard	 	cv37=0
Side bar	F	cv37=1
Top bar	Т	cv37=2

Alternate YAL YAT

Affects: U+2D4D U+2D5C

Feature	Sample	Feature setting
Standard	+	cv38=0
Internal T		cv38=1

Feature	Sample	Feature setting
	H	
Middle bar	#	cv38=2
X shape	X	cv38=3

Alternate YU YAT (WT)

Affects: U+2D53 U+2D5C

Feature	Sample	Feature setting
Standard	:1	cv39=0
Left short strokes	:1	cv05=1
Tall T, left dots	1	cv39=1
Tall T, cross dots	;	cv39=2

Alternate TUAREG YAZH YAT

Affects: U+2D4C U+2D5C

Feature	Sample	Feature setting
Standard	#	cv40=0
Mid exterior T	#+	cv40=1
Center T	#	cv40=2

Alternate YAN YAD

Affects: U+2D4F U+2D37

Feature	Sample	Feature setting
Standard	ሶ	cv41=0
Up down pointers	X	cv41=1

Alternate YAN YAF

Affects: U+2D4F U+2D3C

Feature	Sample	Feature setting
Standard	H	cv42=0
Top and bottom bars	I	cv42=1
No bars	JC	cv42=2

Alternate YAN YAJ

Affects: U+2D4F U+2D36

Feature	Sample	Feature setting
Standard	Ŧ	cv43=0
Top and bottom dots	:1:	cv43=1

Alternate YAN YAS

Affects: U+2D4F U+2D59

Feature	Sample	Feature setting
Standard	€	cv44=0
Interior YAN	©	cv44=1

Alternate YAN TUAREG YAZH

Affects: U+2D4F U+2D4C

Feature	Sample	Feature setting
Standard	#	cv45=0
Exterior circles	#	cv45=1

Alternate YAR TUAREG YAK

Affects: U+2D54 U+2D3E

Feature	Sample	Feature setting
Standard	Ö	cv46=0
Double cluster dots	Ö	cv46=1

Alternate YASH TUAREG YAK

Affects: U+2D5B U+2D3E

Feature	Sample	Feature setting
Standard	Ë	cv47=0
Double cluster dots	Ė	cv47=1
8 shape	8	cv12=1
8 shape, double cluster dots	\$	cv47=2

Alternate YASH YAT

Affects: U+2D5B U+2D5C

Feature	Sample	Feature setting
Standard	€	cv48=0
Internal T	E	cv48=1

Stylistic sets (OpenType only)

Alternate YA

Affects: U+2D30

Feature	Sample	Feature setting
Standard	•	ss01=0
Circle	•	ss01=1

Alternate YAF

Affects: U+2D3C

Feature	Sample	Feature setting
Standard	30	ss02=0
I-shape	30	ss02=1
Open top and bottom	30	ss14=1

Alternate YAGHH

Affects: U+2D34

Feature	Sample	Feature setting
Standard	X	ss03=0
Round bottom	X	ss03=1

Alternate YAGN

Feature	Sample	Feature setting
Standard	†	ss04=0
Lowered bottom stroke	‡	ss04=1

Alternate YU

Affects: U+2D53

Feature	Sample	Feature setting
Standard	:	ss05=0
Short strokes	:	ss05=1

Alternate YAZ

Affects: U+2D63

Feature	Sample	Feature setting
Standard	*	ss06=0
Squared	*	ss06=1

Alternate Ahaggar YAZH

Affects: U+2D4B

Feature	Sample	Feature setting
Standard	X	ss07=0
Squared	X	ss07=1

Alternate YAB

Affects: U+2D31

Feature	Sample	Feature setting
Standard	θ	ss08=0
Rectangle style	Θ	ss08=1

Alternate YAG

Affects: U+2D33

Feature	Sample	Feature setting
Standard	X	ss09=0
Rounded top	X	ss09=1

Alternate YAJ

Feature	Sample	Feature setting
Standard	Ϊ	ss10=0
Lower dots	Ϊ	ss10=1

Alternate YAH (Tuareg yab)

Affects: U+2D40

Feature	Sample	Feature setting
Standard	Φ	ss11=0
Rectangle style	Φ	ss11=1

Alternate YASH

Affects: U+2D5B

Feature	Sample	Feature setting
Standard	E	ss12=0
8 shape	¢	ss12=1

Alternate YATT

Affects: U+2D5F

Feature	Sample	Feature setting
Standard	E	ss13=0
F shape	E	ss13=1

Alternate YADH

Affects: U+2D38

Feature	Sample	Feature setting
Standard	V	ss15=0
Rounded bottom	V	ss15=1

Alternate YAL and YAL

Affects: U+2D4D U+2D4F

Feature	Sample	Feature setting
Standard	t _t t t _u t II _u II II _t II	ss19=0
Slanted	1,1 1,1 11,11 11,11	ss19=1

Alternate punctuation

Affects: U+0021 U+002C U+002E

Feature	Sample	Feature setting
Standard Latin	!,.	ss20=0
Decorative	!,.	ss20=1

Rendering support

Rendering Graphite

This guide is from the Akatab project version 3.000 and is copyright © 1997-2022 SIL International.