

Awami Preview B - Font Features

Awami is a TrueType font with smart font capabilities added using the OpenType font technology. The font includes a number of optional features that provide alternative rendering that might be preferable for use in some contexts. The chart below enumerates the details of these features. Whether these features are available to users will depend on the application being used. For applications that do not make use of the OpenType Character Variants, you can now download fonts customized with the variant glyphs you choose. Read this document, visit [TypeTuner Web](#), then choose the variants and download your font. **This version of the font does not yet contain support for TypeTuner.**

See [Using Font Features](#). Although that page is not targeted at Arabic script support, it does provide a comprehensive list of applications that make full use of both the OpenType and Graphite font technologies.

See also [Arabic Fonts – Application Support](#). It provides a fairly comprehensive list of applications that make full use of the [Graphite](#) font technology.

This page uses web fonts (WOFF) to demonstrate font features. However, it will only display correctly in Mozilla Firefox. For a more concise example of how to use Awami as a web font see *AwamiNastaliq-webfont-example.html* in the font package web folder.

If this document is not displaying correctly a PDF version is also provided in the documentation/pdf folder of the release package.

Complete feature list

Language system tags

Affects: U+0623, U+0624, U+0626, U+0654, U+0655, U+0675, U+0681, U+06B5, U+06C2, U+06D3, U+076C

Unfortunately, the UI needed to access the language-specific behavior is not yet present in many applications. LibreOffice supports language-specific behavior for Kashmiri and Malay. Some Harfbuzz-based apps, e.g., XeTeX, can access language-specific behavior.

Kashmiri, Malay

Language	hamza	0674	Feature setting
default	لَوِي تِي بَبْ اَخ حَ هَ نَهْ رَ	ا	
Kashmiri	لَوِي تِي بَبْ اَخ حَ هَ نَهْ رَ	ا	lang='ks'
Malay	لَوِي تِي بَبْ اَخ حَ هَ نَهْ رَ	ا	lang='ms'

Character variants

There are some character shape differences in different languages which use the Arabic script. These can be accessed by using OpenType character variants.

Unless otherwise indicated, the first feature in a table is the default.

Lam-V alternate

Affects: U+06B5

Feature	Sample	Feature setting
V over bowl	لَ لَبْلَ لَ	cv43=0
V over stem	لَ لَبْلَ لَ	cv43=1

Arabic-style hamza

Affects: U+0623, U+0624, U+0626, U+0654, U+0655, U+0675, U+0681, U+06C2, U+06D3, U+076C

Feature	Sample	Feature setting
Urdu style	ءَ اُوَ اِوَاهُ بَءَ اَزْ بَرَّخْ بَحْ بَحْبُ بَ بَ	cv55=0
Arabic style	ءَ اُوَ اِوَاهُ بَءَ اَزْ بَرَّخْ بَحْ بَحْبُ بَ بَ	cv55=1

High-hamza alternate

Affects: U+0674

Feature	Sample	Feature setting
Urdu style	ءَ	cv56=0
Malay style	ءَ	cv56=1

Full-stop alternate

Affects: U+06D4

Feature	Sample	Feature setting
Dash	بَحْجَ	cv85=0
Dot	بَحْجَ	cv85=1

Arabic- or Latin-style punctuation

Affects: U+0021, U+0022, U+0027, U+0028, U+0029, U+002A, U+002B, U+002D, U+002F, U+003A, U+003C, U+003D, U+003E, U+005B, U+005C, U+005D, U+007B, U+007C, U+007D, U+00AB, U+00AD, U+00B1, U+00B7, U+00BB, U+00D7, U+2004, U+2010, U+2011, U+2012, U+2013, U+2014, U+2015, U+2018, U+2019, U+201A, U+201C, U+201D, U+201E, U+2022, U+2025, U+2026, U+2027, U+2030, U+2039, U+203A, U+2212, U+2219

Default uses Arabic-style punctuation for right-to-left segments and Latin-style for left-to-right segments

Feature	Sample	Feature setting
Default	‘ — — — — — × « · ± » { } [] : / - + * () ' " ! · - < > % ¨ · • „ ” “ , ’	cv86=0
Arabic	‘ — — — — — × « · ± » { } [] : / - + * () ' " ! · - < > % ¨ · • „ ” “ , ’	cv86=1
Latin		cv86=2

Sample	Feature setting
اقوام متحدہ نسہ ہر کہیں دے حقوق دی حفاظت تے ودھارے دا جھنڈا اچار کھن دا ارادہ کیتا ہوے۔ ایہو جیئے وے وحشیانہ کماں دی صورت وچ ظاہر تھئی ہے	

This guide is from the [Awami project](#) version 0.9 and is copyright © 2014-2026 SIL Global.