

# BJCree - Type Sample

This document demonstrates all of the characters in the font. It is organized by Unicode block. At the end is a sample demonstrating an example of running text.

## Basic Latin:

!"#\$%&'()\*+,-./0123456789:;<=>?@  
ABCDEFGHIJKLMNOPQRSTUVWXYZ[]^\_  
abcdefghijklmnopqrstuvwxyz{|}~

## Latin-1 Supplement:

¡¢£¥¦§¨ª«¬®¯°±²³´µ¶·¸¹º»¼½¾¿ÀÁÂÃÄÅÆÇÈÉÊËÌÍÎÏÐÑÒÓÔÕÖ×ØÙÚÛÜÝÞßàáâãäåæçèéêëìíîïðñòóôõö÷øùúûüýþÿ

## Latin Extended-A and -B:

ı Œ œ Š š Ÿ Ž ž ƒ

## Spacing Modifier Letters:

ˆ ˇ ˘ ˙ ˚ ˛ ˜ ˝

## Combining Diacritical Marks:

˘ ˙ ˚ ˛ ˜ ˝ ˆ ˇ ˘ ˙ ˚ ˛ ˜ ˝

## Greek and Coptic:

π

## General Punctuation:

– — — — — ‘ ’ , “ ” „ † ‡ • … • ‰  
< > /

## Superscripts and Subscripts

⁴

## Currency Symbols:

€

## Letterlike Symbols, Mathematical Operators, Control Pictures, Geometric Shapes, Dingbats:

™ ∂ ∆ ∏ ∑ − √ ∞ ∫ ≈ ≠ ≤ ≥ ⌈ ⌋ ⊥ ◇ 📄

[illegible]

[illegible]

3. ▷' ΔUσCJΔσ·Δ° Δσσ·Δ' bC ▷r σ<ΔLb' b°P▷Δ' Λr  
▷PLΔ'Δσ· ς°C bC ςPCσ·Δ' ΔrP Δr° b C·VLb' ·Δ·∇Δ<r°q·Δ'  
Γr·∇°bΓ' b ΛJULb' Vb·b· b ΛJCJr°bU' VL·Δr°Δq·Δ' ς°C bC·  
b Λr·∇Λσbσ·Δ' ς°C Λd b ςr·σΔbUP ·Δ·∇Δ<r°q·ΔΔx

**Moose Cree (Horden's Old Testament Lessons, p 172)**

[illegible][illegible]

3 ▷C ▷r PDU, ΔDU ·Δ<⊖C<sup>b</sup> ΔUq, b<sup>r</sup> Lb rP<sup>b</sup> p<sub>Δ</sub><sup>c</sup> rΛJ<sup>b</sup>,  
▷n<sup>~b</sup>° i<sup>c</sup>σ<sup>b</sup> b ΔC·b<sup>b</sup><sub>x</sub>

4 bC Δρ<sup>a</sup> ĩb, ρr ▷r Γσ·q<sup>5a</sup> ρΛρρ<sup>b</sup>; σ ρ ΔC~·Δċ·Δḃ ĩb  
 ĩbΔρ·Δḃ ∇dC ρr ΔρΓ<sup>4</sup>ρ<sup>b</sup><sub>x</sub>