# **Busra - Font Features**

Busra is an OpenType-enabled font family that supports the Khmer script. It includes a number of optional features that provide alternative rendering that might be preferable for use in some contexts. The sections below list the details of these features. Whether these features are available to users will depend on both the application and the rendering technology being used. Some applications let the user control certain features such as Character Variants to turn on the rendering of variant characters. However, at this point, most applications do not make use of those features.

See Using Font Features. That page provides a comprehensive list of applications that make full use of the OpenType font technology.

This page uses web fonts (WOFF) to demonstrate font features and should display correctly in all modern browsers. For a more concise example of how to use Busra as a web font see *Busra-webfont-example.html* in the font package web folder.

If this document is not displaying correctly a PDF version is also provided in the documentation/pdf folder of the release package.

# **User-selected feature list**

## Stylistic alternates

#### **Variant forms**

Affects: U+17B1, U+17B3, U+17CC, U+17D0

Feature	Sample	Feature setting
Standard	ឱ្ឌក៏កំ	ss01=0
Alternate	ឱ្ ឪ ក៏ កំ	ss01=1

#### **Hooked coengs**

Affects: U+17D2

Feature	Sample	Feature setting
Standard	ក្ឃ ក្ឈ ក្លៅ	ss02=0
Alternate	ក្ឃ ក្ឈ ក្លៅ	ss02=1

#### Alternate ka

Affects: U+1780

Feature	Sample	Feature setting
Standard	ក កា កៅ	ss03=0
Alternate	ក កា កៅ	ss03=1

# Alternate muusikatoan placement after -aa

Affects: U+17C9

Feature	Sample	Feature setting
Standard	កា៉្្ឈា៉	ss07=0
Alternate	កា៉ ្ឈា៉	ss07=1

#### Alternate coeng-Nho

Affects: U+17D2 U+1789

Feature	Sample	Feature setting
Standard	ĵĵ	ss08=0
Alternate	ij	ss08=1

## Lower vowels following below coengs

Affects: U+17BB, U+17BC, U+17BD, U+17D2

Feature	Sample	Feature setting
Standard	ញុ ប្ញុ	ss09=0
Alternate	ញុំ ប្ញុំ	ss09=1

## Alternate samyok sannya before -i

This feature supports the Tampuan language.

Affects: U+17C6, U+17D0

Feature	Sample	Feature setting
Standard	<b>ं</b> ः	ss18=0
Alternate	ំះ	ss18=1

## Hyphen after ka

This feature is included for demonstration purposes.

Affects: U+1780

Feature	Sample	Feature setting
Standard	កា កៅ	ss05=0
Alternate	កា កៅ	ss05=1

#### Space after ka

This feature is included for demonstration purposes.

#### Affects: U+1780

Feature	Sample	Feature setting
Standard	កា កៅ	ss06=0
Alternate	កា កៅ	ss06=1

# CS5 bug fix - muusikatoan downshift

Affects: U+17C9

Feature	Sample	Feature setting
Standard	ំ	ss19=0
Alternate	ំ	ss19=1

This guide is from the Busra project version 9 and is copyright © 2003-2024 SIL Global.