Kedebideri - Type Sample

This document demonstrates all of the characters in the font. It is organized by Unicode block. At the end is a sample demonstrating Beria Erfe in a sample of running text.

Type Sample

Basic Latin:

Regular: ! " # \$ % & ' () * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ A B C D E F G H I J K L M N O P Q R S T U V W X Y Z [] ^ _ `a b c d e f g h i j k l m n o p q r s t u v w x y z { | } ~

Latin-1 Supplement:

Latin Extended-A:

Regular: I Œ œ Š š Ÿ Ž ž

Latin Extended-B:

Regular: f

Spacing Modifier Letters:

Regular: ^ v - v · ° ° ~ "

Combining Diacritical Marks:

Regular: う う う さ CGJ (U+034F)

Greek and Coptic:

Regular: π

General Punctuation, Supplemental Punctuation:

Regular: – – – – – ' ' , " " " \dagger \dagger • ... %o < > /

Currency Symbols:

Regular: €

Letterlike Symbols, Mathematical Operators, Control Pictures, Geometric Shapes, Miscellaneous Mathematical Symbols-B:

Regular:
$$^{\mathsf{TM}} \Omega \partial \Delta \prod \sum -/\cdot \sqrt{\infty}$$
 $\neq \leq \geq \Diamond$ \bigcirc

Beria Erfe:

Regular: $X \forall J \subseteq Q Q \Pi Q X \exists I \land \Delta B \Lambda \Lambda \forall \Psi \Psi J \exists Y b W 8 X 1 J S Q Q D A X 5 I \land \Delta B A A D B A A D B A A D B A A D B A A D B A A D B A A D B A A D B A A D B A A D B A A D B A D$

Bold: $X \forall J \subseteq G Q \sqcap Q X J I \land \Delta B \Lambda \Lambda \Psi \Psi J J J D V B X A J Z G S L A B A B A A B A A B A A B A A B A A B A A B A A B A A B A A B A A B A B A A B A A B A B A A B A B A A B A$

Sample Text

UDHR Article 1 in Zaghawa

This guide is from the Kedebideri project version 3 and is copyright © 2007-2025 SIL Global.