# **Scheherazade New - Font Features**

Scheherazade New is an OpenType-enabled font family that supports the Arabic script. It includes a number of optional features that provide alternative rendering that might be preferable for use in some contexts. The sections below enumerate the details of these features. Whether these features are available to users will depend on both the application and the rendering technology being used. Some applications let the user control certain features such as Character Variants to turn on the rendering of variant characters. However, at this point, most applications do not make use of those features so another solution is needed to show the variant characters. For applications that do not make use of the OpenType Character Variants, you can now download fonts customized with the variant glyphs you choose. Read this document, visit TypeTuner Web, then choose the variants and download your font.

See Using Font Features. Although that page is not targeted at Arabic script support, it does provide a comprehensive list of applications that make full use of the OpenType font technology.

See also Arabic Fonts — Application Support. It provides a fairly comprehensive list of applications that make full use of the OpenType font technology.

This page uses web fonts (WOFF) to demonstrate font features and should display correctly in all modern browsers. For a more concise example of how to use Scheherazade New as a web font see ScheherazadeNew-webfont-example.html in the font package web folder.

If this document is not displaying correctly a PDF version is also provided in the documentation/pdf folder of the release package.

# **Complete feature list**

### Language system tags

Affects: U+062F, U+0630, U+0688..U+068F, U+0690, U+06EE, U+0759, U+075A, U+08AE, U+0645, U+0765, U+0766, U+08A7, U+06BE, U+0626, U+06F4, U+06F5, U+06F6, U+06F7, U+0650, U+064F, U+064C, U+0657

Unfortunately, the UI needed to access the language-specific behavior is not yet present in many applications. LibreOffice and Microsoft Word 2016 support language-specific behavior for Kurdish, Sindhi and Urdu (but not Kyrgyz, Rohingya or Wolof). Some Harfbuzz-based apps, e.g., XeTeX, can access language-specific behavior.

## Kurdish (Northern), Rohingya, Sindhi, Urdu

Language	Meem	Heh Doachashmee (06BE)	4	6	7	0650/064E	064C	Feature Setting
Default	ممم	aass	۴	۶	٧	بُّ	بْ	
Kurdish (Northern)	ممم	ه ههم	۴	۶	٧	بُّ	بث	lang='ku'
Rohingya	ممم	aass	٤	٦	4	بِ	بُ	lang='rhg'
Sindhi	م ممم	aass	ķ	٦	4	بِ	بث	lang='sd'
Urdu	ممم	ه ههه	٣	٦	4	بِ	بث	lang='ur'

## **Kyrgyz and Wolof**

Language	Dal	0626	0650/064E	064F	0657	Feature Setting
Default	د	ئ ئئئ	بِّ	بُ	ڹ	
Kyrgyz	د	ئى ئئى	بِّ	بُ	ڹ	lang='ky'
Wolof	٤	ئ ئئئ	بِ	ب	بْ	lang='wo'

### **Character variants**

There are some character shape differences in different languages which use the Arabic script. These can be accessed by using OpenType Character Variants, or through the language support mentioned above.

#### Dal

Affects: U+062F, U+0630, U+0688, U+0689, U+068A, U+068B, U+068C, U+068D, U+068E, U+068F, U+0690, U+06EE, U+0759, U+075A, U+08AE

Feature	Sample	Feature setting
Standard	د ذ ځ ډ ب ځ ت ي څ ڏ څ ځ	cv12=0
Alternate	ۮۮۮؙۮۮڋڋڎۮڎ۠ۮٚڴۮڴۭۮ۪ڿ	cv12=1

#### Meem

Affects: U+0645, U+0765, U+0766, U+08A7

Feature	Sample	Feature setting
Standard	م ممم م ممنم م ممم م ممم	cv44=0
Sindhi-style	م ممم فر منفر مر مجم فر فشفر	cv44=1

### Heh

Affects: U+0647

Feature	Sample	Feature setting
Standard	ه ههه	cv48=0
Kurdish-style	ه ههم	cv48=3
Sindhi-style	ه ههم	cv48=1
Urdu-style	مهر ه	cv48=2

## Heh Doachashmee

Affects: U+06BE

Feature	Sample	Feature setting
Standard	a agg	cv49=0
Knotted	ه ههم	cv49=1
Kurdish-style	ه ههم	cv49=3

## Kyrgyz OE

Affects: U+06C5

Feature	Sample	Feature setting
Loop	ð	cv51=0
Bar	<b>.</b>	cv51=1

## Yeh Hamza

Affects: U+0626

Feature	Sample	Feature setting
Standard	ئ ئ	cv54=0
Right hamza	ئى ئى	cv54=1

## Maddah

Affects: U+0622, U+0627, U+0653, U+0653

Feature	Sample	Feature setting
Small	៍រីរី	cv60=0
Large	្បា	cv60=1

### Shadda+kasra placement

Affects: U+064D, U+0650 with U+0651

Feature	•	Feature setting
Default	ٿِ ٿِ ٿِ	cv62=0
Lowered	بِّ بِّ بِ	
Raised	ٿِ ٿِّ ٿِّ	cv62=2

#### **Damma**

Affects: U+064F

Feature	Sample	Feature setting
Default	بُ ث	cv70=0
Filled	ં ઼	cv70=1
Short	<i>ੰ                                    </i>	cv70=2

#### **Dammatan**

Affects: U+064C

Feature	Sample	Feature setting
Standard	<sup>ئ</sup> بُ	cv72=0
Six-nine	ో <b>్</b>	cv72=1

#### **Inverted Damma**

Affects: U+0657

Feature	Sample	Feature setting
Default	ب '	cv74=0
Hollow	بْ ث	cv74=1
Filled	<i>ٺ</i> ٺ	cv74=2

## **Superscript Alef**

Affects: U+0670 on all yeh, sad and seen-like characters U+0620, U+0626, U+0633, U+0634, U+0635, U+0636, U+063D, U+063E, U+063F, U+0649, U+064A, U+0678, U+0669A, U+069B, U+069D, U+069E, U+06CC, U+06CD, U+06CE, U+06D0, U+06D1, U+06FA, U+06FB, U+075C, U+076D, U+0770, U+077D, U+077E, U+0775, U+0775, U+0777, U+08A8, U+08A9, U+08AF, U+08BA

Feature	Sample	Feature setting
Default	ك لمي على لميل شاسل شاشل صلى الله الله الله الله الله الله الله ال	cv76=0

Feature	Sample	Feature setting
	صل صلصل حل طلط کی لیلی کی اللہ کی لیلی کی اللہ کی لیکی جا ہے گئی گئی کی اللہ اللہ اللہ اللہ اللہ اللہ اللہ الل	
Large	ك لها ئ ئي سل سلسل شل ششر صل صلصل ضل ضلف ي أي ي ي ي ي الله الله	cv76=1
Small	ك پلى ئ ئى سل ساسل شل ششا صل صلى خى ئى	cv76=2

### Sukun

Affects: U+0652

Feature	Sample	Feature setting
Closed	ံ	cv78=0
Open down	<i>ٛ</i> ب	cv78=1
Open left	ં ઼઼	cv78=2

# End of ayah

Affects: U+06DD

These alternates are also available using the Stylistic Alternates (salt) feature, but at this time we know of no OpenType-based applications that can access these.

Firefox allows you to use U+06DD followed by the digits and proper rendering occurs. Some applications require the following:

- precede the entire sequence (subtending mark plus following digits) with 202D LEFT-TO-RIGHT OVERRIDE
- follow the entire sequence with U+202C POP DIRECTIONAL FORMATTING.

Surrounding the sequence with U+202D and U+202C seems to give the most reliable results in different browsers. However, we have not found a solution that works in Internet Explorer/Edge.

In the example below, the following codepoints are used: U+202D U+06DD U+0031 U+0032 U+0033 U+202C U+202D U+06DD U+0611 U+0622 U+0663 U+202C.

Feature	Sample	Feature setting
Standard	(123) (TT)	cv80=0
Simplified A	(123) (177)	cv80=1
Simplified B	123 177	cv80=2

The DISPUTED END OF AYAH (U+08E2) is also now available in the font. It works in the same way as End of ayah.



#### **Honorific ligatures**

Affects: U+FD40..U+FD4F, U+FDCF, U+FDFA..U+FDFB, U+FDFD..U+FDFF

Feature	Sample	Feature setting
Calligraphic	رالله ولا الله والله والله والله والله والمسائلة عليه المسائلة عليها عليها المسائلة عليها المسائلة عليها والله وا	cv81=0
Simplified	رَاللهُ وَاللهُ مَنْ اللهُ عَنْهُ رَاللهُ عُهُمَا وَاللهُ عُمْنَ عَلَيْهُ السَّالُهُ السَّالِمُ السَّلِمُ السَّلِمُ السَّلِمُ السَّلِمُ السَّلِمُ السَّلِمُ السَّلِمُ السَّلِمُ عَلَيْهُمُ اللهُ عَلَيْهُمُ وَصَيْحُهُمُ وَصَيْحُهُمُ وَصَيْحُهُمُ وَصَيْحُهُمُ وَصَيْحُهُمُ وَصَيْحُهُمُ اللهُ عَلَيْهُمُ وَصَيْحُهُمُ وَصَيْحُهُمُ وَصَيْحُهُمُ وَصَيْحُهُمُ وَصَيْحُهُمُ وَصَيْحُهُمُ وَصَلَيْهُمُ وَصَلَيْهُمُ وَصَيْحُهُمُ وَمَعْمُ عَزُوجًلَّ عَزُوجًلَّ عَرَوجًلَّ عَلَيْهُمُ وَسُلِمُ اللهُ الْمُؤْمِنُ اللهُ ا	cv81=1

#### **Eastern digits**

Affects: U+06F4, U+06F6, U+06F7

Feature	Sample	Feature setting
Standard	497	cv82=0
Kurdish-style	497	cv82=3
Rohingya-style	٤٦٧	cv82=4
Sindhi-style	474	cv82=1
Urdu-style	47<	cv82=2

#### Comma

Affects: U+060C, U+061B

Feature	Sample	Feature setting
Upward	٤ ،	cv84=0
Downward	; ;	cv84=1

## **Decimal separator**

Affects: U+066B

Feature	Sample	Feature setting
Small reh	ر	cv85=0
Slash	1	cv85=1

## Other user font features

## Line spacing

This feature is only available in TypeTuner Web.

Allows for adjustment of the default line spacing in the font (values shown are ordered in increasing line spacing).

Feature			
Tight			
Normal			
Loose			

This guide is from the Scheherazade New project version 4.000 and is copyright © 1994-2024 SIL International.