Heat Wave Response, Recovery, Future Challenges, and the Role of Technology: A Ground-Level Assessment and Preparedness Study

INDIA SPACE LAB

Project Report

17th June to 31st July 2026

Student Name: SRINJOY SIL
Institute Name: MCKV INSTITUTE OF ENGINEERING
Institute Roll no.: 11600223119
Enrollment no.: ISL-522235

Heat Wave Response, Recovery, Future Challenges, and the Role of Technology

A Ground-Level Assessment and Preparedness Study

CONTENTS

CHAPTERS	TITLE	PAGE NO.
Chapter 1	Introduction to Heat Waves	1-4
Chapter 2	Literature Review	5-6
Chapter 3	Study Area Profile	7
Chapter 4	Research Methodology	8-9
Chapter 5	Heat Wave Response Analysis	10-11
Chapter 6	Recovery Measures	12-13
Chapter 7	Future Challenges	14-15
Chapter 8	Role of Technology	16-18
Chapter 9	Findings and Recommendations	19-21
Chapter 10	Conclusion	22


CHAPTER 1: INTRODUCTION TO HEAT WAVES

A Heat Wave is a period of abnormally high temperatures, more than the normal maximum temperature that occurs during the summer season in the North-Western parts of India. Heat Waves typically occur between March and June, and in some rare cases even extend till July. The extreme temperatures and resultant atmospheric conditions adversely affect people living in these regions as they cause physiological stress, sometimes resulting in death. Heat waves are emerging as one of the most dangerous climate-related disasters in India. Increasing temperatures due to climate change, rapid urbanization, deforestation, and changing land-use patterns have significantly increased the frequency and severity of extreme heat events. Heat waves adversely affect – human health, water resources, agriculture, livelihoods, urban infrastructure, electricity demand, public health systems.

1.1 Meteorological Perspectives and Climate Change

According to the India Meteorological Department (IMD), a heat wave condition is explicitly declared when the maximum temperature of a weather station reaches at least 40°C for plains and at least 30°C for hilly regions, representing a severe and dangerous thermal deviation from traditional seasonal baselines. Driven by global warming, climate change, and accelerating concrete urbanization, these anomalies have shifted from rare seasonal hazards into an intense annual climate disaster that impacts millions of lives across the Indian subcontinent every year.

Figure I : Identifying a Heat Wave in India





1.2 Socio-Economic Impacts and Systemic Vulnerability


Extreme heat waves pose severe risks to public health by inducing heat exhaustion, acute heat strokes, and systemic dehydration, especially among vulnerable groups such as elderly individuals, pregnant women, infants, and manual outdoor laborers. Beyond healthcare, extreme heat creates immense strain on public grid infrastructures due to the soaring demand for air conditioning, resulting in frequent power overloads and blackouts. In primary economic sectors, these conditions prematurely wither crops, disrupt local agricultural water resource distribution networks, and significantly diminish the daily income and productivity of outdoor working communities.

1.3 Recent Thermal Anomalies and Monsoon Transitions (Summer 2026)

Severe heat waves significantly impacted central and northwest India throughout April and May 2026, with localized ambient conditions in Maharashtra (such as Wardha and Akola) frequently crossing a critical threshold of $\geq 45°C$. This intense heat wave footprint also routinely expanded across other vulnerable regions including Odisha, Telangana, Rajasthan, and Andhra Pradesh. These prolonged, oppressive heatwave conditions have since abated as the Southwest Monsoon 2026 advanced across the subcontinent, introducing widespread heavy rainfall and stabilizing regional thermal indices. A detailed state-wise summary of this summer's extreme heat anomalies and the subsequent monsoon shifting patterns highlights the following localized profiles:

- **New Delhi:** The National Capital Region experienced intense summer heatwaves that peaked between 41°C and 44°C, straining the local energy grid. Substantial monsoon relief arrived shortly after, bringing heavy downpours of 33.6 mm to 72.6 mm that dropped ambient temperatures significantly to a more manageable range of 28°C to 34°C.
- **Maharashtra:** Within the highly vulnerable Vidarbha and Marathwada regions, weather tracking stations recorded some of the highest daytime temperatures nationwide, repeatedly breaching the $\geq 45°C$ mark. This severe physiological stress was further worsened by minimum nighttime temperatures remaining significantly above normal baseline averages, offering zero cooling relief to urban and rural populations.
- **Rajasthan:** Both the eastern and western desert pockets of the state consistently recorded extreme maximum temperatures ranging well between 40°C and 45°C. These continuous thermal spikes triggered multiple severe heat warning alerts from meteorological authorities during peak periods in May.
- **Odisha:** The state sweltered under multi-week spells of heatwave to severe heatwave conditions, heavily compounded by warm, oppressive nights. This pattern was particularly intense throughout May, placing massive infrastructure strain on local medical and power delivery systems.
- **Telangana:** The region was plagued by prolonged, unrelenting heat spells paired with hot, humid atmospheric conditions. This caused maximum daylight temperatures to soar dramatically above seasonal normal thresholds, increasing the threat of heat-related illnesses among outdoor worker communities.
- **Andhra Pradesh:** Coastal stretches and the Rayalaseema region consistently endured daytime temperatures ranging between 36°C and 40°C.

Figure II : GIS TEMPERATURE MAP OF INDIA - 2026




CHAPTER 2: LITERATURE REVIEW

The institutional framework for managing extreme thermal anomalies is anchored in the **IMD Heat Wave Guidelines**, which establish clear scientific criteria using ambient temperature deviations to declare alerts, categorizing risks into color-coded triggers that allow local administrations to act early. Building on these meteorological thresholds, the **NDMA Heat Wave Action Plan** provides a national roadmap for regional authorities, emphasizing cross-departmental communication, shifting labor schedules during peak hours, and opening water booths. At a state level, frameworks like the **Telangana State Heat Action Plan** translate these national guidelines into local actions by assigning specific responsibilities to municipal, water, and health departments to protect high-risk outdoor groups.

From a global scientific perspective, the **IPCC Climate Change Reports** confirm that rising global carbon emissions are making extreme heat events more frequent, longer, and more intense across South Asia, which demands stronger local resilience plans. The public health risks of these trends are detailed in **WHO Reports on Extreme Heat**, which highlight how prolonged high temperatures increase hospital admissions for heat strokes, severe dehydration, and cardiovascular stress among vulnerable groups. Furthermore, **Urban Heat Island Studies** explain how modern building layouts worsen these hazards, as asphalt roads and high-density concrete buildings trap solar heat during the day and release it slowly overnight. To address these structural risks, **Smart City Climate Resilience Reports** recommend using cool roofs, reflective pavements, and automated microclimate monitoring grids to design heat-resilient urban spaces.

Figure III : Comparative Annual Distribution of Heat Wave Days across Key Indian States (2016–2026)



CHAPTER 3: STUDY AREA PROFILE

3.1 Spatial and Institutional Scope

The operational scope of this research covers a diverse mix of public, private, and institutional settings within the chosen territory to ensure a complete evaluation of thermal stress. The project evaluates heat wave vulnerabilities across the following specific environments:

- **Urban Areas:** Investigating hyper-dense metropolitan zones experiencing significant high-temperature anomalies.
- **Rural Villages:** Assessing structural agricultural heat impacts and traditional community coping mechanisms.
- **Municipal Towns:** Evaluating local semi-urban administrative capacities and civic emergency water frameworks.
- **Schools and Colleges:** Analyzing heat-stress vulnerability among students and institutional classroom infrastructure.
- **Hospitals:** Monitoring medical entry rates, heatstroke emergency logs, and healthcare capacity during peak summer months.
- **Industrial Areas:** Examining extreme workplace heat exposure limits and safety rules for factory workers.

3.2 Selected Study Location: New Delhi National Capital Region (NCR)

In accordance with the project framework allowing the selection of a specific target zone, **New Delhi** has been selected as the official study area for this ground-level assessment.

- **Geographical and Climatic Profile:** Located in Northern India, New Delhi experiences an extreme continental climate where summer heatwaves regularly peak between 41°C and 44°C. This high-temperature profile creates immense physiological stress across the city before monsoon rains provide relief.
- **Demographic Vulnerability:** The high population density and extensive concrete infrastructure of the National Capital Region magnify the Urban Heat Island effect. This urban setting contains millions of highly vulnerable individuals—including daily wage earners, street vendors, construction workers, and migrant laborers—who lack adequate cooling infrastructure and require targeted institutional protection plans.

CHAPTER 4: RESEARCH METHODOLOGY

4.1 Mixed-Method Data Collection Strategy

A comprehensive data collection strategy was used to balance primary and secondary information sources. Primary data collection involved conducting field surveys, structured interviews, community interactions, focus group discussions, and direct ambient temperature observations using physical tools. Secondary data collection relied on historical IMD temperature records, official NDMA guidelines, municipal health department logs, government reports, and peer-reviewed research papers.

4.2 Demarcation of Sampling Areas and Target Vulnerable Groups

The field research framework specifically prioritizes high-risk socio-economic demographics who suffer the most immediate, direct exposure to extreme thermal hazards. Rather than evaluating general populations, sampling areas are strategically selected to capture ground-level microclimate data from the following vulnerable groups:

- **Traffic Police:** Evaluated due to their prolonged, mandatory outdoor exposure to direct sunlight and ambient vehicular heat exhaust on paved surfaces.
- **Street Vendors:** Sampled to analyze the lack of structural shade mechanisms and the economic impacts of heat on perishable daily inventory.
- **Farmers:** Studied to assess heavy physical labor conditions under high heat indexes and direct risks to agricultural livelihoods.
- **Construction Workers:** Targeted due to demanding physical workloads in open infrastructure sites lacking localized cooling interventions.
- **Elderly People & Children:** Monitored closely as the primary high-risk demographic brackets experiencing elevated physiological stress and heat illnesses.
- **Slum Residents:** Surveyed to investigate how poor ventilation, high-density metal or concrete housing, and minimal cooling resources worsen thermal trapping.
- **Sanitation Workers:** Selected to measure physical heat strain during manual municipal work operations during peak daytime hours.

4.3 Deployment of Analytical Field Tools and Spatial Mapping Systems

To accurately track and evaluate spatial variations in thermal stress, the project methodology relies on a mix of digital, physical, and remote sensing tools. Field activities combine real-time physical observations with digital mapping software through the following technical applications:

- **Digital Thermometers:** Used for direct, localized ambient temperature observations to record real-world thermal spikes across different surfaces.
- **Handheld GPS Mapping:** Deployed to log precise geographic coordinates of severe heat exposure pockets during field surveys.
- **Mobile Survey Applications:** Utilized by field teams to collect scannable community interaction metrics, interview questionnaires, and vulnerability data.
- **GIS Software & Satellite Imagery:** Applied to build spatial layout packages and map structural thermal hotspots across the selected study zone from space.
- **Google Earth Integration:** Used to cross-reference infrastructure layouts, concrete densities, and canopy cover changes with field data.
- **Live IMD Weather Feeds:** Serves as the official data baseline to compare local field measurements against regional meteorological warning flags.

CHAPTER 5: HEAT WAVE RESPONSE ANALYSIS

5.1 Operational Framework for Immediate Heat Wave Response

This section analyzes the immediate administrative and tactical actions deployed during active thermal anomalies to protect public health and maintain safety. The core operational metrics are divided into targeted implementation areas and field measurement indicators:

Core Operational Topics:

- **Public Warning Systems:** Evaluating the deployment speed and reach of color-coded meteorological warnings.
- **Cooling Centers:** Tracking the setup and accessibility of air-conditioned or well-ventilated temporary shelters.
- **Drinking Water Arrangements:** Organizing public hydration booths and decentralized water points at transit hubs.
- **Medical Response Systems:** Measuring the readiness of specialized heat-stroke wards within local hospitals.
- **Ambulance Services:** Optimizing emergency dispatch networks to handle surges in heat-related distress calls.
- **Fire Service Preparedness:** Mitigating elevated risks of electrical and dry-land fires during peak temperatures.
- **Community Awareness Campaigns:** Disseminating localized safety steps via mass media, posters, and digital alerts.
- **Role of District Administration:** Coordinating multi-departmental efforts under centralized disaster units.

5.2 Key Study Indicators:

- **Availability of Shade:** Mapping urban canopy covers, shelters, and public transit canopies.
- **Emergency Health Response:** Assessing hospital admission speeds and medical supply availability.
- **Awareness Levels:** Evaluating public understanding of heat risks through community surveys.
- **Water Supply Status:** Monitoring the pressure and continuity of municipal water grids during high demand.
- **Heat Alert Dissemination:** Measuring the penetration rate of SMS, app notifications, and siren alerts.

CHAPTER 6: RECOVERY MEASURES

6.1 Strategic Framework for Post-Disaster Heat Wave Recovery

Recovery operations focus on restoring normalcy, repairing economic networks, and stabilizing public health once the extreme heat conditions clear. The research framework separates these efforts into clear structural study areas and measurable field progress indicators:

Targeted Study Areas:

- **Economic Losses:** Quantifying the total financial damages hitting local businesses and industries.
- **Health Recovery:** Tracking the rehabilitation of individuals suffering from severe heat exhaustion or stroke.
- **Livelihood Restoration:** Providing targeted financial assistance to informal and daily-wage outdoor worker groups.
- **Water Restoration Measures:** Replenishing over-extracted groundwater pools and drying urban reservoirs.
- **Agricultural Impacts:** Evaluating long-term soil damage and financial stress across agricultural zones.
- **Psychological Effects:** Assessing mental exhaustion and anxiety stemming from prolonged, oppressive thermal stress.

6.2 Key Recovery Indicators:

- **Number of Affected Persons:** Totalling the overall regional population suffering from heat casualties.
- **Hospital Admissions:** Compiling systematic medical records to track the decline of heat ailments.
- **Workdays Lost:** Assessing total drops in labor output and manual workforce operational hours.
- **Crop Losses:** Calculating total acreage ruined by premature withering or thermal stress.
- **Electricity Failures:** Documenting the frequency of power grid overloads and transformer fires.
- **Water Scarcity:** Measuring local water shortages and tracking emergency tanker delivery logs.

CHAPTER 7: FUTURE CHALLENGES

7.1 Long-Term Structural and Evolving Future Challenges

Managing severe heat waves faces growing pressures from global warming, shifting populations, and over-strained infrastructure networks. Future mitigation plans focus on addressing these primary long-term pressures alongside high-vulnerability special focus areas:


Major Future Challenges:

- **Climate Change:** Preparing for longer, more intense, and highly unpredictable heatwave spells.
- **Urban Heat Islands:** Mitigating heat trapping caused by dense concrete layout patterns and asphalt roads.
- **Water Shortages:** Navigating deep water-table drops driven by constant extreme evaporation rates.
- **Population Growth:** Managing rising population densities in poorly ventilated low-income urban pockets.
- **Energy Demand Increase:** Buffering the power grid against soaring air-conditioning demands.
- **Health Emergencies:** Designing medical frameworks to handle complex, concurrent heat illnesses.
- **Migration due to Heat Stress:** Planning for population shifts from unlivable rural zones into urban centers.
- **Reduced Labor Productivity:** Adjusting for systemic losses in outdoor physical labor hours.
- **Heat Stress in Animals:** Protecting livestock, dairy production, and urban wildlife from severe dehydration.
- **Infrastructure Failures:** Preventing structural warping of roads, rail tracks, and power cables from extreme heat.

7.2 Special Vulnerability Focus Areas:

- **Smart Cities and Heat Stress:** Utilizing cool building materials and automated microclimate grids.
- **Heat Waves in Schools:** Assessing thermal vulnerabilities in schools lacking proper cooling assets.
- **Heat Impacts on Women and Children:** Protecting demographic brackets with lower physiological tolerance.
- **Future Temperature Trends:** Modeling historical datasets to project regional temperature patterns.

Figure IV : Heat Dome



CHAPTER 8: ROLE OF TECHNOLOGY

8.1 Technological Integrations and Digital Intervention Systems

This section outlines the advanced technological tools, automated networks, and smart digital systems deployed to enhance early warning accuracy, optimize emergency response, and physically mitigate extreme thermal stress. The core technological framework is systematically organized across seven functional categories:

8.1.1. Early Warning Systems

Advanced forecasting networks aim to close the gap between meteorological detection and public preparedness. These systems include:

- **IMD Forecasting:** Relying on precise data feeds from the India Meteorological Department to track real-time thermal anomalies and issue color-coded alerts.
- **SMS Alerts:** Disseminating automated emergency notifications directly to cellular networks to reach vast public demographics instantly.
- **Mobile Applications:** Utilizing cross-platform software to broadcast localized real-time safety advisories and environmental updates.
- **AI-Based Prediction Systems:** Employing machine learning algorithms to evaluate complex atmospheric patterns and predict sudden spikes in regional heat waves.

8.1.2. GIS and Remote Sensing

Spatial technologies provide urban planners and emergency teams with critical geographic data to visualize invisible thermal hazards from space. These methods involve:

- **Thermal Hotspot Mapping:** Generating localized geospatial layouts to isolate and identify specific high-risk pockets within the territory.
- **Satellite Temperature Monitoring:** Using remote sensing satellites to continuously record fluctuations in land surface temperatures.
- **Urban Heat Mapping:** Creating comprehensive microclimate layouts to monitor how concrete densities alter regional surface temperatures.

8.1.3. Artificial Intelligence

Machine learning and predictive intelligence strengthen regional capabilities to anticipate public health risks. These computational models consist of:

- **Heat Prediction Models:** Running simulation algorithms to map out the likely progression, duration, and movement of severe heatwave tracks.
- **Risk Assessment Systems:** Processing multidimensional demographic and economic data to identify communities facing maximum exposure risks.
- **Health Risk Forecasting:** Predicting hospital admission spikes and potential heatstroke surges by correlating medical logs with climate trends.

8.1.4. Internet of Things (IoT)

Connected physical sensor networks offer real-time, ground-level data to optimize regional cooling and resource management. These components incorporate:

- **Smart Temperature Sensors:** Installing interconnected nodes across commercial hubs and transit networks to track microclimate behaviour.
- **Smart Cooling Systems:** Running automated municipal public misting networks and adaptive cooling stations that activate based on ambient triggers.
- **Automated Weather Stations:** Deploying compact, hyper-local meteorological towers to log data without requiring constant manual maintenance.

8.1.5. Drones

Unmanned Aerial Vehicles (UAVs) serve as highly mobile reconnaissance assets to manage and track emergencies across complex terrains. Their functions feature:

- **Monitoring Vulnerable Areas:** Conducting aerial surveillance over dense informal settlements, slums, and open construction zones to check compliance with safety rules.
- **Survey During Emergencies:** Dispatching rapid drone sweeps during peak heat alerts to identify stranded populations or check the status of outdoor shade points.

8.1.6. Mobile Applications

Specialized handheld software acts as an accessible bridge to keep citizens informed, connected, and protected during disasters. Key examples comprise:

- **Heat Alert Applications:** Providing direct-to-user push notifications regarding changing meteorological color codes and local cooling shelf locations.
- **Weather Monitoring Applications:** Offering interactive live temperature maps, high heat index indicators, and humidity tracking tools.

- **Disaster Reporting Applications:** Empowering the public to log heat casualties, water shortages, or electrical grid overloads directly to emergency response units.

8.1.7. Smart Infrastructure

Physical architecture modifications utilize advanced building materials to physically lower ambient temperatures across urban centers. These interventions focus on:

- **Cool Roofs:** Applying highly reflective white coatings or membranes to household structures to limit indoor thermal absorption.
- **Reflective Pavements:** Re-engineering public roads, parking spaces, and walkways to bounce solar energy back into space rather than trapping it.
- **Green Buildings:** Implementing vertical gardens, rooftop vegetation, and natural wind-tunnel architecture to achieve natural eco-cooling.
- **Smart Irrigation Systems:** Running automated, sensor-driven watering loops to sustain urban parks and tree canopies efficiently without wasting water.

CHAPTER 9: FINDINGS AND RECOMMENDATIONS

9.1 Synthesis of Field Findings and Expected Outcomes

This section compiles the core analytical breakthroughs, spatial observations, and community insights gathered through active ground-level fieldwork, alongside the structural outcomes achieved by this assessment:

Empirical Field Research Activities:

- **Microclimate Temperature Gauging:** Measuring ambient surface temperatures across high-exposure nodes—including transit bus stands, open asphalt roads, public parks, rural sectors, and high-density concrete zones—to map real-world thermal variance.
- **Community Vulnerability Surveys:** Conducting primary door-to-door and roadside questionnaires to gather direct data on public health struggles and local adaptation limits.
- **Geospatial Vulnerability Mapping:** Preparing highly detailed regional heat vulnerability maps that overlay thermal hotspots with dense demographic zones.
- **Shade Differential Appraisals:** Comparing shaded canopy zones directly against non-shaded open areas to quantify the cooling power of green infrastructure.
- **Urban Heat Island (UHI) Studies:** Examining how dense building layouts, concrete buildings, and high traffic volumes trap heat within metropolitan pockets.
- **Institutional Field Audits:** Visiting local hospitals, fire stations, municipal headquarters, and disaster management offices to evaluate active emergency response capacities.
- **Meteorological Baseline Analysis:** Evaluating historical and real-time IMD temperature records to identify long-term climate shift patterns.

Expected Analytical Outcomes:

- **Advanced Management Insights:** Significantly improving the institutional understanding of modern heat wave response and recovery workflows.
- **Demographic Vulnerability Identification:** Pinpointing precise high-risk socio-economic groups and communities requiring immediate cooling resources.
- **Evidence-Based Policy Improvements:** Providing localized field data to help municipal administrations design updated climate policies.

- **Technological Solution Promotion:** Driving the real-world adoption of AI, GIS, and IoT frameworks in local early warning operations.
- **Public Readiness Awareness:** Expanding community preparedness through accessible field outreach and data sharing.
- **Administrative Planning Support:** Directly supporting district disaster management authorities with actionable planning templates.


9.2 Strategic Policy and Operational Recommendations

Based on the field findings, spatial mapping, and institutional audits, the following actionable recommendations are proposed to build long-term regional thermal resilience and protect public health:

- **Expand Urban Greenery Infrastructure:** Launching aggressive urban forestry programs, vertical gardens, and green corridors to naturally lower ambient temperatures across dense concrete surfaces.
- **Formulate Localized Heat Action Plans (HAPs):** Developing customized, district-level emergency frameworks that detail clear, actionable responsibilities for every municipal department during a heat wave.
- **Upgrade Early Warning Dissemination:** Improving the speed and reach of meteorological warnings by translating IMD data into hyper-local SMS alerts, community radio broadcasts, and mobile push notifications.
- **Accelerate Cool Roof Technology Adoption:** Promoting the installation of solar-reflective paints, cool roofs, and green eco-roofing materials, especially across low-income housing and industrial sheds.
- **Deploy Public Hydration Networks:** Installing decentralized public drinking water stations, free hydration booths, and emergency water distribution hubs near major transit centres and construction sites.
- **Integrate Predictive AI Modelling:** Using machine learning and artificial intelligence algorithms to process climate data, enabling earlier and more accurate temperature forecasting and heatwave tracking.
- **Target Awareness Programs for Vulnerable Groups:** Designing tailored heat safety training and educational outreach campaigns specifically for outdoor laborers, street vendors, elderly citizens, and school children.

- **Strengthen Inter-Departmental Coordination:** Creating a unified disaster command structure to seamless align municipal water utilities, power grids, healthcare services, and traffic management during active heat alerts.

Figure V : Short and Long Measures



CHAPTER 10: CONCLUSION

10.1 Systemic Synthesis and Actionable Blueprint

Heat waves are rapidly accelerating into a major disaster management and climate adaptation challenge across India. Mitigating this evolving crisis demands a proactive approach that balances immediate emergency response, structured post-disaster recovery planning, and robust technological integrations to significantly reduce the loss of human life and prevent catastrophic socioeconomic damages. This comprehensive assessment serves as a definitive operational blueprint to help public administration bodies, urban planners, and safety personnel thoroughly analyse and implement extreme heatwave management solutions from integrated scientific, administrative, technological, and ground-level community perspectives.

10.2 Strategic Framework Contributions

By bridging the gap between meteorological raw data and localized humanitarian action, the findings and methodologies compiled throughout this study will directly contribute to advancing the following critical domains:

- **Climate Resilience:** Building long-term localized capacity to withstand severe thermal variations and systemic global warming pressures.
- **Disaster Preparedness:** Developing proactive, multi-tiered administrative alert networks and early warning distribution systems to maximize community readiness before peak summer seasons.
- **Sustainable Urban Planning:** Informing future engineering strategies through the strategic integration of cool roofing materials, urban forestry networks, and heat-reflective infrastructure designs.
- **Public Health Protection:** Establishing targeted safety frameworks, localized cooling centres, and clinical response protocols to safeguard high-risk outdoor workers, children, and elderly citizens.
- **Smart Disaster Management Systems:** Driving the real-world deployment of cutting-edge technologies, including AI-driven predictive modelling, satellite-based remote sensing, and automated IoT microclimate monitoring networks.