

Generated Documentation



Contents

Package default Procedural Elements	2
Db.php	2
Package default Classes	3
Class Db	3
Constructor construct	3
Method close	3
Method getAll	4
Method getCol	4
Method getMap	4
Method getOne	5
Method getRow	5
Method query	5
Class DbInterface	6
Method close	6
Method getAll	6
Method getCol	7
Method getMap	7
Method getOne	7
Method getRow	8
Method query	8
Appendices	9
Appendix A - Class Trees	10
default	10

Package default Procedural Elements

Db.php

DB Driver

connect and manage database

- **Package** default
- **Author** Silu Zhou < siluzhou_pku@163.com>
- **Version** 1.0

Package default Classes

Class Db

[line 22]

Db

connect and manage DbInterface by inheriting interface of DbInterface

- **Package** default

Constructor *void* function Db::__construct([\$config = array()]) [line 40]

Function Parameters:

- **\$config**

constructor \$_config

- **Access** public

boolean function Db::close() [line 211]

close database

- **Access** public

array function Db::getAll([\$sql = ""]) [line 113]

Function Parameters:

- *string* **\$sql**

execute SQL statements ¶ **get all data**

- **Access** public

array function Db::getCol([\$sql = ""]) [line 150]

Function Parameters:

- *string* **\$sql**

execute SQL statements ¶ **get first col of all data**

- **Access** public

array function Db::getMap([\$sql = ""]) [line 167]

Function Parameters:

- *string* **\$sql**

execute SQL statements ¶ **get the map of first and second cols from all data**

- **Access** public

int/string function Db::getOne([\$sql = ""]) [*line 191*]

Function Parameters:

- *string* \$sql

execute SQL statements ¶ get first one of all data

- **Access** public

array function Db::getRow([\$sql = ""]) [*line 130*]

Function Parameters:

- *string* \$sql

execute SQL statements ¶ get first row of all data

- **Access** public

object(PDOStatement) function Db::query([\$sql = ""]) [*line 99*]

Function Parameters:

- *string* \$sql

execute SQL statements

- **Access** public

Class DbInterface

[line 12]

Dbdriver Interface

- **Package** default
- **Author** Silu Zhou < siluzhou_pku@163.com>
- **Version** 1.0

void function DbInterface::close() [line 45]
close database

- **Access** public

void function DbInterface::getAll(\$sql) [line 23]
Function Parameters:

- **\$sql**

execute SQL statements

- **Access** public

void function DbInterface::getCol(\$sql) [line 32]

Function Parameters:

- **\$sql**

execute SQL statements

- **Access** public

void function DbInterface::getMap(\$sql) [line 36]

Function Parameters:

- **\$sql**

execute SQL statements

- **Access** public

void function DbInterface::getOne(\$sql) [line 40]

Function Parameters:

- **\$sql**

execute SQL statements

- **Access** public

void function DbInterface::getRow(\$sql) [line 28]

Function Parameters:

- **\$sql**

execute SQL statements

- **Access** public

void function DbInterface::query(\$sql) [line 19]

Function Parameters:

- **\$sql**

execute SQL statements

- **Access** public

Appendices

Appendix A - Class Trees

Package default

Db

- [Db](#)

DbInterface

- [DbInterface](#)

Index

C

constructor Db:: <u>construct()</u>	3
<i>constructor \$_config</i>	

D

DbInterface::getCol()	7
<i>execute SQL statements</i>	
DbInterface::getAll()	6
<i>execute SQL statements</i>	
DbInterface::close()	6
<i>close database</i>	
DbInterface::getMap()	7
<i>execute SQL statements</i>	
DbInterface::getOne()	7
<i>execute SQL statements</i>	
DbInterface::query()	8
<i>execute SQL statements</i>	
DbInterface::getRow()	8
<i>execute SQL statements</i>	
DbInterface	6
<i>Dbdriver Interface</i>	
Db::query()	5
<i>execute SQL statements</i>	
Db::getAll()	4
<i>execute SQL statementsi"%œ get all data</i>	
Db::close()	3
<i>close database</i>	
Db	3
<i>Db</i>	
Db::getCol()	4
<i>execute SQL statementsi"%œ get first col of all data</i>	
Db::getMap()	4
<i>execute SQL statementsi"%œ get the map of first and second cols from all data</i>	
Db::getRow()	5
<i>execute SQL statementsi"%œ get first row of all data</i>	
Db::getOne()	5
<i>execute SQL statementsi"%œ get first one of all data</i>	
Db.php	2
<i>DB Driver</i>	