# **COMP3270 1920 Chapter 2 Teacher Notes**


## Slide 8

How could we end up in that position?

- North(0.8), East(0.1)
- North(0.8), West(0.1)
- West(0.1), North(0.8)

0.8\*0.1+0.8\*0.1+0.8\*0.1 = 0.08\*3 = 0.24

## Slide 9



- 1. T(c,East,d)=0.8
- 2. T(c,East,e)=0
- 3. T(c,East,c)=0.2
- 4. T(c,East,b)=0
- 5. T(c,East,a)=0
- 6. T(c,East,terminal state)=0
- 7. T(a,Exit,terminal state)=1.0
- 8. T(a,East,b)=0.8
- 9. T(a,East,a)=0.2
- 10. R(a, East, a) = 0
- 11. R(a,Exit,terminal state)=10
- 12. R(c,East,d)=0

#### Slide 25

$$U([1,2,3]) = 1 + 1 + 0.75 = 2.75$$

$$U([3,2,1]) = 3 + 1 + 0.25 = 4.25$$

Lets change the second sequence and see what happens. [1,2,3] vs [2,1,1]

$$U([1,2,3]) = 1 + 1 + 0.75 = 2.75$$

$$U([2,1,1]) = 2 + 0.5 + 0.25 = 2.75$$

What if we change gamma to 0.9?

$$U([1,2,3]) = 1 + 1.8 + 2.43 = 5.23$$

$$U([2,1,1]) = 2 + 0.9 + 0.81 = 3.71$$

Slide 26

A1: East

A2: West

10 \* gamma^3 vs gamma

```
If you up you get +50 but -1 for every year for 100 years. If you go down you get -50 but +1 for every year for 100 years.
```

changing gamma is also called changing the horizon. Smaller gamma means smaller horizon, shorter term focus.

Slide 31

It turns out that with discounting the utility of an infinite sequence is finite!

```
s=R + R*gamma + R*gamma^2 + ... + R*gamma^n-1
gamma*s = R*gamma + R*gamma^2 + ... + R*gamma^n
s-gamma*s = R - R*gamma^n
s(1-gamma) = R * 1( - gamma^n)
s = R * (1-gamma^n) / 1 - gamma
```

Slide 30

No

Consider  $[4,3,0,0,...] \sim [4,0,0,0,...]$ 

Slide 49

V0 = 0

V1 = 0

V2 = 1

V3 = 1

V4 = 10

V5 = 10

$$V0(c) = 0$$

$$V0(w) = 0$$

$$V0(0) = 0$$

$$V1(c) = max (1.0*[1.0+1.0*0.0], 0.5*[2.0+1.0*0] + 0.5*[2.0+1.0*0]) = 2$$

$$V1(w) = max(0.5*[1.0+1.0*0.0] + 0.5*[1.0+1.0*0.0], 1.0*[-10+1.0*0.0]) = 1$$

$$V1(0) = 0$$

$$V2(c) = max(1.0*[1.0+1.0*2.0, 0.5*[2.0+1.0*1] + 0.5*[2.0+1.0*2]) = 3.5$$

$$V2(w) = max(0.5*[1.0+1.0*2.0] + 0.5*[1.0+1.0*1.0], 1.0*[-10+1.0*0.0]) = 2.5$$

$$V2(0) = 0$$

## Slide 53

$$V_0(s) = [0, 0, 0, 0, 0]$$

$$V_1(s) = [10, 0, 0, 0, 1]$$


$$V_2(s) = [10, 2, 0, 0.2, 1]$$


$$V_3(s) = [10, 2, 0.4, 0.2, 1]$$

$$V_4(s) = [10, 2, 0.4, 0.2, 1]$$

### Slide 54

$$V_{k+1}(3,3) = 0.8 * (-0.04 + 1.0) + 0.1 * (-0.04 + 0.918) + 0.1 * (-0.04 + 0.660) = 0.9178$$





Slide 66

0.8 \* 0.9 \* (-10) + 0.1 \* 0.9 \* (-8.7) + 0.1 \* 0.9 \* (-7.9) = -8.7

$$0.8 * 0.9 * 100 + 0.1 * 0.9 * (-10) + 0.1 * 0.9 * (-10) = 70.2$$

## Slide 70

For pi:

$$a = 0.0$$
,  $b = 0.0$ ,  $c = 0.0$ ,  $d = 0.0$ ,  $e = 0.0$ 

For pi':

## Slide 91

 $V^{Pli}(a) = 10$ 

 $V^{Pli}(b) = 9$ 

 $V^{Pli}(c) = 0$ 

 $V^{Pli}(d) = 0$ 

 $V^{Pli}(e) = 1$ 

### exit

left

left

right

exit