

# Text Sliding: Information Discovery with Intensely Integrated Text Analysis

Firstname LastName  
Address  
Address  
Address  
email@address.edu

Firstname LastName  
Address  
Address  
Address  
email@address.edu

Firstname LastName  
Address  
Address  
Address  
email@address.edu

## ABSTRACT

This paper describes a tool whose goal is to help scholars and analysts discover patterns and formulate and test hypotheses about the contents of their text collections, midway between what traditional humanities scholars call a “close read” and the digital humanities “distant read” or “cultur-omics” approach. To this end, we describe a text analysis and discovery tool that allows for highly flexible “slicing and dicing” (hence “sliding”) across a text collection. The tool allows users to view text from different angles by selecting subsets of data, viewing those as visualizations, moving laterally to view other subsets of data, slicing into another view, expanding the viewed data by relaxing constraints, and so on. However, these tools operate over numerical and categorical data, but do not seamlessly operate over raw textual information with the same flexibility. We illustrate the text sliding capabilities of the tool with two real-world case studies from the humanities and social sciences – the practice of literacy education, and U.S. perceptions of China and Japan over the last 30 years – showing how the tool has enabled scholars with no technical background to make new, important discoveries in these text collections.

## Categories and Subject Descriptors

H.X [XXXXX XXXXXXXX XXXX]: XXXXX  
; H.X [XXXXX]: XXXXX —XXXXX

## Keywords

exploratory data analysis, text mining, information visualization, digital humanities

## 1. INTRODUCTION

Given a collection of text data, how can one explore its contents to find new patterns and insight? This paper describes a new tool for exploratory data analysis [8] that attempts to provide frictionless access to text and its meta-data. Although many tools have been developed to analyze

numerical and categorical data, language in its written form of text has special properties that makes it more difficult to analyze. Text has both linear and hierarchical structure, its meaning is ambiguous given its representation, it has tens of thousands or hundreds of thousands of features, and frequencies of words are usually distributed via a power law. Even a small fragment of text does not stand alone, but is densely interconnected with other text through linguistic phenomena. These are units of meaning that take surface form in text, such as words, phrases, relations between words (including synonymy and hyponymy), not to mention literary devices, such as metaphor, sarcasm and allusion. To illustrate, consider this 13-word “slice” of text from Shakespeare’s “Romeo and Juliet”, where a slice is simply a set of sentences (not necessarily consecutive, like in this example):

ROMEO:

Is she a Capulet?  
O dear account! my life is my foe’s debt.

Surrounding this tiny slice is a swarm of other slices of text, each associated with the different linguistic phenomena in this slice. For instance:

- Each of the 11 distinct words in the above excerpt can be thought of as a jumping-off point to all of the other sentences in which it occurs, as well as to sentences containing other words that mean the same thing, or to other words that tend to be used near it.
- Each two-, three-, or n-word phrase can be associated with every other sentence in which it occurs.
- Each grammatical relationship between words (such as “dear” being an adjective modifier of “account”) can be thought of as a link to other words that enter that relation (other adjectives describing “account”, or other things that are “dear”).
- Each instance of a literary device, such as the exclamation “dear account”, or the imagery of debt, can be associated with all other occurrences of this phrase, or the different phrasings with which this concept surfaces in the play.

The more structure there is to text, the more kinds of associations are possible. Shakespeare plays have metadata, such as speaker, act, and scene, so associations based on these dimensions also exist:

- The speaker, Romeo, can be associated with all the other speeches by him.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. To copy otherwise, to republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee.

Copyright 20XX ACM X-XXXXX-XX-X/XX/XX ...\$15.00.

- The location within the play: Act 1, Scene 4 can be associated with the other scenes in that act, or the all speakers in that scene.

This network of associated slices is apparent to the reader. And to an analyst trying to make sense of an idea, some associations may be deeply meaningful. Transitions and associations are central to the text analysis process, and people seeking knowledge from text are engaging in *sensemaking*. They do not follow a straight path from data input to analysis output, but meander between analysis, interpretation, exploration and understanding on different sub-collections of data [7, 6, 5]. It is therefore important for text analysis systems to support not just algorithmic and visual analysis, but the transitions: slicing, filtering and exploration that lead from analysis to analysis, visualization to visualization, and finally to insight.

In this paper, we describe a text analysis tool called WordSeer that supports such transitions<sup>1</sup>. It allows highly flexible slicing and dicing, as well as frictionless transitions (hence “sliding”) between visual analyses, drill-downs, lateral explorations and overviews of slices in a text collection. Our tool uses computational linguistics, information retrieval and data visualization, and enables scholars with no technical background to conduct analyses yielding concrete, useful and otherwise inaccessible knowledge.

This paper is structured as follows: in the next section, we explain how we are motivated by problems in the humanities and social sciences and by theories of sensemaking that show the need for “sliding” interactions between slices. After that, we explain the main ideas behind text sliding and show it in action with extended examples from case studies. Then, we describe related systems, and finally conclude with a discussion our results and future work.

## 2. MOTIVATION

### 2.1 Humanities and Social Sciences

The design of the tool is motivated by the desire to support the humanities and social sciences (HASS). In these fields, it is common for scholars to have hundreds, even thousands of text-based source documents of interest from which they extract evidence for complex arguments about society and culture. These collections (such as the set of all *New York Times* editorials about China, the complete works of Shakespeare, or the set of all 18th Century American novels) are difficult to make sense of and navigate. Unlike numerical data, they cannot be condensed, overviewed, and summarized in an automated fashion without losing significant information. And the metadata that accompanies the documents – often from library records – does not capture the varied content of the of the text within.

HASS scholars are an important area of focus for tool builders for another reason: low uptake. A 2012 study of computational tool use among these scholars showed that adoption was low despite an abundance of tools [2]. The main culprit? Poor interface design. In our research, we have tried to avoid this problem by taking an iterative, user-centered design approach. We collaborate with active HASS scholars working on text analysis problems of existing pro-

fessional interest to them, and let their needs, behaviors, and observations drive tool development.

We introduce the text sliding capabilities of WordSeer using two case studies. The researchers driving these studies successfully used the tool to further their projects, which investigated:

1. How U.S. perceptions of China and Japan responded to China’s rise over the last 30 years.
2. How college students from diverse backgrounds remember and reflect upon literacy.

### 2.2 Supporting Sensemaking

Observational studies from the literature on sensemaking describe many problems analysts encounter while trying to make sense of text collections. These studies typically study professionals such as government intelligence analysts [5], business analysts [] market researchers [?] and academics [?] at work, attempt to categorize the actions they perform and identify common sequences of actions. Several models of the sensemaking process have emerged [?]. These models attempt to explain what one would observe when watching analysts distill “understanding” from raw data, where understanding usually manifests itself as a summary, report, or presentation.

While studying intelligence analysts working with large collections of text-based reports, Pirolli and Card [5] identified “pain points” in three areas having to do with navigation and transitions. After each, we identify the design goals in our system that attempt to address each issue:

1. **Exploring** the collection by searching and filtering. Collections were often difficult to navigate.
  - Design Goal: make associated slices easy to see and to access, so exploration becomes easier.
2. **Enriching**, which is the process of collecting a narrower set of items for analysis. This is a time consuming process involving going through documents returned by results, reading them to determine whether they were relevant or not, and placing them into groups.
  - Design Goal: Make it easy to select documents that match a term, quickly skim the text to determine relevance, and to collect the relevant text into a slice for later analysis.
3. **Exploiting**, which is the process of analyzing the collected information, pulling out inferences, and then pursuing follow-up actions, such as drilling down to a finer set, noticing something interesting and starting a different analysis, or re-framing the question.
  - Design Goal: make it easy to understand intermediate results and then explore associations and to start new threads of inquiry with low overhead, without losing current state.

## 3. TEXT SLIDING

The paired concepts of *slices* and *views* are central to text sliding. A slice is a set of sentences, and a view is a visual representation of the data in a slice: the view can range from a simple vertical list of the sentences in the slice, to more

<sup>1</sup>This is version 3.0 of WordSeer, which has notably more flexible interactions than older versions.

complex linguistic processing combined with visual analytics. A slice is like a scientific specimen or a sample of some chemical compound, and a view is a lens or a test that reveals different information about the sample. (Currently we define a slice as *a set of sentences*, although in future it might use different units of text, such as paragraphs, documents, or phrases.) We allow arbitrarily-assembled slices, but it is easiest to think of slices as combinations of searches and filters.

Text sliding is a way to move from a view of a slice to a different view. Through the richness of language, slices can be associated with many other slices (such as those that contain the same words, phrases, or ideas). If there is metadata accompanying the text, such as date or topic tag, the user can take advantage of these *metadata associations*. Finally, through the wide variety of visual analytics tool available, there are several different ways of viewing and analyzing the data in a single slice. Text sliding makes all these associations accessible in a “low friction” way.

In detail, we define text sliding as:

- Showing a different view of the same slice, or
- Opening a view of an associated slice, which can consist of
  - drilling down (narrowing, selecting), or
  - broadening (by removing constraints), or
  - following a new thread (moving laterally) or
  - finding related words or sentences (also moving laterally).

### 3.1 Views

Views are window-like panels, and the user can open up any number of panels in the interface to facilitate comparison across views. Views contain the following components, as illustrated in Figure 2(b):

- A drop-down menu for switching to a different view of the same slice (see Figure 1),
- Breadcrumbs describing the searches and filters that define the current slice,
- A visualization of the data in the slice. Currently, the choices are:
  - A list of sentences,
  - A list of documents that match the sentences in the slice,
  - An interactive Word Tree [9] of the most common word in the slice, or the search term, if specified,
  - Charts showing distributions of the slice’s sentence counts across various metadata categories,
  - A document reader,
  - Bar charts showing how often different words in the slice appear in grammatical relations.
- Summary statistics of:
  - How many sentences within the slice match different metadata categories,
  - The most frequent nouns, verbs, adjectives and multi-word phrases in the slice.

The simplest sliding interaction in WordSeer is creating a different view of the same slice. There is a drop-down menu at the top left corner of each view which provides this function (Figure 1). Selecting a different view from the menu opens up that new view (on the same slice) alongside the current one. Users can have as many views open as they want, but most displays get crowded after two or three are open; the tool allows the panels to be collapsed and a history panel allows revisiting of earlier views.




Figure 1: The view-switcher drop-down menu.

When a user opens up WordSeer for the first time, instead of showing a blank screen a requiring the user to think up a query, the tool provides summary statistics immediately, as shown in Figure 2(a) on a collection of *New York Times* editorials. Figure 2(b) breaks this down into its core components. This is a single *view* with a *Word Tree* visualization of the most frequent content word in the *slice* consisting of “the entire collection”.

Word Trees [9] are interactive visualizations that allow a user to explore the contexts in which a word is used. They group together common left- and right-contexts into a tree that gets finer and finer as the context get longer, terminating in individual sentences. Because no query has yet been specified, the Word Tree view centers on the most frequent content word in the collection (content words exclude very common (stop) words, such as “the”, “a”, “and”, etc.). In this case, the most frequent content word is “China” (see first case study below). Other visualizations are also available, including a tabular list of sentences along with their metadata, a heatmap showing the location of query terms within each document, and bar charts and other statistics about the distribution of the metadata and the query terms, as described below.

### 3.2 Slices

The primary way in which WordSeer allows users to make slices is by intersecting *searches* and *filters*. A search restricts the collection to just the sentences matching the query, and a filter restricts it to just sentences matching a particular metadata value.

Case study 1 (see below) illustrates the importance of allowing users to compose their own slices from the contents of a broader collection. In the study, the scholar ‘C.F.’, an English PhD candidate whose dissertation focuses on how U.S. literature responded to the rise of China, used a collection of the last 30 years of *New York Times* editorials about China and Japan to get a sense of how perceptions towards those countries have shifted.

His first goal was to get a sense of the differences in the way China was discussed in the 80’s, 90’s and 00’s. To do this, he assembled three slices by starting with a *search* for “China” (Figure 3) and then filtering the ‘Year’ category to



Frequent Nouns		Frequent Verbs		Frequent Adjectives	
group by stem: <input checked="" type="checkbox"/>		group by stem: <input checked="" type="checkbox"/>		group by stem: <input checked="" type="checkbox"/>	
china	5870	make	336	human	430
u.s.	570	say	261	american	394
clinton	510	want	152	political	302
trade	494	take	143	chinese	300
beijing	481	get	142	economic	297
rights	462	use	138	other	287
mr.	407	need	129	nuclear	283
president	402	give	123	military	229
taiwan	386	sell	122	new	196
russia	335	come	120	last	191
year	319	become	117	more	190
world	317	know	115	own	161

Figure 5: The most frequent nouns, verbs, and adjectives in the *New York Times* editorials for case study 1.

Frequent Phrases	
Include stop words: <input type="checkbox"/>	
length: 2	
human rights	428
Hong Kong	332
United States	272
China has	206
Mr. Clinton	160
Russia China	145
President Clinton	141
North Korea	118
Communist China	106
China leaders	92

Figure 6: The most frequent phrases in the *New York Times* editorials for case study 1.

well as the slices containing various relationships to other words.

Word Tree	
japan (6900)	conjunction (1930, japan) 1
undefined (____, japan) 1381	conjunction (Europe, japan) 250
done to (____, japan) 2445	conjunction (Germany, japan) 190
punctuation (____, japan) 778	conjunction (Japan, japan) 969
coordination (____, japan) 652	conjunction (China, japan) 169
conjunction (____, japan) 2211	conjunction (States, japan) 106
done by (____, japan) 1720	conjunction (U.S., japan) 89
possessive (____, japan) 1309	conjunction (Korea, japan) 83
determiner (____, japan) 95	conjunction (America, japan) 40
appositional modifier (____, japan) 197	conjunction (Russia, japan) 31
prepositional modifier (____, japan) 97	conjunction (Britain, japan) 30
noun compound modifier (____, japan) 273	conjunction (Union, japan) 22
copula (____, japan) 23	conjunction (India, japan) 13
preconjunct (____, japan) 14	conjunction (Canada, japan) 13
described as (____, japan) 62	conjunction (France, japan) 11

Figure 7: The Word Menu for ‘japan’. Clicking on any of the menu options opens up the slice of matching sentences in a new view. In this case it will select sentences containing “Germany” and “Japan” in a conjunction relationship.

The related words option in the Word Menu shows the nouns, verbs, and adjectives that co-occur most frequently with the clicked-on word. For example, if we click on ‘Japan’ and open up the related words (Figure 8) the pop-up shows

Words that co-occur with 'japan'.		
Nouns	Verbs	Adjectives
china 825	trade 469	japanese 549
united 683	make 142	american 544
states 679	) 138	economic 419
u.s. 624	exports 137	other 381
korea 591		ore 318
world 557		ilitary 232
germany 501		st 220
america 489		clear 205
europa 483		oreign 196
south 451		m 163
war 339		ternatio... 150
countries 324		any 145
mr. 314		litical 132
new 313		lobal 127
economy 271		ch 126

Figure 8: The words that co-occur most frequently with ‘Japan’. Clicking on any of these words opens up a Word Menu, this time with the option to see the sentences containing the co-occurrence.

the words that co-occur most frequently with ‘Japan’ in this collection [?]. Each of these related words can be clicked in turn, opening up a new Word Menu. These menus have the additional option to ‘See co-occurrences’, as shown in the new Word Menu for ‘exports’. Selecting that option opens up a new view showing just those sentences in which the two words appear together (in this case, ‘Japan’ and ‘exports’).

**conflating co-occurrences with related words here; are we going to describe the related words algorithm?**


The word menu reduces friction in both discovery and search. It only takes one menu click to discover that ‘exports’ occurs frequently with ‘Japan’, and only one more to see all the sentences in which ‘Japan’ and ‘exports’ are mentioned together.

### 3.4 Custom Slices with Sets


Searches and filters are useful, but cannot always express specific analysis goals. WordSeer therefore allows users to construct custom slices through Word-, Sentence-, and Document Sets. These custom slices behave like any other slices, which means that they can be summarized in views, analyzed, filtered and searched. But they are more powerful than other slices because they also behave like metadata, transforming them into *categorical filters*.

Word Sets are well illustrated by an example from Case Study 1. One concept of interest in this study is “growth”. The scholar wished to investigate the occurrence of growth-related words in editorials about China. First, he creates a new word set and types in some growth-related words “growing, develop, developing, grow, rise, rising” (Figure 9(a)). The result is a Word Set representing a new slice of sen-


tences, those containing at least one of those words.



(a) Creating a “growth” word set with 6 words in it.



(b) The set now appears in the drop-down menu in the search box.



(c) The set also appears in the word menu (d) The set also appears in the metadata overview

Figure 9: Word Sets in WordSeer.

Once the word set is created, the entire user interface responds to its presence. The search box now shows a drop-down option for the set (Figure 9(b)). The word menu shows the option to add a new words (Figure 9(c)) and the metadata overviews (Figure 9(d)), previously restricted to predefined categories, now show this new “category”, and allows him to filter based on it.

Finally, he selects the {growth} Word Set as his search query, opens a Word Frequencies view, and applies the country = China filter to focus on editorials about China. The resulting visualization is Figure 10, which shows almost a doubling of the frequency of these words over the 30-year period from




Figure 10: The {growth} Word Set used as a Word Frequencies query.

1980 to 2012. For sentences and documents, the idea is the same. Users can hand-pick collections of sentences from the reading view, and from search results view, or collections of documents from the document search results view. Once created, all these sets can be overviewed and analyzed like any other slice, and additionally used as filters. This section has introduced the core text sliding features of WordSeer. The next two sections illustrate them in more depth and show how they were used in two real-world case studies to find information of value to scholar users.

#### 4. CASE STUDY: U.S. PERCEPTIONS OF CHINA JAPAN

C.F. is a PhD student at [university’s] English department. His dissertation explores how U.S. literature has responded to the rise of China since it began liberalizing its economy in the late 1970s. His arguments depend upon a set of historical observations about the rise of China broadly accepted by historians and cultural historians:

1. From the 1970s prior to the Tiananmen Square crackdown in 1989, U.S. observers paid more attention to Japan than China. During this period, China did not have more than a strategic, Cold War relevance.
2. With the onset of the 1990s, attention shifts from Japan to China. Japan entered its first “Lost Decade” of economic stagnation, and China, meanwhile, began deepening its economic relations with the U.S.
3. After China’s accession to the World Trade Organization in 2001, U.S.-China bilateral relationship becomes increasingly important to global economics and politics.
4. After 2001, there is an increasing sense that the U.S.’s time as the post-socialist era’s last remaining superpower are numbered, and that China will replace it.

Literary scholars typically allow their claims to rest on observations made by field experts like historians and sociologists, or on their own inductive reasoning. C.F., however, sought to supply these observations with as much empirical evidence as possible, as well as to verify them.



To generate this evidence, C.F. collected *New York Times* editorials from the Lexis/Nexis database, from 1980 to 2012. Using Lexis/Nexis’s metadata, C.F. limited the corpus to those tagged with subjects “China” or “Japan.” This resulted in a set of 5,715 editorials which were then imported to the tool.

After a few weeks of face-to-face meetings in which we discussed his research goals and demonstrated how to use WordSeer to ask questions, C.F. gradually became comfortable using WordSeer on his own. After that, we continued to meet, but focused on discussing his progress, and on plans for new analysis features based on his needs.

By the end of his project, C.F. had used WordSeer to find evidence for all four observations above. The discussion below elaborates on numbers 1 and 3, because those investigations made particularly heavy use of text sliding.

## 4.1 Confirming Intuitions

After becoming comfortable with WordSeer’s functionality, C.F.’s first goal was to get a sense of the tone towards China in the three different decades in his collection: the ‘80s, ‘90s, and ‘00s. He already had some intuitions of what he would find, but never having used the *New York Times* editorials, or done any previous computational analysis, he wanted to test both the reliability of his corpus, and the ability of WordSeer to replicate well-known facts.

Using a combination of filters for the different year spans and a search for “China”, C.F. assembled three different slices of sentences mentioning China, one for each decade. Then, he opened up each decade in a different view and compared the most frequent words and phrases (from the automatically-generated overviews).

WordSeer’s overviews showed clear differences between the decades. Each part of speech revealed a different trend in China’s changing relationship with the U.S. For instance, the increasing frequencies of certain growth-related verbs contributed to a sense of China’s rise, as shown by the frequencies per decade below:

- “grow, growing”: 294, 232, 421
- “rise, rising”: 101, 134, 249
- “develop, developing”: 274, 404, 476

As described above, using the Word Frequencies visualization in combination with Word Sets, he was able to get a clearer picture. First, he grouped these six verbs into a “growth” word set, and then visualized its frequency over time in the China editorials (Figure ??). The result is a graph showing a steady increase, almost a doubling, of growth-related words in editorials about China.

This first investigation allowed C.F. to gain some confidence in using a text analysis tool. Secure in having affirmed that editorials commonly discussed “the rise of China,” in a pattern that he expected, he returned to his original questions.

## 4.2 1980’s: Insignificant, Except for Cold War Strategy

While comparing the most frequent adjectives for the three decades, C.F. noticed a drop-off in cold war words. “Soviet” went from a count of 1029 in the 1980s to only 80 in the 2000s, and “communist” went from 284 to 112. To investigate the drop-off in more detail, he used the the Word

Menu to quickly open up word frequency plots for these two words over time, and filtered them to just the editorials about China. Figure 11 shows a plot of these words together:




Figure 11: The frequencies of ‘communist’ (blue) and ‘soviet’ (orange) in editorials about China over time.

Plotting the terms together (Figure 11) added depth to his initial calculations. The plot shows the dominance, and equally dramatic drop-off, in cold war mentions over this time period. In the early ‘80s, almost 11% – more than 1 in 10 sentences in those editorials – mentions one of these the cold war terms. By the ‘90s, however, this association is down to a trickle.

	done to (China, ____)	3	noun compound modifier (, China)	25
	clausal complement (China, ____)	4	noun compound modifier (card, China)	21
comes	temporal modifier (China, ____)	2	noun compound modifier (, China)	20
hip between the United	infinitival modifier (China, ____)	3	noun compound modifier (Corporation, China)	17
Importers in just a	open clausal complement (China, ____)	1	noun compound modifier (scholars, China)	10
or China in	done to (____, China)	6278	noun compound modifier (Connection, China)	9
sd	possessive (____, China)	3226	noun compound modifier (Daily, China)	8
sw	conjunction (____, China)	1184	noun compound modifier (experts, China)	7
uc	done by (____, China)	3562	noun compound modifier (market, China)	7
is	noun compound modifier (____, China)	831	noun compound modifier (Seas, China)	6
an	appositional modifier (____, China)	119	noun compound modifier (policies, China)	6
	dependent (____, China)	161	noun compound modifier (bill, China)	5


Figure 12: The word menu for ‘China’. After selecting *China* > *Search* > *noun compound modifier*, the noun-compound relationship “China card” stood out to C.F.

An exploration of the “grammatical neighborhood” around ‘China’ helped C.F. find yet more evidence for this idea. This time, it was through a distinctive rhetorical device. As Figure 12 shows, clicking on the word “China” opens up a menu with search options. These options act as quick previews of different grammatically-related slices: they show the frequencies with which “China” occurs in different grammatical constructions with different words. For C.F., the noun compound relationship yielded a surprise. He noticed an odd construction, “China card,” which appeared 21 times.

He immediately explored this distinctive usage by selecting List of Search Results options for that relationship. This opened up the list of sentences in which the noun compound “China card” occurred. When C.F. read the sentences, an interpretation suggested itself:

[Reading] the sentence search results reveals that phrase is used to refer to the China's strategic value in Cold War geopolitics. Of the four post-2000 instances, only one uses the phrase to describe a contemporary political situation; the others use it to describe Cold War politics. Reducing the vastness of China to a disposable "card," indicates a degree of U.S. self-confidence, not to mention condescension, that disappears after 1989.

The Word Frequencies view of the same data allowed him to make that temporal claim. Using the drop-down menu at the top left of the panel (Figure 1) he opened up the word frequencies view alongside his list of search results. Because the "year" metadata was attached to each article, this view displayed a graph of how frequent sentences containing "China Card" were over time (Figure 13). The graph



**Figure 13: The number of sentences matching "China card" over time.**

shows that "China card" the rhetorical figure signifying cold-war strategic value, was used relatively frequently until 1989, but rarely after that. This supported his claim that, up until the early 90's, China had a Cold-war strategic significance to the U.S. that later dissipated.

**What about the blip in 2005?**

### 4.3 Mid '90's onwards: China's ties with the U.S. Strengthen


A major event in Chinese international relations occurred in 2001, when China joined the World Trade Organization (WTO). Although attention had been shifting towards China since the '90s, it is during this period that U.S.-China relations are thought to have become more interdependent, and central to global politics.

To find evidence for this, C.F. started with a grammatical structure he thought might make a good proxy for U.S.-China relations: the *conjunction*, which is just an *and* relationship between two words. He needed a grammatical search because of the possibility of constructions like

"The United States, the world's top energy guzzler, and China, with the world's fastest-growing energy thirst ..." (April 2006).

This fragment places China and the United States in clear conjunction with each other, but an exact-phrase search for 'United States and China' would miss it.

He created a list of search results view, containing a total of 142 sentences (Figure 14). A quick look at the distribution of articles over the Year category (circled in red) confirmed his choice of starting point. These were much more



**Figure 14: A List of Search Results view of the conjunction(United States, China) sentences.**

frequent from the mid-nineties onward. In fact, out of the 142 occurrences, 116 (81%) occurred after 1994.


He began skimming over the results, but soon noticed a problem. While these these sentences did indeed contain many references to U.S.-China relations, they also contained many conjunctions that weren't interesting: purely grammatical ones like "While maintaining cautious vigilance against rival powers, the United States, Soviet Union, and China separately welcomed this trend.", and relations involving other parties, like "In turn, the nuclear five – the United States, Britain, Russia, France and China – committed themselves to sign a comprehensive test ban by next year."

WordSeer's sentence sets are designed to solve this problem. C.F. recognized this, and put them to use. He manually inspected each of the 134 results, and created a sentence set out of the ones that satisfied his criteria: having to do with relations solely between the U.S. and China relations. He called this set {US-China relations}. Sentences were sometimes ambiguous, but the ease of looking up the sentence within the editorial made it easy to check whether or not it should be included. To quote:

[The filtering process] was significantly aided by the ability to click on the sentence and immediately see it located in context within the full editorial.

He eliminated about half the sentences from consideration, leaving him with a set of 79 sentences. A Word Frequencies view of this smaller slice made the picture much clearer (Figure 15). Of the 79 sentences, the overwhelming majority (86%) occur after 1995. C.F. noticed a subtle point: as he moved from the 1990's to the 2000's, the relationship between the U.S. and China seemed to be increasingly 'central'






**Figure 15:** The distribution of sentences in in the {US-China} relations slice. 86% of the sentences occur after 1994.

and ‘inter-dependent’:

Phrases and words like the following begin to appear: “21st century’s most important relationship,” “co-dependent,” “interlocking,” etc. But I achieved a more precise sense of the themes of *interdependence* and *centrality* more precisely using a Word Set of thematically-related adjectives drawn from the Frequent Adjectives overview. Using the set consisting of “most, central, important, indispensable, dependent, interdependent, dependency, entangled, interlocking, interdependency” (taken from the overview). The graph shows that it’s not until 1995 that the U.S.-China relationship is characterized by these themes.

Figure 16 shows the distribution of centrality and interdependence adjectives detected automatically by the tool, intersected with the conjoined U.S.-China relationship sentences curated by C.F.



**Figure 16:** The distribution of the {centrality and interdependence} Word Set within the conjunction(United States, China) slice. There are no occurrences before 1995.

## 5. CASE STUDY: LITERACY ESSAYS

### 5.1 Introduction

As a college English Composition instructor, R.G., at [university’s] school of Education asks students to write often and in a variety of situations. In this project, he examined

Course	College	Level
Engl 1A (n=29)	[anonymized]	First-year
Engl 201AB (n=28)	[anonymized]	Pre-transfer
Engl 5 (n=40)	[anonymized]	Transfer level
Edu 140 (n=40)	[anonymized]	Upper division

**Table 1:** The four different courses, each at a different proficiency level, from which literacy autobiographies were analyzed by R.G.

ways in which he might draw upon the tool to assist in the teaching and learning of writing. He was particularly interested in the literacy autobiography. In this type of writing, students describe significant experiences they have had with literacy and reflect upon the importance of literacy to their lives.

R.G. analyzed the content of approximately 140 literacy autobiographies written by students from courses that he has taught over that past two years, each about 1,500 to 2,000 words long. He is familiar with the collection, having previously read and commented on each of the essays. Table 1 shows the different courses from which literacy autobiographies were analyzed. The courses were at different colleges and taught at different proficiency levels.

Among the questions that guided his inquiry were the following. In this example, we show how the tool helped him get answers:

1. What can a distant reading of student literacy autobiographies tell him about students that close readings cannot?
2. What patterns exist in student literacy autobiographies at different course levels and institutions?

### 5.2 A new take on students’ experiences

R.G. doesn’t usually consider the frequencies of words unless a student repeats one to the point of distraction. However, the tool’s very first overview (like the one C.F saw in Figure 2(a), except on R.G.’s data) prompted him to consider the significance of individual words and their repeated use. As he states:

From the moment I opened [the tool], ‘distance’ immediately provided new insight and areas of exploration as I was intrigued by unexpected high word frequencies. The most obvious example is the frequent use of the word “time” which is not only the most frequent noun but also the most frequent word overall. As opposed to “literacy”, “language”, and any noun or verb forms of “read” and “write”, the Word Tree for “time” appears before any term is placed in the keyword search. I found similar surprises in the adjective and verb frequencies, and these surprises would guide my decision-making and analysis.

Faced with unexpected discoveries in every part of speech, R.G. decided to explore the adjectives (Figure 17). The top three adjectives were not surprising - “other” (474), “first” (379), and “new” (384). However, “able” (314) and “own” (282) were words that he did not expect to be used frequently.

Frequent Adjectives		group by stem: <input checked="" type="checkbox"/>
other	474	
new	384	
first	379	
able	314	
own	282	
more	279	
many	270	

Figure 17: The most frequent adjectives overall in R.G.’s literacy essays .

R.G. now wanted to understand the unexpectedly high frequencies of “able” and “own”. WordSeer made this exploration easier. Instead of having to open a new window and type new search queries, clicking on the words themselves opened up Word Menus which allowed him to create Word Trees centered on those words.




Figure 18: Side-by-side Word Trees (with overview panels collapsed) for ‘able’ and ‘own’, created from the Word Menu.

The Word Tree for “able” (Figure 18 left) revealed that the most common use of the adjective able was: [form of the verb ‘to be’] + able + to [action verb]. To get a sense of how common this usage was overall, R.G. hovered over each branch (which displayed the number of sentences under that branch), and adding up the numbers for branches matching “to be”. He found that the overwhelming majority, 280 out of 314 occurrences, fell into this pattern, with the most common “abilities” being literacy-related: read, understand, communicate, learn, speak, etc. For “own” (Figure 18 right), the most common construction was: [preposition] + my + own, with around a third: 100 out of 291 occurrences. He also used the Word Tree to zoom in and read the individual sentences.

As a result, R.G. came away with a new insight about his students:

Student writers articulate their experiences from some first encounter with the unfamiliar, followed by a process of being “able” to act within that which is becoming less unfamiliar. Moving into literacy requires these writers to develop their “own” abilities as necessary to survive and prosper in that context.

## 5.3 Writing proficiency across courses

The different courses R.G. taught had different emphases and were taken by students with differing amounts of college education. He was especially interested in differences in sentence construction, hypothesizing that more proficient students would use advanced structures more frequently. To initiate the analyses, he performed word searches on terms such as “though”, “while”, “although”, and “however”, which indicate a complex structure called a “concessive”. He was expecting concessives to be increasingly frequent as student experience increased from English 1A, to English 201, to English 5, to Ed140.

The Word Frequencies visualization allowed R.G. to confirm his hypothesis. It shows how often terms occur across different metadata categories (and can show the counts stacked or grouped, normalized or raw). R.G. searched for multiple terms simultaneously, which created a comparative visualization (Figure 19). The increasing frequencies across the




Figure 19: The frequencies of different “concessive” words across the Course category: ‘although’ (blue), ‘though’ (orange) ‘while’ (green) and ‘however’ (red).

course levels confirmed his hunch that as students become more experienced and comfortable with the written word, they used more complex sentence structures more frequently.

## 6. RELATED WORK

Exploratory data analysis (EDA) is an approach popularized by the statistician John Tukey whose goals are to maximize insight into a data set, uncover underlying structure, test underlying assumptions, and find bases from which to formulate hypotheses to test with confirmatory approaches [?, ?]. Many of the tools developed for EDA such as Polaris (which because the product Tableau [?], and Spotfire [?] allow users to view multidimensional data from different angles by selecting subsets of data, viewing those as visualizations, moving laterally to view other subsets of data, moving into another view, expanding the viewed data by relaxing constraints, and so on. However, these tools operate over numerical and categorical data, but do not seamlessly operate over raw textual information with the same flexibility.

There are also many highly specialized exploratory interfaces, such as Paperlens [] and Apollo, two of many tools for exploring collections of bibliographic citations.

Current text analysis systems put computational linguistics and data visualization into the hands of users. Tools

such as Jigsaw [?], Takmi (made into the product IBM TextMiner) [?], and SAS Text Analytics [?] take techniques like text classification, named-entity recognition, sentiment analysis and summarization and build systems to automate their use. To make the results of these computational analyses interpretable, they display the outputs with interactive data visualization. These systems have made advanced text mining and visualization algorithms available to users without expertise in those areas, but do not provide flexibility of the system described here.

Faceted navigation  
Subjunctive Interface  
WordHoard Voyeur/Voyage  
PaperLens Tableau  
Sandbox/Trist  
IBM TextMiner (UIMA)

@articleuramoto2004text, title=A text-mining system for knowledge discovery from biomedical documents, author=Uramoto, Naohiko and Matsuzawa, Hirofumi and Nagano, Tohru and Murakami, Akiko and Takeuchi, Hironori and Takeda, Kohichi, journal=IBM Systems Journal, volume=43, number=3, pages=516–533, year=2004, publisher=IBM

@techreportibmcontent, title=IBM Content Analytics Version 2.2: Discovering Actionable Insight from Your Content, author=Zhu, W.-D. and Iwai, A. and Layba, T. and Magdalen, J. and McNeil, K. and Nasukawa T. and Patel, N. and Sugano, K., booktitle=IBM Redbooks, year=2011, organization=IBM

@articlestasko2008jigsaw, title=Jigsaw: supporting investigative analysis through interactive visualization, author=Stasko, John and Görg, Carsten and Liu, Zhicheng, journal=Information visualization, volume=7, number=2, pages=118–132, year=2008, publisher=SAGE Publications

@inproceedingsdonn1996query, title=Query previews in networked information systems, author=Donn, K and Plaisant, Catherine and Shneiderman, Ben, booktitle=Research and Technology Advances in Digital Libraries, 1996. ADL'96., Proceedings of the Third Forum on, pages=120–129, year=1996, organization=IEEE

@articleahlberg1996spotfire, title=Spotfire: an information exploration environment, author=Ahlberg, Christopher, journal=ACM SIGMOD Record, volume=25, number=4, pages=25–29, year=1996, publisher=ACM

@articlestolte2002polaris, title=Polaris: A system for query, analysis, and visualization of multidimensional relational databases, author=Stolte, Chris and Tang, Diane and Hanrahan, Pat, journal=Visualization and Computer Graphics, IEEE Transactions on, volume=8, number=1, pages=52–65, year=2002, publisher=IEEE

@articletukey1980we, title=We need both exploratory and confirmatory, author=Tukey, John W, journal=The American Statistician, volume=34, number=1, pages=23–25, year=1980, publisher=Taylor & Francis

@articletukey1977exploratory, title=Exploratory data analysis, author=Tukey, John W, journal=Reading, MA, volume=231, year=1977

## 7. DISCUSSION AND FUTURE WORK

These case studies have illustrated the use of the text manipulation and visualization functionality of WordSeer to help scholars make new discoveries about the world and create new understanding from text collections; these are discoveries that most likely they would not have been able to

make with any other existing tool.

Prior to using WordSeer, C.F. had general ideas about the points he wanted to make based on years of reading evidence in the field, but no way to quantify or codify those ideas based on data. A few sessions using the tool allowed him to find changes in use in language that reflected historians' understanding of the changing attitudes between countries' relationships (China's transformation from a 'card' played by American diplomats during the cold war, to its present-day incarnation as a 'central' and 'entangled' partner of the United States), but with more precision (the steady increase in growth-related verbs over the last 30 years, the sudden jump in phrases like "US and China" after 1994) and with more nuance (the emergence of words relating to the 'centrality' and 'interdependence' of their relationship in the 2000s).

Prior to using WordSeer, R.G. had spent hours reading and thinking about the literacy essays, but had not looked at them in terms of word frequency or syntactic structure. Using WordSeer, he was able to see the documents in a new light and form new understanding of the general trends in his students' process of learning to write. He was also able to formulate and find evidence for a hypothesis about an increase in proficiency with advanced writing structures as they moved to successively advanced educational levels. He used a complex combination of searching for grammatical structures, side-by-side comparisons of sets of sentences according to adjectives and their use in context, selecting a subset of words and comparing their frequency across a metadata classification.

A key component of the use of the tool in these examples is the freedom it affords the user to pivot on words, on words' relations to other words, to create groups of words and cross them with arbitrary metadata categories, and to be able to immediately view the context of their original sentences and documents, thus allowing "close reading" as part of the text analysis process.

### 7.1 Areas for Improvement

As an exploratory data analysis (EDA) system, WordSeer aids in the formulation of hypotheses, and the accumulation of evidence in favor or in refutation of hypothesis. However, it is important when doing EDA to externally verify any hypotheses formed, preferably with evidence external to the text. A significant improvement to the tool would be a way to help users try to disprove any hypothesis that they think the tool has helped them to find. For instance, Grimmer [?] describes methods to validate hypotheses formed from politician's press releases, such as comparing categories formed from these documents to candidate's voting records. Assessments of literacy essays can be compared to learning outcomes and grades, for example.

It is also important to note that analysts must keep themselves honest, and look for evidence to counteract their claims. C.F., for example, must be sure to seek examples of word usage that go against his views on US-China relations.

There are several improvements that need to be made to the user interface. The first problem is that our window-management panel is rigid in structure, opening up views side by side from left to right. This makes having more than two or three simultaneous panels impractical on most displays. A more adaptive, customizable window management system would make transitioning to a new views and

managing old views more frictionless.

Second, the user's history of actions should be made more accessible. At present, previous views can only be revisited can via back and forward buttons on each panel, and by opening them up individually from the list of past actions. The system should instead give the user a sense of the different sensemaking paths they have taken, and allow them to replay their history, and branch off from it.

The third problem is that users cannot customize their views according to their needs. The panels always display the same three overviews: the metadata on the left, and the most frequent phrases, nouns, verbs, and adjectives on the bottom. The user should be able to choose to expand or collapse these overviews by default, as well as the details of the overviews themselves: perhaps they would like to see the most distinctive words in the slice, instead of the most frequent. The overviews also need to make it clear that the counts they show are the number of matching *sentences*, and not the number of matching *documents*, and to give users a way of switching between the two.

Finally, although the tool provides results in under a second in some cases, in other cases the wait is longer, depending on the size of the collection and the operation requested. A next step will be optimizing of the tool's performance to further encourage exploration.

## 7.2 Requested Features

Both C.F. and R.G. expressed the desire to search for sentence structures beyond word-to-word relationships. C.F. was interested in sentences with a comparative structure, specifically comparisons between Chinese and Japanese things. As a composition instructor, R.G. was interested in the broader applications of a "sentences structure search" to his teaching. If there was a way to summarize the most frequent types of sentence-structure mistakes students made, or to find overall commonalities in the ways students structured their sentences, he could focus on helping the students improve in those areas.

Both scholars also wanted a way to automatically create groups based on a set of examples, and to fine-tune the results by giving feedback. For example, C.F. could have used it to identify a more comprehensive set of sentences describing the complexities of the US-China relationship, and R.G. could have used it to automatically build up groups of the different senses of the word "get": the sense of becoming ('I got ready to ...'), and the sense of acquisition ('I got a lot of practice ...'). This would have made it much easier to see how often these different senses were associated with acts of literacy, instead of having to manually construct the groups by reading all the sentences.

In future work the system should also incorporate standard text analysis tools such as text classification and sentiment analysis, and should allow users to make organize words according to pre-defined word dictionaries.

## 8. ACKNOWLEDGEMENTS

We sincerely thank [Firstname Lastname, Firstname Lastname, and Firstname Lastname] for helpful comments on a Case Study not described in this paper. We are also grateful to [Firstname Lastname] for his helpful advice and thought-provoking discussions throughout.

This work is supported by NEH grant HK-50011-12.

## 9. REFERENCES

- [1] K. Donn, C. Plaisant, and B. Shneiderman. Query previews in networked information systems. In *Research and Technology Advances in Digital Libraries, 1996. ADL'96., Proceedings of the Third Forum on*, page 120–129, 1996.
- [2] F. Gibbs and T. Owens. Building better digital humanities tools. *Digital Humanities Quarterly*, 6(2), 2012.
- [3] D. Jurafsky and J. H. Martin. Chapter 13 syntactic parsing. In *Speech and language processing*, pages 427 – 459. Pearson Prentice Hall, Upper Saddle River, NJ, USA, 2nd edition, 2009.
- [4] D. Klein and C. D. Manning. Accurate unlexicalized parsing. In *Proc. 41st annual meeting of the Association for Computational Linguistics*, volume 1 of *Association for Computational Linguistics '03*, pages 423–430, Sapporo, Japan, 2003. Association for Computational Linguistics. ACM ID: 1075150.
- [5] P. Pirolli and S. Card. The sensemaking process and leverage points for analyst technology as identified through cognitive task analysis. In *Proc. International Conference on Intelligence Analysis*, volume 1, pages 2–4, MacLean, VA, USA, 2005.
- [6] D. M. Russell, M. Slaney, Y. Qu, and M. Houston. Being literate with large document collections: Observational studies and cost structure tradeoffs. In *System Sciences, 2006. HICSS'06. Proceedings of the 39th Annual Hawaii International Conference on*, volume 3, page 55–55, 2006.
- [7] D. M. Russell, M. J. Stefik, P. Pirolli, and S. K. Card. The cost structure of sensemaking. In *Proc. INTERACT and CHI Conferences on Human Factors in Computing Systems*, CHI '93, Amsterdam, The Netherlands, 1993. Association for Computing Machinery.
- [8] J. W. Tukey. Exploratory data analysis. *Reading, MA*, 231, 1977.
- [9] M. Wattenberg and F. B. Viegas. The word tree, an interactive visual concordance. *IEEE Transactions on Visualization and Computer Graphics*, 14(6):1221–1228, 2008.