

# The Determinant and Arc Indices of $\theta$ -Curves and Handcuff-Graphs

---

Eunchan Cho<sup>1</sup>   Jeongwon Shin<sup>1</sup>   Boyeon Seo<sup>1</sup>   Minho Choi<sup>1</sup>


NOV 22, 2025  
R&E 2025

# Introduction

---


# $\theta$ -Curves

- A  **$\theta$ -curve**  $T$  is a graph embedded in  $S^3$ , which consists of two vertices  $v_1, v_2$  and three edges  $e_1, e_2, e_3$ , such that each edge joins the vertices.
- A **constituent knot**  $T_{ij}$ ,  $1 \leq i < j \leq 3$ , is a subgraph of  $T$  that consists of two vertices  $v_1, v_2$  and two edges  $e_i, e_j$ .
- $\theta$ -curves are roughly classified by comparing the triples of constituent knots.
- A  $\theta$ -curve is said to be **trivial** if it can be embedded in a 2-sphere in  $S^3$ .




# Handcuff Graphs

- A **handcuff graph**  $H$  is a graph embedded in  $S^3$  consisting of two vertices ( $v_1, v_2$ ) and three edges ( $e_1, e_2, e_3$ ), where  $e_3$  has distinct endpoints  $v_1$  and  $v_2$ , and  $e_1$  and  $e_2$  are loops based at  $v_1$  and  $v_2$ .
- A **constituent link**  $H_{12}$ , is a subgraph of  $H$  that consists of two vertices  $v_1, v_2$  and two edges  $e_1, e_2$ .



# Reidemeister Moves for $\theta$ -Curves and Handcuff Graphs



- **Arc presentation** of a  $\theta$ -curve or handcuff graph is an embedding of them.
- It is contained in the union of finitely many half planes (called **pages**).
- The embedding is with the common boundary line (called **axis**).
- Each vertex lies in the axis.
- Each page contains a properly embedded single arc.
- **Arc index**, is the minimal number of pages among all possible arc presentations of graph.
- This arc presentation with the minimal number of pages is **minimal arc presentation**.

# Arc Presentation



Trefoil




Open Book



Grid Diagram



$\theta_{5,2}$



Open Book




Grid Diagram



$2_1$

$\Phi_{2,1}$



Open Book



Grid Diagram



# Grid Diagram

- The **grid diagram** of  $\theta$ -curve or handcuff graph is a diagram with only vertical and horizontal strands.
- $(\text{number of vertical strands}) + 1 = (\text{number of horizontal strands})$
- At every crossing, the vertical strand crosses over the horizontal strand.
- No two horizontal strands are in the same row.
- No two vertical strands are in same column.



# Grid Diagram

- A grid diagram gives rise to an arc presentation and vice versa.





# Arc Presentation of the $\theta$ -Curve and Handcuff Graph

## Theorem

*Every  $\theta$ -curve and handcuff graph admit a grid diagram.*

## PROOF



## Corollary

*Every  $\theta$ -curve and handcuff graph admit a arc presentation.*

## Lower and Upper Bounds of Arc Index

---

# Upper Bounds of Arc Index

## Theorem

*Let  $T$  be any  $\theta$ -curve. Then,*

$$\alpha(T) \leq c(T) + 3.$$

## Theorem

*Let  $H$  be any handcuff graph. Then,*

$$\alpha(H) \leq c(H) + 5.$$

*Especially, if the constituent link of  $H$  is non-split,*

$$\alpha(H) \leq c(H) + 3.$$

## Theorem

*Let  $T$  be any non-trivial prime  $\theta$ -curve or handcuff graph. Then,*

$$\alpha(T) \leq c(T) + 3.$$