




**TECNOLÓGICO
NACIONAL DE MÉXICO**



Tecnológico Nacional de México

Instituto Tecnológico de Saltillo

Ingeniería en Sistemas Computacionales

Cómputo en la Nube

Unidad 5


5.4 – Instalación de Docker

Alumna:


Silvia Guadalupe Ramos Mendoza 22050726

Docente: Ing. Miguel Salazar del Bosque

Saltillo, Coahuila; a 22 de abril de 2026




¿Qué debo hacer en este caso que aparece en la imagen?




Utiliza el comando **Remove-Item -Recurse -Force "C:\ProgramData\DockerDesktop"** para eliminar una carpeta que haya quedado de una instalación anterior o incompleta de Docker (Respuesta obtenida por IA).

¿Qué configuración debo escoger?

Las dos que están por defecto, es mejor dejarlas. (Orientada por compañeros)





```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

PS C:\Users\Silvia Ramos>
PS C:\Users\Silvia Ramos> docker --version
Docker version 29.4.0, build 9d7ad9f
PS C:\Users\Silvia Ramos>
```

¿Qué pruebas se pueden realizar para saber que está todo correcto?

docker run hello-world

```
Windows PowerShell
PS C:\Users\Silvia Ramos> docker run hello-world
Unable to find image 'hello-world:latest' locally
latest: Pulling from library/hello-world
4f55086f7dd0: Pull complete
d5e71e642bf5: Download complete
Digest: sha256:f9078146db2e05e794366b1bfe584a14ea6317f44027d10ef7dad65279026885
Status: Downloaded newer image for hello-world:latest

Hello from Docker!
This message shows that your installation appears to be working correctly.

To generate this message, Docker took the following steps:
1. The Docker client contacted the Docker daemon.
2. The Docker daemon pulled the "hello-world" image from the Docker Hub.
   (amd64)
3. The Docker daemon created a new container from that image which runs the
   executable that produces the output you are currently reading.
4. The Docker daemon streamed that output to the Docker client, which sent it
   to your terminal.

To try something more ambitious, you can run an Ubuntu container with:
$ docker run -it ubuntu bash

Share images, automate workflows, and more with a free Docker ID:
https://hub.docker.com/

For more examples and ideas, visit:
https://docs.docker.com/get-started/

PS C:\Users\Silvia Ramos>
```

docker ps -a

```
Windows PowerShell
4f55086f7dd0: Pull complete
d5e71e642bf5: Download complete
Digest: sha256:f9078146db2e05e794366b1bfe584a14ea6317f44027d10ef7dad65279026885
Status: Downloaded newer image for hello-world:latest

Hello from Docker!
This message shows that your installation appears to be working correctly.

To generate this message, Docker took the following steps:
1. The Docker client contacted the Docker daemon.
2. The Docker daemon pulled the "hello-world" image from the Docker Hub.
   (amd64)
3. The Docker daemon created a new container from that image which runs the
   executable that produces the output you are currently reading.
4. The Docker daemon streamed that output to the Docker client, which sent it
   to your terminal.

To try something more ambitious, you can run an Ubuntu container with:
$ docker run -it ubuntu bash

Share images, automate workflows, and more with a free Docker ID:
https://hub.docker.com/

For more examples and ideas, visit:
https://docs.docker.com/get-started/

PS C:\Users\Silvia Ramos> docker ps -a
CONTAINER ID   IMAGE          COMMAND                  CREATED        STATUS          PORTS          NAMES
e4a729907491   hello-world   "/hello"                About a minute ago    Exited (0) About a minute ago          brave_jemison

PS C:\Users\Silvia Ramos>
```

docker images

```
Windows PowerShell

Hello from Docker!
This message shows that your installation appears to be working correctly.

To generate this message, Docker took the following steps:
1. The Docker client contacted the Docker daemon.
2. The Docker daemon pulled the "hello-world" image from the Docker Hub.
   (amd64)
3. The Docker daemon created a new container from that image which runs the
   executable that produces the output you are currently reading.
4. The Docker daemon streamed that output to the Docker client, which sent it
   to your terminal.

To try something more ambitious, you can run an Ubuntu container with:
$ docker run -it ubuntu bash

Share images, automate workflows, and more with a free Docker ID:
https://hub.docker.com/

For more examples and ideas, visit:
https://docs.docker.com/get-started/

PS C:\Users\Silvia Ramos> docker ps -a
CONTAINER ID   IMAGE          COMMAND                  CREATED        STATUS        PORTS          NAMES
e4a729907491   hello-world    "/hello"                About a minute ago    Exited (0)    About a minute ago           brave_jemison
PS C:\Users\Silvia Ramos> docker images
REPOSITORY        TAG                IMAGE ID            SIZE
hello-world:latest f9078146db2e       25.9kB              9.49kB
PS C:\Users\Silvia Ramos>
```

Conclusión

La realización de esta práctica me permitió comprender de mejor manera el funcionamiento de Docker y su importancia en el desarrollo de software actual. Para mí, esta experiencia resulta especialmente emocionante, ya que anteriormente había intentado instalar Docker sin éxito debido a que no contaba con una guía sencilla y clara que me orientara durante el proceso. En esta ocasión, al seguir pasos más estructurados, logré completar la instalación y ejecutar pruebas correctamente, lo cual representa un avance importante en mi aprendizaje.

Finalmente, considero que esta nueva etapa representa una gran oportunidad para seguir aprendiendo sobre esta tecnología, ya que Docker es una herramienta ampliamente utilizada en la industria. Espero poder profundizar en su uso y aplicar estos conocimientos en futuros proyectos.

