

Discrete Adjustment with Multiple Changing Environments

Silvio Ravaoli

CD Lab Meeting

November 22, 2019

Motivation

- ▶ Lab experiment, tracking problem: estimate the probability of a binary event, which changes stochastically (as in Khaw, Stevens, and Woodford 2017 JME)
- ▶ Multiple simultaneous choices
- ▶ Framework: price adjustments
- ▶ Empirical motivation: sticky prices over time (Bils and Klenow 2004 JPE), but also uniform prices across stores (Della Vigna and Gentzkow 2019 QJE)
- ▶ **Main Hypothesis** (+ correlation): Changes occur more often together than in isolation
- ▶ **Opposite Hypothesis** (- correlation): Changes occur more often in isolation than together

Motivation


- ▶ Lab experiment, tracking problem: estimate the probability of a binary event, which changes stochastically (as in Khaw, Stevens, and Woodford 2017 JME)
- ▶ Multiple simultaneous choices
- ▶ Framework: price adjustments
- ▶ Empirical motivation: sticky prices over time (Bils and Klenow 2004 JPE), but also uniform prices across stores (Della Vigna and Gentzkow 2019 QJE)
- ▶ **Main Hypothesis** (+ correlation): Changes occur more often together than in isolation
- ▶ **Opposite Hypothesis** (- correlation): Changes occur more often in isolation than together

Side result of the experiment

Side result of the experiment




Lab experiment - Old vs New




Khaw et al. 2017 - Discrete adjustment to a changing environment

Lab experiment - Old vs New





Adapted task with two independent states


Collected Data - Time Series




Collected Data - Time Series




Collected Data - Time Series



Conservatism






Participants vs optimal behavior




Inertia and correlated adjustment

- ▶ Inertia: no change in 51% of the rounds
- ▶ Correlated changes: a change in p1 increases the likelihood of changing p2 from 1/4 to 1/2



	All	Conditional on p1 changed	Conditional on p1 unchanged
Pr(p2 change)	32%	49%	24%
Avg p2 c (cond.)	10.73%	8.68%	12.71%
Avg p2 change	3.44%	4.25%	3.05%




Participants vs optimal behavior




Predictors of change





Predictors of change



Predictors of change




Logit Regression





Logit(Change p2)	(1)	(2)	(3)	(4)
Constant	-1.26***	-1.16***	-1.55***	-1.93***
Bayesian gap p2	3.08***		2.64***	4.02***
Bayesian gap p1	0.222		0.265	1.18***
Bayesian var p2		3.01***	2.43***	4.28***
Bayesian var p1		0.334*	0.502***	1.69***
Bg p2 \times Bv p2				-9.14***
Bg p1 \times Bv p1				-6.18***

Heatmaps





Heatmaps

Avg adjustment (unconditional)





Heatmaps

Avg adjustment (conditional)



Heatmaps

Avg response time




Discrete Adjustment with Multiple Changing Environments

Silvio Ravaoli


CD Lab Meeting

November 22, 2019


Preference for round numbers




Overconfidence



Conservatism (Bayesian agent)



NO overconfidence (Bayesian agent)



Benchmark (Bayesian agent)

