

1. Proposal

Construction of a residential building of eleven dwellings over two levels with a partial basement, on parcel 4182 at Chemin des Collines. Gross internal area 1 240 m². Eleven parking spaces are provided at basement level, with cycle storage for twenty-two.

2. Planning context

The parcel lies within zone R2 of the communal plan, permitting residential use at a floor area ratio of 0.55. The proposal achieves 0.52. Building height at 9.4 m is below the 11.0 m limit. Setbacks of 6.0 m north and 4.5 m east comply with the cantonal minimum.

3. Energy

The building is designed to MINERGIE-P. Predicted demand is 28 kWh/m².a. Heating is by ground-source heat pump with two boreholes to 140 m. Photovoltaic capacity of 34 kWp is proposed on the south roof.

4. Materials and appearance

External walls are insulated timber frame with untreated larch cladding, chosen for local supply and weathering without maintenance. Windows are triple-glazed timber with an aluminium capping.

5. Access and parking

Vehicular access is taken from the existing crossing to Chemin des Collines, unaltered. Refuse storage is at the boundary for collection.

6. Drainage

Surface water discharges to soakaway following infiltration testing on 12 June 2026, which recorded a rate of 4.2×10^{-5} m/s. Foul drainage connects to the communal sewer in Chemin des Collines.

7. Documents accompanying this application

A-100 Site plan · A-101 to A-103 Floor plans · A-201 to A-204 Elevations · A-301 Sections · Energy report · Drainage calculations.