

```

simarchawla@Simars-MacBook-Air docker-ethereum % cd..
zsh: command not found: cd..
simarchawla@Simars-MacBook-Air docker-ethereum % cd ..
simarchawla@Simars-MacBook-Air lab4 % cd docker-ethereum
simarchawla@Simars-MacBook-Air docker-ethereum % kompose convert -f docker-compose.yml
INFO Kubernetes file "dapp-service.yaml" created
INFO Kubernetes file "ganache-service.yaml" created
INFO Kubernetes file "react-service.yaml" created
INFO Kubernetes file "dapp-deployment.yaml" created
INFO Kubernetes file "ganache-deployment.yaml" created
INFO Kubernetes file "react-deployment.yaml" created
simarchawla@Simars-MacBook-Air docker-ethereum % $ kubectl apply -f .
zsh: command not found: $
simarchawla@Simars-MacBook-Air docker-ethereum % kubectl apply -f .
The connection to the server 127.0.0.1:61600 was refused - did you specify the right host or port?
simarchawla@Simars-MacBook-Air docker-ethereum % minikube start
🐳 minikube v1.32.0 on Darwin 14.2.1 (arm64)
👉 Using the docker driver based on existing profile

🔌 Exiting due to PROVIDER_DOCKER_NOT_RUNNING: "docker version --format <no value>:<no value>:<no value>" exit status 1: Cannot co
nnect to the Docker daemon at unix:///Users/simarchawla/.docker/run/docker.sock. Is the docker daemon running?
💡 Suggestion: Start the Docker service
📄 Documentation: https://minikube.sigs.k8s.io/docs/drivers/docker/

simarchawla@Simars-MacBook-Air docker-ethereum %

```

```


minikube
type: Control Plane
host: Nonexistent
kubelet: Nonexistent
apiserver: Nonexistent
kubeconfig: Nonexistent

simarchawla@Simars-MacBook-Air docker-ethereum % kubectl apply -f .
The connection to the server 127.0.0.1:61600 was refused - did you specify the right host or port?
simarchawla@Simars-MacBook-Air docker-ethereum % minikube start
🐳 minikube v1.32.0 on Darwin 14.2.1 (arm64)
👉 Using the docker driver based on existing profile
👉 Starting control plane node minikube in cluster minikube
🔌 Pulling base image ...
🔄 Restarting existing docker container for "minikube" ...
🔄 Preparing Kubernetes v1.28.3 on Docker 24.0.7 ...
🔌 Configuring bridge CNI (Container Networking Interface) ...
🔌 Verifying Kubernetes components...
  ▪ Using image gcr.io/k8s-minikube/storage-provisioner:v5
  ▪ Using image docker.io/kubernetesui/metrics-scraper:v1.0.8
  ▪ Using image docker.io/kubernetesui/dashboard:v2.7.0
💡 Some dashboard features require the metrics-server addon. To enable all features please run:

    minikube addons enable metrics-server

🌟 Enabled addons: storage-provisioner, default-storageclass, dashboard
👉 Done! kubectl is now configured to use "minikube" cluster and "default" namespace by default
simarchawla@Simars-MacBook-Air docker-ethereum % kubectl apply -f .
deployment.apps/dapp created
service/dapp created
deployment.apps/ganache created
service/ganache created
deployment.apps/react created
service/react created


```



set message

Set Message
Get Message
Compile Contract
Deploy Contract

Contract compiled successfully!



```

pod "dapp-7848d59bb7-ckc2p" deleted
simarchawla@Simars-MacBook-Air docker-ethereum % kubectl get pods
NAME                                READY   STATUS              RESTARTS   AGE
dapp-57fb7cd8c7-xxqnd               1/1     Running             0          95s
ganache-76dfbb5d45-fqvpl            0/1     CrashLoopBackOff    18 (63s ago)  94m
mongo-express-deployment-b88f6d45f-dqd22  1/1     Running             10 (7m34s ago)  6d2h
mongodb-stateful-set-0               1/1     Running             10 (7m33s ago)  6d2h
mongodb-stateful-set-1               1/1     Running             10 (7m33s ago)  6d2h
note-deployment-74cc946cd8-88c6n     1/1     Running             20 (7m5s ago)   6d2h
note-deployment-74cc946cd8-rwvpj     1/1     Running             20 (7m7s ago)   6d2h
note-server-deployment-6fb5fcb67f-6hm7j 1/1     Running             17 (2m49s ago)  6d2h
note-server-deployment-6fb5fcb67f-vtwql 1/1     Running             15 (7m49s ago)  6d2h
react-5d44c95bdd-ft5kx               1/1     Running             8 (7m33s ago)   94m
simarchawla@Simars-MacBook-Air docker-ethereum % kubectl exec dapp-57fb7cd8c7-xxqnd -- env
HOME=/root
YARN_VERSION=1.9.4
NODE_VERSION=8.12.0
NOTE_SERVICE_PORT_3000_TCP_ADDR=10.103.220.129
NOTE_SERVICE_PORT=tcp://10.103.220.129:3000
KUBERNETES_PORT_443_TCP=tcp://10.96.0.1:443
REACT_PORT=tcp://10.96.111.61:3000
NOTE_SERVICE_PORT_3000_TCP_PORT=3000
GANACHE_PORT=tcp://10.101.113.179:8545
DAPP_PORT_4000_TCP=tcp://10.99.179.132:4000
REACT_SERVICE_HOST=10.96.111.61
NOTE_SERVER_SERVICE_PORT_5000_TCP_PROTO=tcp
MONGO_EXPRESS_SERVICE_SERVICE_PORT=8081
DAPP_PORT_4000_TCP_ADDR=10.99.179.132
DAPP_PORT_4000_TCP_PROTO=tcp
NOTE_SERVER_SERVICE_SERVICE_PORT=5000
MONGODB_SERVICE_SERVICE_PORT=27017
KUBERNETES_PORT=tcp://10.96.0.1:443
GANACHE_PORT_8545_TCP_PORT=8545
DAPP_SERVICE_PORT=4000
NOTE_SERVER_SERVICE_SERVICE_HOST=10.102.206.156
MONGO_EXPRESS_SERVICE_PORT_8081_TCP_ADDR=10.100.43.119
MONGO_EXPRESS_SERVICE_PORT=tcp://10.100.43.119:8081
GANACHE_SERVICE_PORT=8545
MONGO_EXPRESS_SERVICE_PORT_8081_TCP=tcp://10.100.43.119:8081
MONGO_EXPRESS_SERVICE_SERVICE_HOST=10.100.43.119

```

```

NOTE_SERVER_SERVICE_PORT=tcp://10.102.206.156:5000
NOTE_SERVICE_PORT_3000_TCP=tcp://10.103.220.129:3000
NOTE_SERVICE_SERVICE_PORT=3000
KUBERNETES_PORT_443_TCP_PROTO=tcp
GANACHE_SERVICE_PORT_8545=8545
REACT_PORT_3000_TCP_PROTO=tcp
DAPP_SERVICE_PORT_4000=4000
DAPP_SERVICE_HOST=10.99.179.132
MONGODB_SERVICE_PORT=tcp://10.99.49.139:27017
MONGO_EXPRESS_SERVICE_PORT_8081_TCP_PROTO=tcp
KUBERNETES_PORT_443_TCP_PORT=443
NOTE_SERVER_SERVICE_PORT_5000_TCP=tcp://10.102.206.156:5000
NOTE_SERVICE_SERVICE_HOST=10.103.220.129
MONGODB_SERVICE_PORT_27017_TCP_PORT=27017
REACT_SERVICE_PORT_3000=3000
NOTE_SERVER_SERVICE_PORT_5000_TCP_ADDR=10.102.206.156
GANACHE_SERVICE_HOST=10.101.113.179
REACT_PORT_3000_TCP=tcp://10.96.111.61:3000
KUBERNETES_SERVICE_HOST=10.96.0.1
GANACHE_PORT_8545_TCP_PROTO=tcp
GANACHE_PORT_8545_TCP=tcp://10.101.113.179:8545
REACT_PORT_3000_TCP_PORT=3000
NOTE_SERVICE_PORT_3000_TCP_PROTO=tcp
MONGODB_SERVICE_PORT_27017_TCP_PROTO=tcp
KUBERNETES_PORT_443_TCP_ADDR=10.96.0.1
DAPP_PORT_4000_TCP_PORT=4000
DAPP_PORT=tcp://10.99.179.132:4000
NOTE_SERVER_SERVICE_PORT_5000_TCP_PORT=5000
MONGODB_SERVICE_PORT_27017_TCP_ADDR=10.99.49.139
MONGODB_SERVICE_SERVICE_HOST=10.99.49.139
MONGO_EXPRESS_SERVICE_PORT_8081_TCP_PORT=8081
KUBERNETES_SERVICE_PORT_HTTPS=443
GANACHE_PORT_8545_TCP_ADDR=10.101.113.179
REACT_PORT_3000_TCP_ADDR=10.96.111.61
MONGODB_SERVICE_PORT_27017_TCP=tcp://10.99.49.139:27017
KUBERNETES_SERVICE_PORT=443
NODE_PORT=8080
HOSTNAME=dapp-57fb7cd8c7-xxqnd
PATH=/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin
○ simarchawla@Simars-MacBook-Air docker-ethereum %

```

```

● simarchawla@Simars-Air lab4 % cd docker-ethereum
● simarchawla@Simars-Air docker-ethereum % openssl genpkey -algorithm RSA -out test-user.key
.....+++++
.....+++++
● simarchawla@Simars-Air docker-ethereum % openssl req -new -key test-user.key -out test-user.csr -subj "/CN=test
ser/0=group1"
● simarchawla@Simars-Air docker-ethereum % openssl x509 -req -in test-user.csr -CA ~/.minikube/ca.crt -CAkey ~/.m
ikube/ca.key -CAcreateserial -out test-user.crt -days 500
Signature ok
subject=/CN=test-user/0=group1
Getting CA Private Key
● simarchawla@Simars-Air docker-ethereum % kubectl config set-credentials test-user --client-certificate=test-use
crt --client-key=test-user.key
User "test-user" set.
○ simarchawla@Simars-Air docker-ethereum %

```

- Using image gcr.io/k8s-minikube/storage-provisioner:v5
- Using image docker.io/kubernetes/dashboard:v2.7.0
- 💡 Some dashboard features require the metrics-server addon. To enable all features please run:

```
minikube addons enable metrics-server
```

- ★ Enabled addons: storage-provisioner, default-storageclass, dashboard
- 👉 Done! kubectl is now configured to use "minikube" cluster and "default" namespace by default
- simarchawla@Simars-Air docker-ethereum % kubectl create role example-role --verb=get,list,watch --resource=pods
- role.rbac.authorization.k8s.io/example-role created
- ⊗ simarchawla@Simars-Air docker-ethereum % kubectl create rolebinding example-binding --role=example-role --user=st-user
- error: failed to create rolebinding: Timeout: request did not complete within requested timeout - context deadline exceeded
- simarchawla@Simars-Air docker-ethereum % kubectl create rolebinding example-binding --role=example-role --user=st-user
- rolebinding.rbac.authorization.k8s.io/example-binding created
- simarchawla@Simars-Air docker-ethereum %

- simarchawla@Simars-Air docker-ethereum % minikube addons enable metrics-server
- 💡 metrics-server is an addon maintained by Kubernetes. For any concerns contact minikube on GitHub. You can view the list of minikube maintainers at: <https://github.com/kubernetes/minikube/blob/master/OWNERS>
- Using image registry.k8s.io/metrics-server/metrics-server:v0.6.4
- ★ The 'metrics-server' addon is enabled
- simarchawla@Simars-Air docker-ethereum % kubectl apply -f dapp-hpa.yaml
- horizontalpodautoscaler.autoscaling/dapp-hpa created

- simarchawla@Simars-Air docker-ethereum % kubectl apply -f frontend-hpa.yaml
- horizontalpodautoscaler.autoscaling/frontend-hpa created
- simarchawla@Simars-Air docker-ethereum % kubectl get hpa

NAME	REFERENCE	TARGETS	MINPODS	MAXPODS	REPLICAS	AGE
dapp-hpa	Deployment/dapp	<unknown>/50%	1	5	1	2m48s
frontend-hpa	Deployment/react	<unknown>/50%	1	5	0	20s

- simarchawla@Simars-Air docker-ethereum %