

SimdiaTokens — User Guide

Welcome to SimdiaTokens. This guide explains everything you need to know to use the platform to test email security, capture tokens, and conduct adversary simulations.

Table of Contents

1. [Getting Started](#)
 2. [The Dashboard](#)
 3. [Capturing Targets](#)
 4. [Managing Captured Tokens](#)
 5. [Extracting Contacts](#)
 6. [Inbox Rules](#)
 7. [The Mailbox \(Outlook Interface\)](#)
 8. [OPSEC \(How You Stay Hidden\)](#)
 9. [Lure Email Generation](#)
 10. [Reconnaissance](#)
 11. [Analytics](#)
 12. [AI-Powered Features](#)
 13. [Settings](#)
 14. [Troubleshooting](#)
-

1. Getting Started

How to Log In

1. Open the web address provided to you (e.g., `https://your-name.vercel.app`)
2. Enter your **Username** and **Password**
3. Click **Sign In**

Your Subscription

- At the top right of your dashboard, next to the bell icon, you will see an **expiration badge**.
- It shows the date your access expires and how many days are left.
- If it says **"Expired"**, your access has ended. You must contact the administrator to extend your subscription.

2. The Dashboard

When you log in, you arrive at the main dashboard. This is where you see every email account you have successfully captured.

The Token Table

Each row represents a captured email account. You will see:

Column	What It Shows
Email	The captured email address
Status	ACTIVE (working) or EXPIRED/REVOKED (dead)
Type	Enterprise (work email) or Consumer (personal email like Hotmail/Outlook)
IP Address	The target's IP address when they clicked the link
Location	Approximate geographic location of the target
Captured	When the token was captured

Column	What It Shows
Last Refreshed	When the system last renewed access

Action Buttons

Each captured token has a row of action buttons:

- **EXCHANGE**: Takes you to the Inbox Rules management page
- **OUTLOOK**: Opens the target's email inbox (looks exactly like Outlook)
- **Contacts**: Extracts all email contacts from the target's mailbox
- **ONEDRIVE**: Browse files stored in the target's OneDrive
- **Refresh**: Forces the system to renew access to this account
- **Delete**: Removes this token from your dashboard

3. Capturing Targets

To capture a target's email, you need to send them a special link that makes Microsoft ask them for permission to access their email.

Step 1: Generate the Link

1. Click **Campaigns** in the left sidebar menu
2. Click the **Generate OAuth Link** button
3. A window will pop up showing you **two types of links**:
4. **Redirect Link (Recommended)**: This is a short, clean link (e.g., `https://api.../api/campaigns/redirect`). When the target clicks it, they are seamlessly redirected to the Microsoft login page. **Use this one.**
5. **Full OAuth URL**: This is the long, direct Microsoft link. Use this only if the Redirect Link is not working for a specific target.
6. Click **Copy Redirect Link** to copy it to your clipboard

Step 2: Send the Link to the Target

You can send this link through: - An email message - A Microsoft Teams chat message - A calendar invite (embedded as a "Join Meeting" link using the Calendar Lure feature) - Any messaging platform

Step 3: What Happens When They Click

1. The target sees a normal Microsoft login page
 2. They enter their email and password
 3. If they have Multi-Factor Authentication (MFA/2FA), they complete it normally
 4. Microsoft asks them: "Do you allow this app to access your data?" — they click **Accept**
 5. The target is redirected to their normal Outlook inbox — they don't notice anything wrong
 6. **You now have full, silent access to their mailbox for 90 days**
-

4. Managing Captured Tokens

Once a token is captured, you can interact with the target's mailbox exactly as if you had their password.

Accessing the Mailbox

- Click the **OUTLOOK** button on any active token to open the full Outlook interface.
- You can read, send, reply, forward, and delete emails just like a normal email client.

OneDrive Access

- Click **ONEDRIVE** to browse, search, and download files from the target's OneDrive cloud storage.

Refreshing Access

- Tokens automatically refresh themselves in the background for 90 days.

- If a token shows as EXPIRED or REVOKED, the target likely changed their password or removed the app from their Microsoft account.
- You can click **Refresh** to attempt to renew it manually, but if the target revoked it, you will need to send them a new lure link.

Deleting a Token

- Click **Delete** to remove a token from your dashboard.
- When you delete a token, the system also automatically cleans up any hidden rules it created in the target's Outlook, leaving no trace.

5. Extracting Contacts

The Contacts feature allows you to extract every email address the target has ever communicated with, categorized by type.

How to Use It

1. Click the **Contacts** button on any token
2. The system scans:
3. The target's personal address book (up to 500 contacts)
4. Emails received in the inbox (last 200 messages)
5. Emails sent by the target (last 200 sent emails)
6. All extracted emails are categorized into three groups:

Category	Description	Examples
Enterprise	Business/company emails powered by Office 365	user@company.com
Consumer	Microsoft personal emails	outlook.com, hotmail.com, live.com, msn.com
Other Email Service	Non-Microsoft free email providers	gmail.com, yahoo.com, aol.com, icloud.com, qq.com

1. Use the filter buttons at the top to show only one category
 2. Click **Copy All** to copy the filtered email list to your clipboard
 3. The number on the Copy button shows how many emails are in the current filter
-

6. Inbox Rules

Inbox rules are powerful tools that automatically act on incoming emails in the target's mailbox. Rules fire **instantly on Microsoft's servers** — emails are intercepted before they ever reach the target's inbox.

Creating a Rule

1. Click the **EXCHANGE** button on a token, or go to the **Rules** page
2. Set up your **Conditions** (what triggers the rule):
 3. **Subject contains**: Trigger when the email subject includes specific words
 4. **Body contains**: Trigger when email body includes words
 5. **Sender contains**: Trigger when sender address includes words
 6. **Has attachments**: Trigger only for emails with files attached
 7. **Importance**: Trigger only for high/normal/low importance emails
 8. **Size range**: Trigger only for emails within a specific size
 9. And many more boolean flags (encrypted, meeting request, signed, etc.)
10. Set up your **Actions** (what happens when the rule triggers):
 11. **Forward to**: Forward the email to an external address you control
 12. **Forward as attachment**: Send the email as an EML attachment
 13. **Redirect to**: Redirect the email to another address
 14. **Delete message**: Move to deleted items
 15. **Permanent delete**: Delete entirely (unrecoverable)
 16. **Mark as read**: Mark the email as read without the target seeing the unread badge
 17. **Move to folder**: Move to a hidden folder (visible only to you, invisible to target)

18. **Stop processing:** Prevent other rules from running
19. **Self-destructing rules:** You can set a "Max fires" limit. For example, if you set it to 3, the rule will fire 3 times and then automatically delete itself. No trace is left in the target's Outlook or your dashboard.
20. Click **Create Rule**

Graph API Rules Tab

- Click the **Graph API Rules** tab to see all rules that currently exist in the target's real Outlook.
 - This includes system-created OPSEC rules (see the OPSEC section for details).
-

7. The Mailbox (Outlook Interface)

Clicking **OUTLOOK** on a token opens a full replica of the target's Outlook email interface.

Layout

- **Left Sidebar:** All mail folders (Inbox, Sent Items, Drafts, Deleted Items, Archive, Junk Email, etc.)
- **Middle Panel:** List of emails in the selected folder
- **Right Panel:** Reading pane showing the full email content

What You Can Do

- **Read emails:** Full HTML content with clickable links
- **Compose new emails:** Send emails as the target (To, CC, BCC, Subject, Body, Attachments)
- **Reply / Reply All / Forward:** Respond to existing emails
- **Delete:** Single or bulk delete emails
- **Move:** Move emails between folders
- **Search:** Real-time search across all messages
- **All folders:** Access all folders including Sent Items, Drafts, Deleted Items

8. OPSEC (How You Stay Hidden)

OPSEC (Operational Security) is the most important feature of SimdiaTokens. It ensures the target never finds out they have been compromised. **This happens automatically — you do not need to do anything.**

What Gets Auto-Deleted

When a token is captured, the system immediately creates hidden rules in the target's Outlook that auto-delete security notifications from Microsoft. The target never sees these emails:

- "New app connected to your account" notifications
- "Suspicious sign-in activity" alerts
- "Unusual sign-in" warnings
- "Password changed" notifications
- **"Creation of forwarding/redirect rule" alerts** (Office 365 security alerts)
- **"Informational alert has been triggered"** emails
- Any email from `security@microsoft.com`, `office365alerts@microsoft.com`, and 12 other Microsoft security sender addresses

How It Works

- **4 hidden rules** are created in the target's Outlook instantly upon capture
 - Rules fire on Microsoft's server — emails are deleted before reaching the inbox
 - A backup system also polls for and deletes any alerts that arrived before the rules were set up
 - All rules are disguised with names like "External Mail Filter"
 - The target never sees your login because the system clones their browser fingerprint
-

9. Lure Email Generation

The Lure feature uses AI to help you craft convincing emails to send to targets with the OAuth link embedded.

How to Generate a Lure

1. Click **Lure** in the sidebar
 2. Select a template:
 3. **Shared Document**: Appears to share a file via OneDrive/SharePoint
 4. **Meeting Follow-up**: Appears to follow up from a Teams meeting
 5. **Invoice**: Appears to be a routine vendor invoice
 6. **Password Reset**: Appears to be an IT password expiration notice
 7. **Package Delivery**: Appears to be a delivery confirmation
 8. **Default**: Generic business email
 9. The AI generates a realistic email with the OAuth link embedded
 10. You can also use **AI Email Mimicking** to learn the target's writing style and generate emails that look like they came from the target themselves
 11. Use **Conversation Hijacking** to inject into existing email threads naturally
-

10. Reconnaissance

The Recon feature gathers intelligence about the target and their organization.

What You Can See

For any captured token, click **Recon** to view: - **User Profile**: Full name, job title, department, office location, phone number, company name - **Manager**: Who the target reports to (name, email, title) - **Direct Reports**: Who reports to the target - **Group Memberships**: All Azure AD groups the target belongs to - **Organization**: Company tenant name and verified email domains

This information helps you understand the target's position in the company and identify other high-value targets to go after.

11. Analytics

The Analytics page gives you an overview of your operations.

What You Can See

- **Token Health:** How many tokens are active vs expired vs revoked
- **Success Rate:** Percentage of successful captures
- **Activity Timeline:** Chart showing when tokens were created vs revoked over time
- **Action Distribution:** Breakdown of all actions taken (recon, rules created, tokens stored, etc.)
- **Top Domains:** Which organizations have the most captured accounts
- **Activity Feed:** Live log of all actions with timestamps

Filtering

Use the date range selector to view data for the last 24 hours, 7 days, 30 days, or a custom range.

12. AI-Powered Features

SimdiaTokens includes several AI-powered features to make your operations more effective:

AI Email Mimicking

- Analyzes the target's sent emails to learn their writing style
- Copies greeting, closing, vocabulary, formality, sentence structure
- Generates new emails that look exactly like the target wrote them

Conversation Hijacking

- Scans the target's inbox for active email threads
- AI generates replies that naturally continue the conversation

- Embeds the OAuth link as a natural call-to-action

Smart Rule Suggestions

- AI analyzes inbox patterns and suggests 3-5 interception rules
- Targets financial emails, invoices, and executive communications

Financial Pattern Detection

- Scans inbox for 30+ financial keywords (invoice, payment, wire transfer, IBAN, SWIFT)
- Auto-forwards matching emails to an external address
- Deletes the originals from the inbox

Polymorphic Lure Generation

- Every generated lure email is structurally unique
- Randomized greetings, closings, link text, fonts, and paragraph count
- Defeats pattern-based detection by email security gateways

13. Settings

The Settings page allows you to configure your panel:

- **AI Configuration:** Set your OpenAI API key to enable AI features
- **Encryption:** Set or change your master passphrase for response encryption
- **Stealth Mode:** Toggle stealth configuration
- **Rules Management:** View all rules you've created across all tokens
- **Purge Expired:** Bulk delete expired or revoked tokens to clean up your dashboard
- **Password Change:** Change your admin login password

14. Troubleshooting

"SUBSCRIPTION EXPIRED" when trying to log in

- Your access period has ended. Contact the administrator to extend your subscription.

"Failed to fetch" error on login

- The server may be temporarily unavailable. Wait a few minutes and try again. If persistent, contact the administrator.

I generated a link but the target's token didn't appear on the dashboard

- This could mean the target hasn't clicked the link yet, or they clicked it but didn't complete the Microsoft sign-in.
- If they completed sign-in and you still don't see it, the system may have encountered an error. Contact the administrator with the time the target clicked the link.

A token shows as REVOKED

- The target likely changed their password or manually removed the app from their Microsoft account settings.
- You can click [Refresh](#) to try renewing it, but if it's truly revoked, you'll need to send the target a new lure link.

I don't see "Sent Items" or certain folders in the Outlook view

- All folders should be visible. If some are missing, try refreshing the page. The system fetches up to 100 folders from the mailbox.

The Contacts button doesn't find any emails

- The target's mailbox may be empty or newly created. Try again later or try a different target.

Rules I created aren't working

- Check the [Graph API Rules](#) tab to see if the rule exists in the target's Outlook. If it shows there but isn't firing, Microsoft may have disabled it. Try recreating the rule.

