

Product Name	Blender	Factory	MYLUX	Date	2026/5/13
P.O. No.	LS_H260306VN	Product Rating	220-230V, 50-60Hz, 900W	Factory Model No.	Y-938
Customer Model No.	BL-D01CWH	Destination	VIETNAM	Brand	HUROM
Order Qty	2010PCS	Standby Qty	0	INSP. QTY.	2010PCS
Sampling INSP. QTY.	125PCS	Serial No. : EF2605100001-EF2605102010			

INSPECTION STANDARD: Finished product inspection specification NO:QA-23-109-012 version: 02

ISO2859 General Inspection, Level II, Normal, Single Sampling Plan

Acceptance Quality Level		Accept No.	Reject No.	Found No.	AQL JUDGEMENT		
CRITICAL:	0	0	0	0	ACCEPT		
MAJOR:	1.0	3	4	0			
MINOR:	4.0	10	11	7			
NO.	DESCRIPTION OF DEFECT				CR	MA	MI
1	Nameplate sticker misaligned				0	0	1
2	Black spots on nameplate sticker				0	0	1
3	Poor assembly on base				0	0	2
4	Flash on heat dissipation holes				0	0	2
5	Residual glue on internal fan blades				0	0	1
6							
7							
	Total :				0	0	7

Remark:

- 1、All the unacceptable products above, MYLUX will rework.
 2、The defective photos are as shown below.


(1) Defect Photo

	
1. Nameplate sticker misaligned - minor	2. Black spots on nameplate sticker - minor
	
3. Poor assembly on base - minor	4. Poor assembly on base - minor

			
5. Flash on heat dissipation holes - minor		6. Flash on heat dissipation holes - minor	
			
7. Residual glue on internal fan blades - minor			

(2) CRITICAL PARTS CHECK LIST

Object/ part NO.	Manufacturer	Type	Technical data	Certification	RESULT	PHOTO
Supply cord	Toong Yean Plastic Ind. Co., Ltd.	H03VVH2-F (60227 IEC 52)	2x0.75mm ²	VDE 40024356	P	
Plug	Toong Yean Plastic Ind. Co., Ltd.	TY-019	250V~, 16A	VDE 40002153	P	
Motor	Xiamen YOUo Intelligent Technology Co., Ltd.	M7643CAV22 23P160F	AC220-230V 50-60Hz 900W, Class F	/	P	
Motor protector	You Xian Lian Cheng Electron Co. Ltd.	17AM1 039A5+PTC	AC 250 V, 160 °C	VDE 40028660	P	
Y-Capacitor	JYH HSU (JEC) ELECTRONICS LTD	JY	Y2, 4700pF, 40/125/21	VDE 40038643	P	
Capacitor	Tenta Electric Industrial Co., Ltd.	MKP	0.33μF, 275VAC, X2, 40/100/21	VDE 119119	P	

Interlock Switch	GUANGDONG YUSHUN ELECTRIC APPLIANCE LTD	KW-5	10.1A, 125/250V~, 3E4, T125; 10(5)A, 125/250V~, 1E4, T125, GWT 850	CN 52651	P	
Power switch	Zhejiang Jialong Electron Co., Ltd.	KAN-9-CC-1	250VAC, 10(3)A, T85, 1E4, GWT 850	TUV R50533106	P	

(3) Check the CDF record photos

Alternative	Toong Yean Plastic Ind. Co., Ltd.	TY-019	250V~, 16A	DIN VDE 0620-1 IEC 60884-1	VDE 40002153
Supply cord	Toong Yean Plastic Ind. Co., Ltd.	H03VVH2-F (60227 IEC 52)	2 x 0,75mm2	EN 50525-2-11 DIN VDE 0281-5	VDE 40024356
Motor	Xiamen YOUo Intelligent Technology Co., Ltd.	M7643CAV22 23P160F	AC220-230V 50-60Hz 900W, Class F	IEC/EN 60335-1 IEC/ EN 60335-2-14	Tested with appliance
- Motor protector	You Xian Lian Cheng Electron Co. Ltd.	17AM1 039A5+PTC	AC 250 V,160°C	IEC/EN 60730-1 IEC/EN 60730-2-22	VDE 40028660
Alternative	JYH HSU (JEC) ELECTRONICS LTD	JY	Y2, 4700pF, 40/125/21	IEC/EN 60384-14	VDE 40038643
Alternative	Tenta Electric Industrial Co.,Ltd.	MEX	0.33μF, 275VAC, X2, 40/100/21	IEC/EN 60384-14	VDE 119119
Power switch	Zhejiang Jialong Electron Co., Ltd.	KAN-9-CC-1	250VAC, 10(3)A, T85, 1E4, GWT 850	IEC/EN 61058-1	TUV R50533106
Micro-switch/interlock Switch	GUANGDONG YUSHUN ELECTRIC APPLIANCE LTD	KW-5	10.1A, 125/250V~, 3E4, T125; 10(5)A, 125/250V~, 1E4, T125, GWT 850	IEC/EN 61058-1	CN 52651

Remark:

The "CRITICAL PARTS CHECK LIST" and "Check the CDF record photos "are based on the CE test report (report No. 230526005GZU-001)

(4) SERIAL NUMBER of INSPECTED UNITS

SERIAL NUMBER FORMAT AND RANGE:	The numbers below
---------------------------------	-------------------

[illegible]

(5) DATA TEST

[illegible]

Remark	The items (number1 to 3) are tested according to the S-2 standard,8 products are selected for testing, and the test results are as above.
--------	---

[illegible]

Remark	1、The above items (number4 to 6) are tested according to the G II standard, and the data is only part of the test results, because the space limit does not show all the results.
--------	---

NO.	Test Item \Serial NO.	0481	0059
7	No-load Speed Test (18810-22990rpm)	20660rpm	19969rpm
NO.	Test Item \Serial NO.	0475	0808
8	Noise Test $\leq 90\text{dB}$ (1m, 700mL)	80. 1dB	80. 6dB



INSPECTION REPORT

REPORT NO. : [LZX20260513-1](#)

NO.	Test Item \Serial NO.	0559			0146	
9	Jar Container Capacity 700mL±35mL	701. 5mL			701mL	
	Jar Container Capacity 500mL±25mL	500. 5mL			501mL	
Remark	The items (number7 to 9) are tested according to the Finished product inspection specification,2 products are selected for testing, and the test results are as above.					
NO.	Test Item \Serial NO.	1755	0901	1179	1812	0026
10	Press the button force: 0.7-2.3kgf	1. 2	1. 1	1. 3	1. 2	1. 2
	Jar lid and filp lid: Locking force is 1.5-3kgf.cm	1. 7	1. 8	1. 7	1. 9	1. 9
	Jar lid and filp lid: Un-locking force is 0.3-2.2kgf.cm	1. 4	1. 6	1. 6	1. 5	1. 5
	Jar base and main housing: Locking force is 23-37kgf.cm, and the un-locking force is 2.6-18kgf.cm	Pass	Pass	Pass	Pass	Pass
	Jar and jar base: Locking force is 25kgf.cm, and the un-locking force is 15-30kgf.cm	Pass	Pass	Pass	Pass	Pass
Remark	The item (number10) is tested according to the Finished product inspection specification, 5 products are selected for testing, and the test results are as above.					
NO.	Test Item \Serial NO.	0614				
11	Power cord tension as per IEC60335-1 requirement ≥6kgf	Pass				
NO.	Test Item \Serial NO.	ALL				
12	Function test: With 6kg loading, blending 700mL water for 1min.	Pass				
(6) INFORMATION CHECK LIST						
NO.	Item	DETAILS/POSITION				Result



INSPECTION REPORT

REPORT NO. : [LZX20260513-1](#)

1	VOLTAGE SYSTEM	220-230V, 50-60Hz, 900W	P
2	BAR CODE	ON GIFT BOX 8809686403103	P
3	ACCESSORIES	User manual*1、Jar (500mL) *2、Jar (700mL) *1、Cup cap*2、Blade base with blade*1	P
4	Printing	The PE bags and user manual printing match the reference drawings	P
(7) OTHER			
Item	Inspection Standard	DETAILS	结果 Result
Drop Test	ISTA-1A	Carton Box GROSS WEIGHT: 6.88kg DROP TEST SEQUENCE: 760mm SAFETY : PASS FUNCTION : PASS APPEARANCE : PASS	P
Carton size	445×361×353mm	452×365×357mm	P
Gift Box Size	346×215×333mm	349×217×335mm	P
HOTOEM Information Technology Company Limited		Liang Zixuan	Li Yanlin
REPORTED BY		INSPECTOR' S SIGNATURE	FACTORY' S REPRESENTATIVE SIGNATURE