(/)

Curriculum

SE Foundations Average: 100.13%

0x0A. Configuration management

DevOps

SysAdmin

Scripting

CI/CD

Weight: 1

An auto review will be launched at the deadline

In a nutshell...

• Auto QA review: 2.6/9 mandatory

• Altogether: 28.89%

Mandatory: 28.89%

Optional: no optional tasks

Background Context

(https://youtu.be/ogYLFyp68cl)

When I was working for SlideShare, I worked on an auto-remediation tool called Skynet (/rltoken/0zblzBqH_ktMmRQvJwZs2A) that monitored, scaled and fixed Cloud infrastructure. I was using a parallel job-execution system called MCollective that allowed me to execute commands to one or multiple servers at the same time. I could apply an action to a selected set of servers by applying a filter such as the server's hostname or any other metadata we had (server type, server environment...). At some point, a bug was present in my code that sent <code>nil</code> to the filter method.

There were 2 pieces of bad news:

- 1. When MCollective receives nil as an argument for its filter method, it takes this to mean 'all server
- 2. The action I sent was to terminate the selected servers

I started the parallel job-execution and after some time, I realized that it was taking longer than expected Looking at logs I realized that I was shutting down SlideShare's entire document conversion environm Actually, 75% of all our conversion infrastructure servers had been shut down, resulting in users not a



convert their PDFs, powerpoints, and videos... Pretty bad!

Thanks to Puppet, we were able to restore our infrastructure to normal operation in under 1H, pretty in Pressive. Imagine if we had to do everything manually: launching the servers, configuring and linking them, importing application code, starting every process, and obviously, fixing all the bugs (you should know by now that complicated infrastructure always goes sideways)...

Obviously writing Puppet code for your infrastructure requires an investment of time and energy, but in the long term, it is for sure a must-have.



That was me ^_^': https://twitter.com/devopsreact/status/836971570136375296 (/rltoken/jlyF-Oa80s40ssG21cyNAg)

Resources

Read or watch:

- Intro to Configuration Management (/rltoken/GL30hu-aRcKzPOvK8JO-Bg)
- Puppet resource type: file (/rltoken/WON0M4DNRabf88KAG_pDUA) (check "Resource types" for all manifest types in the left menu)
- Puppet's Declarative Language: Modeling Instead of Scripting (/rltoken/0V2fBdafkfKPMxA1umea3Q)
- Puppet lint (/rltoken/CRUMeEMdcX-UtbWsUM9xLQ)
- Puppet emacs mode (/rltoken/MzHXCntAkPzOgMnl6 rpWQ)

Requirements

General

- All your files will be interpreted on Ubuntu 20.04 LTS
- · All your files should end with a new line
- A README.md file at the root of the folder of the project is mandatory
- Your Puppet manifests must pass puppet-lint version 2.1.1 without any errors
- Your Puppet manifests must run without error
- Your Puppet manifests first line must be a comment explaining what the Puppet manifest is about
- Your Puppet manifests files must end with the extension .pp

Note on Versioning

Your Ubuntu 20.04 VM should have Puppet 5.5 preinstalled.

Install puppet

```
$ apt-get install -y ruby=1:2.7+1 --allow-downgrades
$ apt-get install -y ruby-augeas
$ apt-get install -y ruby-shadow
$ apt-get install -y puppet
```

You do **not** need to attempt to upgrade versions. This project is simply a set of tasks to familiarize you with the basic level syntax which is virtually identical in newer versions of Puppet.

Puppet 5 Docs (/rltoken/fslr2xFkJHTkaXwqZFFcbA)

Install puppet-lint

```
$ gem install puppet-lint
```

Tasks

O. Create a file mandatory

Score: 21.67% (Checks completed: 33.33%)

Using Puppet, create a file in /tmp.

Requirements:

- File path is /tmp/school
- File permission is 0744
- File owner is www-data
- File group is www-data
- File contains I love Puppet

Example:

Q

pot@6712bef7a528:~# puppet-lint --version
puppet-lint 2.5.2

root@6712bef7a528:~# puppet-lint 0-create_a_file.pp
root@6712bef7a528:~# puppet apply 0-create_a_file.pp
Notice: Compiled catalog for 6712bef7a528.ec2.internal in environment production in 0.04 seconds
Notice: /Stage[main]/Main/File[school]/ensure: defined content as '{md5}f1b70c2a42a9
8d82224986a612400db9'
Notice: Finished catalog run in 0.03 seconds
root@6712bef7a528:~#
root@6712bef7a528:~# ls -l /tmp/school
-rwxr--r-- 1 www-data www-data 13 Mar 19 23:12 /tmp/school
root@6712bef7a528:~# cat /tmp/school
I love Puppetroot@6712bef7a528:~#

Repo:

- GitHub repository: alx-system_engineering-devops
- Directory: 0x0A-configuration_management
- File: 0-create_a_file.pp

□ Done? Check your code Ask for a new correction > Get a sandbox QA Review

1. Install a package

mandatory

Score: 21.67% (Checks completed: 33.33%)

Using Puppet, install flask from pip3.

Requirements:

- Install flask
- Version must be 2.1.0

Example:

root@9665f0a47391:/# puppet apply 1-install_a_package.pp
Notice: Compiled catalog for 9665f0a47391 in environment production in 0.14 seconds
Notice: /Stage[main]/Main/Package[Flask]/ensure: created
Notice: Applied catalog in 0.20 seconds

root@9665f0a47391:/# flask --version Python 3.8.10

Flask 2.1.0 Werkzeug 2.1.1



Repo:

- GitHub repository: alx-system_engineering-devops
- (/) Directory: 0x0A-configuration management
 - File: 1-install_a_package.pp

☐ Done?

Check your code

Ask for a new correction

>_ Get a sandbox

QA Review

2. Execute a command

mandatory

Score: 43.33% (*Checks completed: 66.67%*)

Using Puppet, create a manifest that kills a process named killmenow.

Requirements:

- Must use the exec Puppet resource
- Mustuse pkill

Example:

Terminal #0 - starting my process

```
root@d391259bf577:/# cat killmenow
#!/bin/bash
while [[ true ]]
do
    sleep 2
done
root@d391259bf577:/# ./killmenow
```

Terminal #1 - executing my manifest

```
root@d391259bf577:/# puppet apply 2-execute_a_command.pp
```

Notice: Compiled catalog for d391259bf577.hsd1.ca.comcast.net in environment product

ion in 0.01 seconds

Notice: /Stage[main]/Main/Exec[killmenow]/returns: executed successfully

Notice: Finished catalog run in 0.10 seconds

root@d391259bf577:/#

Terminal #0 - process has been terminated

```
root@d391259bf577:/# ./killmenow
Terminated
root@d391259bf577:/#
```

Q

Repo:

- GitHub repository: alx-system_engineering-devops
- Directory: 0x0A-configuration management

File: 2-execute_a_command.pp(/)						
□ Done?	Check your code	Ask for a new correction	>_ Get a sandbox	QA Review		

Copyright © 2024 ALX, All rights reserved.

Q