- h moves the cursor one character to the left.w
- k moves the cursor up one line.
- j moves the cursor down one line.
- I moves the cursor one character to the right.
- 0 moves the cursor to the beginning of the line.
- move to first non-block character in line.
- \$ moves the cursor to the end of the line.
- w move forward one word.
- b move backward one word.
- G move to the end of the file.
- äs move to next misspelled word
- \$s move to last misspelled word
- gg move to the beginning of the file.
- line + G or gg moves curse to line.
- '. move to the last edit.
- A insert at the end of the line
- e Puts the cursor at the end of a word
- ctrl + u fast upwards
- ctrl + d fast downwards
- ctrl + e scroll down without cursor
- ctrl + p in commandmode will go history upwards
- $\bullet$  crtl + n " " down
- n move the cursor to the next instance of the text from the last search. this will wrap to the beginning of the document.

- n move the cursor to the previous instance of the text from the last search.
- d starts the delete operation.
- x delets current char
- dd will delete the hole line.
- dw will delete a word.
- d0 will delete to the beginning of a line.
- d\$ will delete to the end of a line.
- dgg will delete to the beginning of the file.
- dG will delete to the end of the file.
- u will undo the last operation.
- Ctrl-r will redo the last undo.
- gt move to the next tab
- $\bullet\,$  gT move to the previous tab
- $\bullet~\#\mathrm{gt}$  move to a specific tab number (e.g. 2gt takes you to the second tab)
- $\bullet$  =G indents code below
- CTRL-W h moves in window above, j k l h for other windows
- CTRL-] in helpfile on maktfiles will open them
- - /\*text\* search for \*text\* in the document, going forward.
- ?\*text\* search for \*text\* in the document, going backwards.
- :%s/\*text\*/\*replacement text\*/g search through the entire document for \*text\* and puts \*replacement text infront\*. without text/g it replace
- :%s/text/replacment/g replace all text

- :%s/\*text\*/\*replacement text\*/gc search through the entire document and \*confirm\* before replacing text.
- /+text to be searched with n move forward trough words N backwards
- $\bullet$  shift + i + text replaces what was marked in visual mode with text
- :nohl to stop marking text
- z= on misspelt word for suggestens
- zg add misspelt word to dictionary
- zw say word i wrong
- s/textreplace/text subtution [g&](https://www.notion.so/g-4a820f8ef73f420580ed02d2b726782b) to replace text for one line and then all
- $\bullet$  noremap (inoremap, nnoremap, vnoremap) + "keytopress" + "what i does" ignores ever other map
- autocmd "looks always what you write
- Filetype + "filetype" in what filetype the following will happen
- :! + command "makes commmand in terminal byut beeing in vim
- gt switches tabs
- :setlocal spell spelllang=de sets spell checking in german local buffer with just :set it is global
- :set nospell turns off spell checking
- ullet :"lineNumberStart","lineNumberEnd"s/ $\hat{/}$ "replaceItem" / puts on beggining of the lines between lineNUmberStart and Linenumberend the replaceItem, works with crl-V to
- q: shows commandhistory that is executable
- \$\hat{\scripts}\$ represents brakes
- K show documentation for thing on cursor, the commant in lua doesnt work yet
- v highlight one character at a time.

- V highlight one line at a time.
- V; to move selected lines to left.
- $\bullet~$  V; to move selected lines to right.
- Ctrl-V highlight by columns.
- p paste text on the current line.
- P paste before the cursor.
- y yank text into the copy buffer.
- y\$ yank till the end of the line.
- 'y\$' Yank (copy) everything from the cursor to the end of the line.
- 'y<sup>2</sup> Yank (copy) everything from the cursor to the start of the line.
- "+y copys selected data intop clipboard
- :w safe the file
- :e filename opens filename and closes opend file
- :tabedit file opens a new tab and will take you to edit "file"
- :tabe "filename" opens file in same terminal
- :tabm i move tab to i beggining with 0
- :tabm +i/-i move tab i related to position of tab
- :tabs list all open tabs
- :tabclose close a single tab
- :w filename safe with new name
- :q finish vim if no safe u have to! for safe

- :q! quit without safe
- :split "file" splits window in half on top will be file
- :vslpit "file" " " left will be file
- pluginmanager
- ZZ safe and quit
- $\bullet$  crl + x + f filename complishen in vim
- ;it textit
- ;ib textbf
- ;ig include graphics
- ;sec ;sec\* ;sub ;sub\*
- ;im itemize
- ;cen center
- ;tb table with [H]
- ;bg begin something

## tabby movment

- "leader"tn next tab
- "leader" tp previous tab
- "leader" to closes all other tabs
- C-t opens new tab
- C-w closes tab
- "leader" tmp moves tab to previous prosition

 $\bullet$  "leader"tmn moves tab to next prosition

Custom/Plugs

• cdacac