PROBLEM 5 (5/5 points)

You have 2 attempts for this problem.

In lecture, we saw a version of linear search that used the fact that a set of elements is sorted in increasing order. Here is the code from lecture:

```
def search(L, e):
    for i in range(len(L)):
        if L[i] == e:
            return True
        if L[i] > e:
            return False
    return False
```

Consider the following code, which is an alternative version of `search`.

```
def newsearch(L, e):
    size = len(L)
    for i in range(size):
        if L[size-i-1] == e:
            return True
        if L[i] < e:
            return False
    return False
```

Which of the following statements is correct? You may assume that each function is tested with a list `L` whose elements are sorted in increasing order; for simplicity, assume `L` is a list of positive integers.

- `search` and `newsearch` return the same answers for all `L` and `e`.
- `search` and `newsearch` return the same answers provided `L` is non-empty.
- `search` and `newsearch` return the same answers provided `L` is non-empty and `e` is in `L`.
- `search` and `newsearch` never return the same answers.
- `search` and `newsearch` return the same answers for lists `L` of length 0, 1, or 2. ✔

Show Answer

You have used 2 of 2 submissions

Show Discussion

EdX offers interactive online classes and MOOCs from the world's best universities. Online courses from MITx, HarvardX, BerkeleyX, UTx and many other universities. Topics include biology, business, chemistry, computer science, economics, finance, electronics, engineering, food and nutrition, history, humanities, law, literature, math, medicine, music, philosophy, physics, science, statistics and more. EdX is a non-profit online initiative created by founding partners Harvard and MIT.

Terms of Service and Honor Code

Privacy Policy (Revised 10/22/2014)

About edX

About

News

Contact

FAQ

edX Blog

Donate to edX

Jobs at edX

Follow Us

Twitter

Facebook

Meetup

LinkedIn

Google+