





Power



File: Power.kicad_sch

Address Decoding and ROM



File: Address Decoding and Rom.kicad_sch

Serial IO Devices



File: Serial IO Devices.kicad_sch

Keyboard and Reset



File: Keyboard and Reset.kicad_sch

48k SRAM



File: RAM.kicad_sch

- H1 MountingHole
- H2 MountingHole
- H3 MountingHole
- H4 MountingHole
- H5 MountingHole
- H6 MountingHole




Simon Boak - [unimplementedtrap.com](https://github.com/unimplementedtrap)

Sheet: /
File: Apple II Project.kicad_sch

Title: SB mini II – CPU

Size: A4 Date: 2026-06-21
KiCad E.D.A. 9.0.6

Rev: 1
Id: 1/14



Simon Boak - unimplementedtrap.com

Sheet: /Slot 1/


File: Expansion Slot.kicad_sch

Title: SB mini II – Expansion Interface

Size: A4
KiCad E.D.A. 9.0.6

Date: 2026-06-21

Rev: 1
Id: 2/14



Simon Boak - unimplementedtrap.com

Sheet: /Address Decoding and Rom/

File: Address Decoding and Rom.kicad_sch

Title: SB mini II – Address Decoding & ROM


Size: A4

Date: 2026-06-21

Rev: 1

KiCad E.D.A. 9.0.6

Id: 3/14



Simon Boak - unimplementedtrap.com


Sheet: /48k SRAM/
File: RAM.kicad_sch

Title: SB mini II - 48kB SRAM

Size: A4	Date: 2026-06-21	Rev: 1
KiCad E.D.A. 9.0.6		Id: 4/14



Rev: 1
Id: 5/14



Simon Boak - unimplementedtrap.com

Sheet: /Slot 2/

File: Expansion Slot.kicad_sch

Title: SB mini II – Expansion Interface


Size: A4

Date: 2026-06-21

Rev: 1

KiCad E.D.A. 9.0.6

Id: 6/14



Simon Boak - unimplementedtrap.com

Sheet: /Slot 5/


File: Expansion Slot.kicad_sch

Title: SB mini II – Expansion Interface

Size: A4
KiCad E.D.A. 9.0.6

Date: 2026-06-21

Rev: 1
Id: 7/14



Simon Boak - unimplementedtrap.com

Sheet: /Slot 3/

File: Expansion Slot.kicad_sch

Title: SB mini II – Expansion Interface


Size: A4

Date: 2026-06-21

Rev: 1

KiCad E.D.A. 9.0.6

Id: 8/14



Simon Boak - unimplementedtrap.com

Sheet: /Slot 4/

File: Expansion Slot.kicad_sch

Title: SB mini II – Expansion Interface


Size: A4

Date: 2026-06-21

Rev: 1

KiCad E.D.A. 9.0.6

Id: 9/14



Simon Boak - unimplementedtrap.com

Sheet: /Slot 6/


File: Expansion Slot.kicad_sch

Title: SB mini II – Expansion Interface

Size: A4
KiCad E.D.A. 9.0.6

Date: 2026-06-21

Rev: 1
Id: 10/14



Simon Boak - unimplementedtrap.com

Sheet: /Slot 7/

File: Expansion Slot.kicad_sch

Title: SB mini II – Expansion Interface


Size: A4

Date: 2026-06-21

Rev: 1

KiCad E.D.A. 9.0.6

Id: 11/14



Simon Boak - unimplementedtrap.com

Sheet: /Slot 0/

File: Expansion Slot.kicad_sch


Title: SB mini II – Expansion Interface

Size: A4
KiCad E.D.A. 9.0.6





Date: 2026-06-21

Rev: 1
Id: 12/14

Option 1: 12V via barrel jack and 5V only using onboard regulator:



Option 2: Apple II compatible connector for providing all 4 voltages:



Sheet: /Power/
File: Power.kicad_sch

Title: SB mini II - Power

Size: A4 Date: 2026-06-21
KiCad E.D.A. 9.0.6

Rev: 1
Id: 14/14