

This excerpt from

Adaptation in Natural and Artificial Systems.

John H. Holland.

© 1992 The MIT Press.

is provided in screen-viewable form for personal use only by members of MIT CogNet.

Unauthorized use or dissemination of this information is expressly forbidden.

If you have any questions about this material, please contact
cognetadmin@cognet.mit.edu.

Index

(df.) following an entry indicates the term is defined or explained on that page

- Activities, economic, 36–39, 67. *See also*
Economics, mathematical
- Adaptive agent. *See* Agent
- Adaptive plan, §1.2, 8–9, 12–14, 16–19,
§2.1; examples of, ch. 3; genetic, 13–
16, 34, §7.1, §7.5, 156, 157, 160–61;
reproductive, 13–14, 18, §6.1, 102–5,
111
- Adaptive System, 20, 25, 28 (df.)
- Agent, 186–94
- Aggregate behavior, 184
- Algorithm, 25, 44, §6.1, 105, 119–20,
122, 131, 141
- Allele, 9 (df.), 14–16, 21, 33–34, 100,
102, 106, 109–10, 119, §7.4; dominant,
112 (df.); recessive, 112 (df.)
- Antibody, 155
- Apportionment of credit, 10, 33–34, 66,
68–69, 74, 160–62. *See also* Obstacles
to adaptation; Schemata
- Arbib, M. A., 152
- Artificial Intelligence. *See* Apportionment
of credit; Broadcast language; Evaluator;
False peak; Game-playing; General prob-
lem solver; Goal-directed search; Look-
ahead; Model; Pattern recognition;
Prediction; Representation; Search; Strat-
egy
- Artificial selection, 163
- Artificial systems, 3, §1.3, 25, 89–90,
122, 129, 155
- Association, 60–63, 68, 97, 161. *See also*
Linkage
- Attribute, 66 (df.), 68, 98, 106, §8.1, 161
- Automata. *See* Transition function
- Average excess, 88, 136–37, 161. *See also*
Fitness
- Axelrod, R., xi, 193
- Bagley, J. D., 162
- Bandit, two-armed. *See* Two-armed bandit
- Bayesian algorithm, 78–79
- Behavioral atom, 155 (df.)
- Behavioral unit, 155 (df.)
- Bellman, R., 76
- Bledsoe, W. W., 162
- Breeding plan, 163–64
- Brender, R. F., 168
- Britten, R. J., 116, 117, 153, 154
- Broadcast language, §§8.2–8.4, 171–72
- Broadcast unit, 144–47 (df.)
- Browning, I., 162
- Brues, A. M., 169
- Bucket brigade algorithm, 176–79 (df.).
See also Apportionment of credit
- “Building blocks,” 174, 179–80, 198. *See*
also Recombination
- Burks, A. W., 168
- Buss, L. W., 193
- CNS. *See* Central nervous system
- Carrying capacity, 91, 166
- Cavicchio, D. J., 161, 162, 163, 169
- Cell assembly, 60–64, 155
- Cellular automata, 168
- Central nervous system, §3.6, 155–57, 168
- Chi-square contingency, 164
- Christiansen, F., xi

- Chromosome, 9, 13–16, 21, 33–34, 66–67, 117–18, 137, 153–55. *See also* Structures
- Classifier systems, 172–81, 195; bid, 176; classifiers, 172–73, 174–75 (df.); detectors, 172; effectors, 172, 176; execution cycle, 175; messages, 172–73, 175
- Co-adapted, 11 (df.), 34, 88, 136, 139, 161. *See also* Schemata
- Coding, 57. *See also* Representation
- Competition, 176, 177, 197
- Complex adaptive systems, 184–86, 195–98. *See also* Echo
- Component, 5, 21, 66, 167. *See also* Schemata
- Computer Studies, §9.2
- Condition/action rules. *See* Classifier systems
- Control, §3.5, 70–71, 119–20, 163–64, 169. *See also* Function optimization
- Control policy, 54 (df.)
- Convergence, 124–25. *See also* Criterion
- Cover, T. M., 76
- Credit assignment. *See* Apportionment of credit; Bucket brigade algorithm
- Criterion, 12, 16–19, 26–28, 41–42, 75–76, 83–84, 85, 87, 125, 129; examples of, ch. 3
- Crossing over, §6.2, 108–9, 110, 113, 121, 140, 152, 164, 167, 168; simple, 102 (df.), 108, 111, 121. *See also* Operator, genetic
- Crossover operator. *See* Crossing over
- Crow, J. F., 33
- Cumulative payoff, 26–27, 38–39, 42, 53, 55. *See also* Loss minimization
- Davidson, E. H., 117, 153, 154
- Dawkins, R., 193
- Default hierarchy, 180–81
- Decomposition, 20, 66. *See also* Apportionment of credit
- Defining positions of schema. *See* Schema
- Deletion, 117 (df.)
- Detector, 44 (df.), §3.4, 63, 66–67, 117, 132, §8.1, 153, 155–56, 162. *See also* Representation
- Distribution, probability. *See* Probability distribution
- Domain of action, 4, 18, 28. *See also* Adaptive plan; Structures
- Dominance, 112 (df.)–16, 169
- Dubins, L. E., 30, 31
- Echo, 186–95; combat, 188–91; mating, 191; simulation, 192–94; site, 191–92; trade, 191
- Ecology, 168–69. *See also* Environmental niche
- Economics, mathematical, §3.2, 67, 131. *See also* Optimization
- Eden, M., 119
- Effectively describable, 118, 144
- Efficiency. *See* Criterion
- Enumeration (enumerative plan), 8, 13, 16–17, 19, 26, 41, 69, 110, 124–25
- Environment, §1.2, 6, 11–12, 16–18, §2.1, 143, 153, 169; examples of, ch. 3. *See also* Performance measure
- Environmental niche, 11 (df.), 12, 33, 119, 165–66, 168–69
- Enzyme, 10 (df.), 117, 153–54, 161
- Epistasis, 10 (df.), 34, 138–39, 161–62. *See also* Nonlinearity
- Error, 48, 52, 55, 56, 156
- Evaluator, 48, 52, 156
- Evolution, 12, 17, 97, 119. *See also* Speciation
- False peak. *See* Local optimum
- Feedback, 10, 119, 154
- Feldman, M. W., xi
- Fisher, R. A., 89, 118, 119, 137, 161
- Fitness, 4, 12–16, 33–34, 137–39, 168. *See also* Average excess; Performance measure
- Fixed point, 100–101, 134, 138
- Fogel, L. J., 163
- Frantz, D. R., 161, 162, 164, 171, 181
- Function optimization, 57, 70–71, 89–90, 99, 105–6, 119–20, 163–64. *See also* Optimization
- Gale, D., 36
- Gambling, §2.3
- Game-playing, §3.3, §7.3
- Gedanken experiments, 186, 196
- Gene. *See* Allele

- General problem solver, 44
Generation, 12 (df.), 13–16, 94, 102 (df.), 133, 137
Genetic algorithm. *See* Adaptive plan
Genetic operator. *See* Operator, genetic
Genetic plan. *See* Adaptive plan, genetic
Genetics, §1.4, §3.1, 131, §7.4, 153–55
Genotype, 9 (df.), 12, 32–33, 161
Goal-directed search, 49, 52. *See also* Search
Good, I. J., 60
Goodman, E. D., 162
Goods, 36–38. *See also* Economics, mathematical

Hamilton, W. D., xi, 193
Hebb, D. O., 58, 60, 64
Hellman, M. E., 76
Hierarchy, 157, 167–68
History. *See* Input history
Hofstadter, D. R., 181
Hollstien, R. B., 161, 163, 169
Homomorphism, 50–51
Hybrid, 168

Immune system (biological), 155
Implicit parallelism. *See* Intrinsic parallelism
Inference, statistical, 13, 50, 159. *See also* Function optimization; Prediction; Two-armed bandit
Input, 6–7. *See also* Input history; Signal
Input history, 2, 12–14, 16, 18, 23, 29, 30, 96. *See also* Storage, of input history
Interim performance, 1, 26, 29, 140. *See also* Loss minimization
Internal model, 181, 185, 196–97. *See also* Lookahead
Intrachromosomal duplication, 116 (df.), 169–70
Intrinsic parallelism, 71–72, 88, 99, 103–4, 125–27, 130–31, 140, 157, 160–61
Inversion, §6.3, 115, 118, 121, 125–27, 140, 161; simple, 108 (df.), 121, 127
Iosifescu, M., 30

K selection, 166
Kimura, M., 33

Language, broadcast. *See* Broadcast language
Learning, 6, 60–61, 155. *See also* Adaptive plan; Central nervous system
Length of schema. *See* Schema
Levins, R., 32
Linkage, 34, 97, 102–3, 106–9, 135, 139, 140, 143, 164. *See also* Association
Local optimum, 66, 104, 110, 111, 123, 133, 140, 160. *See also* Nonlinearity
Lookahead, 48, 52, 181, 185. *See also* Prediction
Loss minimization, 42–43, 75, 77–83, 85–87, 125, 129–31. *See also* Performance measure

MacArthur, R. H., 166
Machine Learning. *See* Classifier systems; Samuel, A. L.
Maladaptation, 134–35, 138. *See also* Local optimum
Marimon, R. E., 186
Markov chain, 49–52
Martin, N., 125
Mathematical economics. *See* Economics mathematical
Mayr, E., 33, 119, 167, 168
Maze, 45–47
Memory, 23, 56, 59, 93, 143. *See also* Storage
Metazoan evolution, 193–94
Migration, 168–69
Milner, P. M., 60
Minimum (expected) loss. *See* Loss minimization
Minsky, M. L., 152
Model, 52–53, 56, 63–64, 143–44, 153, 155–57
Monod, J., 117, 141, 153
Morphogenesis, 168
Mutation, 97, §6.4, 111, 113–15, 116, 121–22, 127–28, 136, 170

Needs, 61–64
Nervous system. *See* Central nervous system

- Neuron, 60–62, 155
 Newell, A., 44
 Nonlinearity, 2, 5, 35, 39, 57, 136, 138–39, 160, 164. *See also* Local optimum; Epistasis; Obstacles to adaptation
 Nonstationarity, 35, 57, 168–69
- Observed best, 75, 77, 87–88, 124–25, 129, 140
- Obstacles to adaptation, 2, 5–6, 9–11, 13–14, 65, 66, 75, 123, 140, §9.1; examples of, ch. 3. *See also* Epistasis; Local optimum; Nonlinearity; Nonstationarity
- Operator, §1.2, §2.1, 92–93, 152, 157; examples of, ch. 3; genetic, 14–18, 33, §6.2, §6.3, §6.4, §6.5, 121–22, 127–28, 140, 152, 157, 161, 167–68, 169–70; losses, 103, 110–11, 125–27, 140
- Operon, 117–18 (df.), 153–55
- Optimization, 1, 4, 19, 38–39, 54–55, 57, 75–76, 90, 120, 123, 140, 160–61. *See also* Function optimization
- Parallelism, 174, 178, 192, 197
- Parallel operation, §§8.2–8.4 *See also* Intrinsic parallelism
- Pattern recognition, §1.3, §3.4, 63, 132, 155–56, 162–63
- Payoff, 25 (df.), 26–27, 40, 42, 76, 132, 160, 165, 166, 172, 177. *See also* Performance measure
- Payoff-only plan, 26, 29 (df.), 39, 42, 132
- Performance measure, §1.2, 8, 12, 18, 66, 69, 74, 75, 87–88, 124, 139–40, 159–61, 168–69; examples of, ch. 3. *See also* Criterion; Fitness; Payoff; Utility
- Permutation, 107–8, 127
- Phase space, 54 (df.). *See also* Control
- Phenotype, 10 (df.), 11–12, 33–34, 160
- Plum, T. W.-S., 155
- Policy. *See* Control policy
- Population: as a data base, 73–74, 87–88, 91, 92–93, 95, 96, 99–100, 103–4, 110, 125–27, 133, 139–40, 156, 160; biological, 12–15, 33–35, 136, 139, 161–62, 165–66, 168–69
- Prediction, 48, 50–52, 56, 63, 143, 153, 155–56, 161. *See also* Lookahead; Model
- Probability distribution, 15, 24, 28, 30–31, 68, 70, 77, 87, 92. *See also* Sampling
- Program, economic, 36 (df.)–38
- Punctuation, 144, 149–50, 152, 157, 168
- Quasi-homomorphism. *See* Default hierarchy
- Queue, 165–66
- r selection, 166
- Random variable. *See* Sampling; Schemata
- Ranking, 73–74, 87–88, 96, 103–4, 105, 139–40, 160, 169
- Rankings, storage. *See* Storage, of rankings
- Recombination, 180, 191, 197, 198. *See also* Crossing over
- Representation: examples of, 66–67, 106–7, 109, 112–13, 116, 148–52; homologous, 109 (df.); via broadcast language, 141, §§8.2–8.4, 167–68; via detectors, 57, 66 (df.)–71, 74, 89, 98, 131, 140, §8.1
- Reproductive plan. *See* Adaptive plan, reproductive
- Resource renewal rate, 165–66, 168
- Riolo, R. L., 180, 181
- Robustness, 17–19, 27, 34–35, 121, 124–25; examples of, §7.3, §7.4. *See also* Criterion
- Rosenberg, R. S., 161
- Rule discovery, 179–181
- Sample space. *See* Sampling
- Sampling, 49–50, 68–73, 75–77, 140, 160; of α , 8, 12, 23–24, 66, 74, 90–94, 124; of schemata, 71–73, 75, 85–88, 98–99, 127, 128–30, 139–40, 157, 160–61; of several random variables, §5.1, §5.3
- Sampling procedure. *See* Adaptive plan
- Samuel, A. L., 17, 40, 42, 43, 44, 132, 196
- Santa Fe Institute, x, 184, 185
- Savage, L. J., 30–31
- Schema: length of, 102 (df.)–3, 108, 129; defining positions of, 72 (df.), 125, 165
- Schemata, 19, 68 (df.), ch. 4. §8.1, 157, 160–61; and coadaptation, 89, 119,

- 136–39, 161; and environmental niches, 11, 165–67, 168–70; processing of, 74, 87–88, 89, 97–108, 115–16, 119–20, 127, §7.5, 160–61; ranking of, 73–74, 75, §5.4, 125, 127, 130, §7.5, 160
Search, §3.4, 66, 155–57, 160, 162–63, 164
Segregation, 116 (df.)
Sela, M., 155
Self-reproduction, 152
Selfridge, O. J., 156
Shaw, J. C., 44
Signal, 22–23, 117–18, §8.2, 152, 153–57
Simon, H. A., 44, 168
Simple crossover operator. *See* Crossing over, simple
Simple inversion operator. *See* Inversion, simple
Speciation, 164–67, 168–69
State, 13, 23, 30, 54–55, 59, 93, 147
Statistical inference. *See* Inference, statistical
Steady state. *See* Fixed point
Stebbins, G. L., 118
Stimulus. *See* Signal
Stimulus-response theory, 59. *See also* Broadcast language
Stochastic process, 24, 26–27, 28, 90, 92–93, 95, 100, 123, 133. *See also* Markov chain
Storage: of input history, 23, 30, 56, 143; of rankings, 69–70, 73–74, 87, 96, 98, 103–4, 125, 140, 160
Strategy, 30–31, §3.3, §7.3
Structures, §1.2, 16–19, 21–23, 66–67, 89, 92–93, 97–98, 107, 113, 116, 117, 144, 167–68; examples of, ch. 3
Super gene, 167
Synapse, 61–62, 155

Trials, optimal allocation, ch. 5
Tsypkin, Y. Z., 2, 54, 55
Two-armed bandit, §5.1; revisited, §10.2

Uhr, L., 162
Utility, 30, 31, 38 (df.)–39, 49–51. *See also* Performance measure

Von Neumann, J., 36, 37, 39, 42
Von Neumann technology, §3.2, 67
Vossler, C., 162

Waddington, C. H., 119
Wallace, B., 118
Weinberg R., 162
Wilson, E. O., 166

Tag, 175, 186, 188–91
Technology, 36–38. *See also* Economics, mathematical
Threshold device, 6 (df.), §1.3
Transition function, 13, 23, 50
Translocation, 116 (df.), 118
Tree graph, 40 (df.), 41
Trial. *See* Sampling
Trial and error. *See* Enumeration

This excerpt from

Adaptation in Natural and Artificial Systems.

John H. Holland.

© 1992 The MIT Press.

is provided in screen-viewable form for personal use only by members of MIT CogNet.

Unauthorized use or dissemination of this information is expressly forbidden.

If you have any questions about this material, please contact
cognetadmin@cognet.mit.edu.