

Network Infrastructure Design Template

Part 1: Complete the Router Networking Tables

Table 1 lists the current Router Networking and Information for the organization. For your Part 1, use the information in this table to complete Tables 2, 3, and 4 below. Add additional rows if necessary.

Table 1: Current Router Networking and Information

	Site number	
Orlando Site Router	1	Management VLAN IP - 192.168.1.0 Production VLAN IP - 192.168.11.0 Internet VLAN IP- IP Assignments Loopback - 10.1.1.1/32 VPN Tunnels TBD - based on requirements
Phoenix Site Router 1	2	Management VLAN IP - 192.168.2.0 Production VLAN IP - 192.168.22.0 Internet VLAN IP- IP Assignments Loopback - 10.2.2.2/32 VPN Tunnels

	Site number	
		TBD - based on requirements
Phoenix Site Router 2	3	Management VLAN IP - 192.168.3.0 Production VLAN IP - 192.168.33.0 Internet VLAN IP- IP Assignments Loopback - 10.3.3.3/32 VPN Tunnels TBD - based on requirements
Toronto Site Router	4	Management VLAN IP - 192.168.4.0 Production VLAN IP - 192.168.44.0 Internet VLAN IP- IP Assignments Loopback - 10.4.4.4/32 VPN Tunnels TBD - based on requirements

Table 2: Orlando Site

Net ID	Usable Range	Subnet Mask	CIDR Value	Broadcast
192.168.1.0	192.168.1.1 to 192.168.1.254	2255.255.255.0	/24	192.168.1.255
192.168.11.0	192.168.11.0 to 192.168.11.254	2255.255.255.0	/24	192.168.11.255
10.1.1.1	10.1.1.1 to 10.1.1.1	2255.255.255.255	/32	10.1.1.1

Table 3: Phoenix Site

Net ID	Usable Range	Subnet Mask	CIDR Value	Broadcast
192.168.2.0	192.168.2.1 to 192.168.2.254	255.255.255.0	/24	192.168.2.255
192.168.22.0	192.168.22.0 to 192.168.22.254	255.255.255.0	/24	192.168.22.255
10.2.2.2	10.2.2.2 to 10.2.2.2	255.255.255.255	/32	10.2.2.2
192.168.3.0	192.168.3.0 to 192.168.3.254	255.255.255.0	/24	192.168.3.255
192.168.33.0	192.168.33.0 to 192.168.33.254	255.255.255.0	/24	192.168.33.255
10.3.3.3	10.3.3.3 to 10.3.3.3	255.255.255.55	/32	10.3.3.3

Table 4: Toronto Site

Net ID	Usable Range	Subnet Mask	CIDR Value	Broadcast
192.168.4.0	192.168.4.0 to 192.168.4.254	255.255.255.0	/24	192.168.4.255
192.168.44.0	192.168.44.0 to 192.168.44.254	255.255.255.0	/24	192.168.44.255
10.4.4.4	10.4.4.4 to 10.4.4.4	255.255.255.255	/32	10.4.4.4

Part 2: Design the Network Infrastructure

Create a network drawing using Visio or Draw.io, specific to this organization listing the network's topology.

In your diagram, include any necessary hardware. The drawing should include enough detail to show the interconnections of the topology. The viewer should be able to understand the Bacon Enterprises network environment.

All devices require hostnames and should use the following naming conventions:

- Routers: Rx; where x is the site number
- Switches: Sx; where x is the site number
- Include necessary details for high availability.
- Any external source that is consulted should be cited properly.

When you are finished, save the diagram as a PDF and submit it to the Assignment folder along with this template.

Note: You will need to use this diagram in Project 3, so save the source file.