



ICT Training Center

Il tuo partner per la Formazione e la Trasformazione digitale della tua azienda



Note

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

SPRING AI

GENERATIVE ARTIFICIAL INTELLIGENCE CON JAVA

Simone Scannapieco

Corso avanzato per Venis S.p.A, Venezia, Italia

Novembre 2025

Note

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page, leaving small margins at the top and bottom. There are no vertical margin lines, and the paper is otherwise completely blank.



TEXT-TO-SPEECH

Note

[illegible]

- Simone Scannapieco
 Spring AI - Corso avanzato
 Venis S.p.A, Venezia, IT
 3 / 18

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.


```
@RestController
@RequestMapping("/api")
public class AudioController {

    private final TextToSpeechModel speechModel;

    AudioController(TextToSpeechModel speechModel) {
        this.speechModel = speechModel;
    }

    @GetMapping("/speech")
    String speech(@RequestParam("message") String message) throws IOException {
        byte[] audioBytes = speechModel.call(message);
        Path path = Paths.get("output.mp3");
        Files.write(path, audioBytes);
        return "MP3 salvato con successo in " + path.toAbsolutePath();
    }
}
```

- ➔ Impostazioni di *default*
- ➔ GPT 4.0 mini TTS
- ➔ *Response format* in JSON
- ➔ Velocità di sintetizzazione 1.0
- ➔ Voce Alloy
- ➔ Istanziato un *bean* `OpenAiAudioSpeechModel`

Note

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Controller di sintetizzazione audio

```

@RestController
@RequestMapping("/api")
public class AudioController {
    ...

    @GetMapping("/speech-options")
    String speechWithOptions(@RequestParam("message") String message) throws IOException {
        TextToSpeechResponse speechResponse = speechModel.call(
            new TextToSpeechPrompt(message,
                OpenAiAudioSpeechOptions.builder()
                    .voice(OpenAiAudioApi.SpeechRequest.Voice.NOVA)
                    .speed(2.0f)
                    .responseFormat(OpenAiAudioApi.SpeechRequest.AudioResponseFormat.MP3)
                    .build());
            Path path = Paths.get("speech-options.mp3");
            Files.write(path, speechResponse.getResult().getOutput());
            return "MP3 salvato con successo in " + path.toAbsolutePath();
        }
    }
}

```

- ➔ Popolato un `TextToSpeechPrompt` con tutte le sovrascritture volute rispetto al *default*
- ➔ `speechResponse.getResult().getOutput()` ripulisce l'output da tutti i metadati restituendo il dato grezzo (`byte[]`)

Note

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

```
spring:
  application:
    name: demo
  ai:
    openai:
      api-key: ${OPENAI_API_KEY}
    audio:
      speech:
        model: gpt-4o-mini-tts # gpt-4o-mini-tts (opt. speed and costs)
                                # gpt-4o-tts (higher quality)
                                # tts-1 (opt. speed)
                                # tts-1-hd (opt. quality)
        voice: alloy           # alloy, echo, fable, onyx, nova, shimmer
        response-format: mp3   # mp3, opus, aac, flac, wav, pcm
        speed: 1.0             # [0.25, 4.0]
```

Note

[illegible]

- ## Approccio REST per sintetizzazione vocale: Gemini - singolo

 Simone Scannapieco

Note

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

```
curl "https://generativelanguage.googleapis.com/v1beta/models/gemini-2.5-flash-preview-tts:generateContent" \
-H "x-goog-api-key: $GEMINI_API_KEY" -X POST -H "Content-Type: application/json" \
-d '{
  "contents": [{
    "parts": [{
      "text": "Mario: Come va oggi Maria? Maria: Abbastanza bene, te?"
    }]
  }],
  "generationConfig": {
    "responseModalities": ["AUDIO"],
    "speechConfig": {
      "multiSpeakerVoiceConfig": {
        "speakerVoiceConfigs": [{
          "speaker": "Joe",
          "voiceConfig": {
            "prebuiltVoiceConfig": {
              "voiceName": "Kore"
            }
          }
        }], {
          "speaker": "Jane",
          "voiceConfig": {
            "prebuiltVoiceConfig": {
              "voiceName": "Puck"
            }
          }
        }
      ]
    }
  },
  "model": "gemini-2.5-flash-preview-tts",
}' | jq -r '.candidates[0].content.parts[0].inlineData.data' | base64 --decode > out.pcm

ffmpeg -f s16le -ar 24000 -ac 1 -i out.pcm out.wav
```

Note

[illegible]

➔ Servizio *text-to-speech* Gemini

- 1 Modifica dipendenze di progetto
- 2 Creazione modelli Gemini TTS *request* e *response*
- 3 Creazione modello per informazioni voci disponibili
- 4 Creazione convertitore *output* audio Gemini a formato riproducibile nel web
- 5 Modifica controllore MVC
- 6 Creazione pagina di presentazione
- 7 Test delle funzionalità su pagina di presentazione

Note

[illegible]

```
...
<dependency>
  <groupId>com.google.cloud</groupId>
  <artifactId>google-cloud-texttospeech</artifactId>
  <version>2.40.0</version>
</dependency>
...
```

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page. There are no margins, text, or other markings on the paper.



Modello richiesta Gemini TTS

```

package it.venis.ai.spring.demo.model;

public class GeminiTtsRequest {
    private String text;
    private String voice;
    private String model;
    private String stylePrompt;

    ...
}

```

Note

Note area with horizontal lines for writing.

Modello risposta Gemini TTS

```

package it.venis.ai.spring.demo.model;

public class GeminiTtsResponse {
    private String audioBase64;
    private String mimeType;
    private String message;

    public GeminiTtsResponse(String audioBase64, String mimeType, String message) {
        this.audioBase64 = audioBase64;
        this.mimeType = mimeType;
        this.message = message;
    }

    ...
}

```

Note

Multiple horizontal lines for taking notes.

```
package it.venis.ai.spring.demo.model;

import java.util.List;

public class VoiceInfo {
    private String name;
    private List<String> languageCodes;
    private String gender;

    public VoiceInfo(String name, List<String> languageCodes, String gender) {
        this.name = name;
        this.languageCodes = languageCodes;
        this.gender = gender;
    }

    ...
}
```

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

```
package it.venis.ai.spring.demo.util;

...

public class PcmToWavConverter {

    public static byte[] pcmToWav(byte[] pcmData, float sampleRate, int sampleSizeInBits,
                                   int channels, boolean signed, boolean bigEndian) throws IOException {

        // Crea la specifica del formato audio
        AudioFormat audioFormat = new AudioFormat(
            sampleRate,           // Frequenza di campionamento (Hz)
            sampleSizeInBits,     // Dimensione del campione in bit
            channels,             // Numero di canali
            signed,               // Con segno o senza segno
            bigEndian             // Big-endian o little-endian
        );

        // Racchiude i dati PCM in un ByteArrayInputStream
        ByteArrayInputStream pcmInputStream = new ByteArrayInputStream(pcmData);

        // Calcola la lunghezza del frame
        long frameLength = pcmData.length / audioFormat.getFrameSize();

        // Crea un AudioInputStream dai dati PCM
        AudioInputStream audioInputStream = new AudioInputStream(
            pcmInputStream,
            audioFormat,
            frameLength
        );

        ...
    }
}
```

Note

[illegible]


```
package it.venis.ai.spring.demo.controllers;
...
@RestController
@RequestMapping("/gemini/multi-modality")
public class GeminiMultimodalityController {

    /** Chiave API di Google AI recuperata dalle proprietà di configurazione */
    @Value("${GOOGLE_AI_API_KEY}")
    private String geminiApiKey;

    /** URL base dell'API Gemini per le richieste ai modelli */
    @Value("${gemini.api.models.url}")
    private String geminiApiUrl;

    /** Servizio per le operazioni multimodali (STT, ITT, TTS) */
    private final MultiModalityService multiModalityService;

    /** Client HTTP REST per le chiamate all'API di Gemini */
    private final RestTemplate restTemplate = new RestTemplate();

    /**
     * Costruttore del controller per la gestione delle funzionalità multimodali di Gemini.
     *
     * @param multiModalityService servizio per le operazioni multimodali (STT, ITT, TTS)
     */
    public GeminiMultimodalityController(MultiModalityService multiModalityService) {

        this.multiModalityService = multiModalityService;
    }
    ...
}
```

Note

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

```
<!DOCTYPE html>
<html lang="it">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Gemini Text-to-Speech Demo</title>
  <style>
    * {
      margin: 0;
      padding: 0;
      box-sizing: border-box;
    }

    body {
      font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
      background: linear-gradient(135deg, #667eea 0%, #764ba2 100%);
      min-height: 100vh;
      padding: 20px;
      display: flex;
      justify-content: center;
      align-items: center;
    }

    .container {
      background: white;
      border-radius: 20px;
      box-shadow: 0 20px 60px rgba(0,0,0,0.3);
      padding: 40px;
      max-width: 900px;
      width: 100%;
    }

    ...
  </body>
</html>
```

Note

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

18 / 18

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.