






Simon Hausberger
Diplomarbeit:
Motorprüfstand f. Laboranwdg.
Kooperation mit Infineon

HTL Anichstraße
PowerBoard2 v37
3/1/2026 11:12 AM
Sheet: 1/9








Safety-Switch-OCP: ~77 A


Internal, programmed dead-time of gate-drivers:
 $R_{DT} = 22k\Omega \Rightarrow \sim 1.1 \mu s$


Simon Hausberger Diplomarbeit: Motorprüfstand f. Laboranwdg. Kooperation mit Infineon	HTL Anichstraße	
	PowerBoard2 v37	
	3/1/2026 11:12 AM	
	Sheet: 3/9	















Additional components for PowerBoard2:

- 7x thermal/isolation pad for IRF100P218-mosfets (Bergquist, BER204-ND)
- 4x spacerstunds (Würth, 971120365)
- 1x vertical connector, 4-Pin (Würth, 691361100004)
- 3x vertical connector, 6-Pin (Würth, 691361100006)
- 3x pinheader jumper (Würth, 60800213421)
- 4x round plastic spacers 2mm (Würth, 960020042)
- 4x plastic nuts for spacer stunds
- 11x M3 screws for heatsink and mosfets, ~10mm, conductive
- 11x circlib/Sprenging
- 11x washer/Beilagscheibe
- optional: 1x Control-Card, Boy-II, PSOC3M5, CC1
- optional: 1x POCMOC-MainBoard

Simon Hausberger
Diplomarbeit:
Motorprüfstand f. Laboranwdg.
Kooperation mit Infineon

HTL Anichstraße
PowerBoard2 v37
3/1/2026 11:12 AM
Sheet: 9/9