

Introduction

Radioactive decay is a kind of change which happens on the nuclear, and in this process, this element will become another element because the charge with the atom will be decreased and have a total change, then it will lose this charge and become another element. We know that Marie Curie was finding this kind of element, they always become another element and will have radioactive to the air, because this gamma rays and conversion electrons will decay and get out of the air. By which a nuclear of an unstable atom loses energy by emitting radiation. A material that spontaneously emits such radiation. In that, according to middle theory, it is impossible to predict when a particular atom will decay. The chance that atom would decay never changes, that is, it does not matter how long the atom has existed.

There have so many different of decay of radioactive. A decay, or loss of energy from the nucleus, results when an atom with one type of nucleus.

I will try to figure out this and have a research.

Question

Explain what's the relationship with the times of the decay period

Apparatus

Computer and program about decay lab.

Instruction

Of course I can't just do the decay lab by the real way, because it was so away from me, it needs so many stuff and the high school will not have it. But my teacher helped me to create a program that can calculate this decay lab it uses the function and we can get the data with it

Step 1 choose some data in side and put in

Step 2 Wait for computer calculate

Step 3 we can get the data and just know what's going on with it.






Data destruction

No.	initial number of atoms	probability of decay	time steps
1	1000	0.342	17
2	1000	0.321	17
3	1000	0.3	23
4	1000	0.279	23
5	1000	0.258	34
6	1000	0.247	20
7	1000	0.226	26
8	1000	0.205	27
9	1000	0.184	34
10	1000	0.163	35

11 1000

0.142





41




The graph of 1,2,3,4,5.

As we see the data have a inverse ratio in this data, and for the time and the decay 's situation is same. At first we saw it have the probility of the decay and it's the number lower then zero. As we know, nuclear transmutation is the charge changing , and it became slow because it will became stable and stable. And the probability of the decay show the happenting with the data--- inverse ratio.

No .	initial number of atoms	probability of decay A-B	probability of decay B-C	time steps
1	10000	0.7899	0.7799	10
2	10000	0.7788	0.7688	11
3	10000	0.7677	0.7577	11
4	10000	0.7566	0.7466	9
5	10000	0.7455	0.7355	14
6	10000	0.7344	0.7244	11
7	10000	0.7233	0.7133	11
8	10000	0.7122	0.7022	10
9	10000	0.7011	0.6911	10
10	10000	0.69	0.68	12
11	10000	0.6899	0.6799	11





The graph of 1,2,3,4,5.

But on the other hand the situation of the electric distant was very stable, as we see, the data of the charge between A and B and C became very well and have a stable ratio and it always 10 or 11, that's means it was have very samely time steps of the track of charge.

Function

$$c = \frac{\lambda}{N_0}.$$

nuclear transmutation

$$N = N_0 e^{-\lambda t},$$

population formula

$$T_{1/2} = \frac{\ln 2}{\lambda_c} = \frac{\ln 2}{\lambda_1 + \lambda_2}.$$

Partial mean life

Conclution

We can saw the time step is have a decrease ratio with the probility of the decay, but for the different decay way is same.

Bibligraphy

Wikipedia. Wikimedia Foundation, n.d. Web. 22 Feb. 2016.

Radioactivity. Gsu, n.d. Web.

The program showing

C:\Users\simon\DSM>

C:\Users\simon\DSM>Java Nuclear

input N, the initial number of atoms.
1000
input P, the probability of decay.
0.342
1000 641 417 258 158 104 68 45 29 22 14 9 6 3 2 1 1 0
The number of time steps was 17

C:\Users\simon\DSM>
C:\Users\simon\DSM>Java Nuclear
input N, the initial number of atoms.
1000
input P, the probability of decay.
0.321
1000 710 518 349 222 143 86 61 42 36 26 19 11 7 4 3 1 0
The number of time steps was 17

C:\Users\simon\DSM>Java Nuclear
input N, the initial number of atoms.
1000
input P, the probability of decay.
0.3
1000 674 457 335 250 179 124 89 64 41 27 18 17 10 5 4 1 1 1 1 1 1 0
The number of time steps was 23

C:\Users\simon\DSM>Java Nuclear
input N, the initial number of atoms.
1000
input P, the probability of decay.
0.279
1000 741 517 362 266 187 141 98 72 52 38 32 25 20 19 12 9 7 5 3 3 1 1 0
The number of time steps was 23

C:\Users\simon\DSM>Java Nuclear
input N, the initial number of atoms.
1000
input P, the probability of decay.
0.258
1000 732 540 404 307 218 154 112 78 59 46 34 26 18 13 11 9 7 7 7 5 4 3 3 2 2 2 2 2 1 1 1 1 0
The number of time steps was 34

C:\Users\simon\DSM>