User-entries logical data model

Simon Kuhlo | November 1, 2023

USERS

User-ID (PK)	INT
Email (UNQ)	EMAIL
Entry-ID (FK)	INT

INTERVIEW-FORMS

Form-ID (PK)	INT
Creation-date	DATE
Form-goal	STR

ENTRIES

Entry-ID (PK)	INT
User-ID (FK) (UNQ)	INT
TOKEN (UNQ)	STR
Used-form	STR
Creation-date	DATE

ENTRY_UPLOADS

Entry-ID (PK)(FK)	STR
Upload-ID (PK)(FK)	STR
Upload-value	BLOB

FORM_UPLOADS

Upload-ID (PK)	INT
FORM-ID (FK)	INT
Upload-name	STR
Field-text	STR
Upload-format	STR
Required?	BOOL

ANSWERED_QUESTIONS

Entry-ID (Pk)(Fk)	INT
Question-ID (Pk)(FK)	INT
Question-answer	STR

FORM_Questions

Question-ID (PK)	INT
FORM-ID (FK)	INT
Field-text	STR
Required?	BOOL

FINISHED_ENTRIES

Entry-ID (PK)(FK)	INT
Field-ID (PK)(FK)	INT
Field-value	BLOB

FIELDS

Field-ID (PK)	INT
Form-ID (FK)	INT
Field-text	STR
Field-format	STR
Required?	BOOL

USERS

User-ID (PK)	INT
Email (UNQ)	EMAIL
Entry-ID (UNQ)	INT
Entry-token (UNQ)	STR
Form-ID (FK)	INT

INTERVIEW-FORMS

Form-ID (PK)	INT
Creation-date	DATE
Form-goal	STR