



let vs const

優先用let

php

echo

```php
<?php
    $name = 'a-kai';
    echo("Hi $name");

?>
```

js

console.log

```html
<script>
    console.log('Hello JavaScript');

    // string
    //
    let name = 'a-kai'

    console.log(`Hi , I'm ${name}`);
```

```php
// array

// index array
$indexArr = [1,2,3];

// Associative array
$assocArr = [
    's1' => 'amy',
    's2' => 'bob',
    's3' => 'cat'
];
```

```js
// js array
myArr = [1, 2, 3];
// assocArr = [
//     's1' : 'test',
// ];
console.log('myArr', myArr);


myObj = {
    's1': 'amy',
    's2': 'bob',
    's3': 'cat',
}
console.log('myObj', myObj);
```

```
myArr (3) [1, 2, 3]
    0: 1
    1: 2
    2: 3
    length: 3
  ▶ [[Prototype]]: Array(0)
myObj {s1: 'amy', s2: 'bob', s3: 'cat'}
    s1: "amy"
    s2: "bob"
    s3: "cat"
  ▶ [[Prototype]]: Object
```

```html
<style>
    p {
        color: red;
        text-align: center;
    }
</style>
```

```
const box = $('#box')

box = 123 ; error

box.text = 'hello';  ok
```



https://oscarotero.com/jquery/

jQuery Quick API Reference
3.5
Search...
Preferences...
SELECTORS
Basics
*
.class
element
#id
selector1, selectorN, ...
Hierarchy
parent > child
ancestor descendant
prev + next
prev ~ siblings
Basic Filters
:animated
:eq()
:even
:first
:gt()
:header
:lang()
:last
:lt()
:not()
:odd
:root
:target
Content Filters
:contains()
:empty
:has()
:parent
Visibility Filters
:hidden
:visible
Attribute
[name]
[name="value"]
[name*="value"]
[name~="value"]
[name|="value"]
[name^="value"]
[name$="value"]
[name!="value"]
[name]
[name="value"][name2="value2"]
Child Filters
:first-child
:first-of-type
:last-child
:last-of-type
:nth-child()
:nth-last-child()
:nth-last-of-type()
:nth-of-type()
:only-child
:only-of-type()
Forms
:button
:checkbox
:checked
:disabled
:enabled
:focus
:file
:image
:input
:password
:radio
:reset
:selected
:submit
:text
ATTRIBUTES / CSS
Attributes
.attr()
.prop()
.removeAttr()
.removeProp()
.val()
CSS
.addClass()
.css()
jQuery.cssHooks
jQuery.cssNumber
jQuery.escapeSelector()
.hasClass()
.removeClass()
.toggleClass()
Dimensions
.height()
.innerHeight()
.innerWidth()
.outerHeight()
.outerWidth()
.width()
Offset
.offset()
.offsetParent()
.position()
.scrollLeft()
.scrollTop()
Data
jQuery.data()
.data()
jQuery.hasData()
jQuery.removeData()
.removeData()
MANIPULATION
Copying
.clone()
DOM Insertion, Around
.wrap()
.wrapAll()
.wrapInner()
DOM Insertion, Inside
.append()
.appendTo()
.html()
.prepend()
.prependTo()
.text()
DOM Insertion, Outside
.after()
.before()
.insertAfter()
.insertBefore()
DOM Removal
.detach()
.empty()
.remove()
.unwrap()
DOM Replacement
.replaceAll()
.replaceWith()
TRAVERSING
Filtering
.eq()
.even()
.filter()
.first()
.has()
.is()
.last()
.map()
.not()
.odd()
.slice()
Miscellaneous Traversing
.add()
.addBack()
.andSelf()
.contents()
.each()
.end()
Tree Traversal
.children()
.closest()
.find()
.next()
.nextAll()
.nextUntil()
.parent()
.parents()
.parentsUntil()
.prev()
.prevAll()
.prevUntil()
.siblings()
EVENTS
Browser Events
.error()
.resize()
.scroll()
Document Loading
.ready()
.unload()
Event Handler Attachment
.bind()
.delegate()
.die()
.live()
.off()
.on()
.one()
.trigger()
.triggerHandler()
.unbind()
.undelegate()
Form Events
.blur()
.change()
.focus()
.focusin()
.focusout()
.select()
.submit()
Keyboard Events
.keydown()
.keypress()
.keyup()
Mouse Events
.click()
.contextMenu()
.dblclick()
.hover()
.mousedown()
.mouseenter()
.mouseleave()
.mousemove()
.mouseout()
.mouseover()
.mouseup()
.toggle()
Event Object
event.currentTarget
event.delegateTarget
event.data
event.isDefaultPrevented()
event.isImmediatePropagationStopped()
event.isPropagationStopped()
event.metaKey
event.namespace
event.pageX
event.pageY
event.preventDefault()
event.relatedTarget
event.result
event.stopImmediatePropagation()
event.stopPropagation()
event.target
event.timeStamp
event.type
event.which
EFFECTS
Basics
.hide()
.show()
.toggle()
Custom
.animate()
.clearQueue()
.delay()
.dequeue()
jQuery.dequeue()
.finish()
jQuery.fx.interval
jQuery.fx.off
jQuery.speed
.queue()
jQuery.queue()
.stop()
Fading
.fadeIn()
.fadeOut()
.fadeTo()
.fadeToggle()
Sliding
.slideDown()
.slideToggle()
.slideUp()
AJAX
Global Ajax Event Handlers
.ajaxComplete()
.ajaxError()
.ajaxSend()
.ajaxStart()
.ajaxStop()
.ajaxSuccess()
Helper Functions
jQuery.param()
.serialize()
.serializeArray()
Low-Level Interface
jQuery.ajax()
jQuery.prefilter()
jQuery.ajaxSetup()
jQuery.ajaxTransport()
Shorthand Methods
jQuery.get()
jQuery.getJSON()
jQuery.getScript()
jQuery.post()
.load()