



ZIMONAI

— VERIFY BEFORE YOU BUY —

CHINESE SUPPLIER VERIFICATION

Supplier Verification Report

Company Identity, Certificate Traceability & Claim Consistency Review

Tier-1 Remote Verification Dossier for Consumer Electronics Sourcing

Prepared by: ZimonAI — Chinese Supplier Verification Practice

Service Scope: Desk-based supplier identity audit, statutory database verification, and technical claim consistency review. (Not a laboratory test or accredited certification body inspection).

Metadata Field	Details
Report ID	ZMT-SVR-2026-HC90-V1
Verification Date	August 18, 2026 (GMT+8)
Target Supplier	Shenzhen XX Electronic Technology Co., Ltd. (深圳市 XX 电子科技有限公司)
Subject Product	Fast Charging Power Bank with Dual Built-in Cables & LED Light (Claimed Model: HW90 / HCW-90)
Overall Assessment	HIGH RISK — Material Discrepancies & Critical Compliance Gaps Found

Executive Summary

This Tier-1 verification report evaluates the corporate standing, certification authenticity, and technical claim consistency of Shenzhen XX Electronic Technology Co., Ltd. regarding its "HW90 / HCW-90" power bank. The review is based on publicly available registry databases, platform records, and engineering physics benchmarks.

Key Findings:

- Corporate Timeline Inconsistency:** A significant chronological discrepancy exists between the supplier's platform operating tenure (claimed 2 years) and its official incorporation date (July 2025).
- Certification Scope & Disclaimer Conflict:** The declared China Compulsory Certification (CCC No. 2025010914746623) is associated with multiple unrelated brands and models. Furthermore, the product description explicitly disclaims domestic compliance, conflicting with the statutory CCC listing.
- Physical Capacity Inconsistency:** The gravimetric energy density required for the claimed 50,000mAh and 60,000mAh models (370 Wh/kg) significantly exceeds the standard physical density limits of consumer-grade lithium polymer pouch cells ($200\text{--}250\text{ Wh/kg}$).
- Export Documentation Deficit:** Mandatory export compliance documentation (FCC, UL 2056, UN 38.3 Test Summary, and current MSDS) was not provided on the platform and remains unverified.

Sourcing Recommendation: Commercial procurement is **Not Recommended Based on Current Evidence** until the supplier provides verified documentation addressing the items in the Pre-Contract Punchlist (Section 5).

1. Scope & Review Methodology

This evaluation was conducted via remote desk-based verification across four standard investigative pillars:

- **Corporate Entity & Operating History:** Verification against China’s National Enterprise Credit Information Publicity System (NECIPS) and 1688 operational records.
- **Statutory Certification Cross-Check:** Querying official databases including the China Certification and Accreditation Administration (CNCA), US FCC OET database, and UL Product iQ.
- **Engineering Consistency Check:** Comparing dimensional, weight, and nominal electrical specifications against standard lithium polymer cell specifications (Model 1260110).
- **Interface & Protocol Review:** Evaluating claimed fast-charging protocols and integrated cable licensing claims.

2. Evidence Verification Table (Core Dossier)

#	Finding Focus	Supplier Claim	Source / Database Checked	Evidence & Observations	Verification Result	Scope Limitation
E-001	Operating History	2-Year Platform Operating History	NECIPS & 1688 Store Profile	Incorporated in July 2025 (~13 months prior to review). Platform tenure exceeds corporate age.	 Discrepancy Found	Historical account ownership not audited.
E-002	Operating Address	Shenzhen entity with Dongguan factory address	1688 Store Contact Details	Dongguan Tangxia address listed for production/dispatch; no ISO 9001 audit report provided.	 Unable to Verify	On-site physical factory audit not performed.
E-003	Domestic CCC	CCC No. 2025010914746623	CNCA Database & Public Listings	Identical certificate number utilized across multiple	 Discrepancy Found	Original certificate chain of

				unrelated brands and models.		custody not provided.
E-04	Domestic Liability	Certified for domestic sale	1688 Product Description	Product page states: <i>"Cross-border exclusive... Not for domestic use; Contact for custom 3C"</i> .	 Discrepancy Found	Self-contradiction in supplier listing.
E-05	Cell Energy Density	60,000mAh (222Wh) at 800g total weight	Technical Calculation vs. Physics Benchmarks	Requires $\geq 370 \text{ Wh/kg}$ net cell density, exceeding standard LCO/NCM limits (200 Wh/kg - 250 Wh/kg).	 Discrepancy Found	Theoretical model based on standard component weights.
E-06	US Market (FCC)	Cross-border export ready	FCC OET Authorization Database	No FCC ID, Grantee Code, or SDoC test report provided.	 Unable to Verify	Proprietary test files not submitted by vendor.
E-07	Battery Transport	Air/Sea export compliant	1688 Product Detail Page	UN 38.3 Test Summary and 2026 MSDS are absent.	 Unable to Verify	Desk audit only; supplier inquiry required.
E-08	Lightning Interface	Built-in Apple fast charging	Apple MFi Public Database	No MFi licensing claim or hardware certification disclosed.	 Unable to Verify	Physical IC teardown not conducted.

3. Detailed Verification Findings

3.1 Corporate Identity & Operating Scope

- **Chronological Discrepancy:** The 1688 storefront displays a "2-year" operational tenure, but official commercial registry records indicate incorporation in July 2025. This suggests either an unverified storefront transfer or inaccurate operational claims.
- **Manufacturing Location:** The corporate entity is registered in Shenzhen, while manufacturing and dispatch are listed in Tangxia Town, Dongguan. Independent evidence demonstrating whether this facility is self-owned or an outsourced assembly workshop was not provided.
- **Store Performance Index:** The supplier's platform product rating is **2.3 / 5.0**, which is significantly below average and suggests elevated return rates or product dissatisfaction.

3.2 Certificate Authenticity & Regulatory Consistency

- **Shared Certificate Characteristics:** CCC Certificate 2025010914746623 is currently associated with multiple independent vendors and product models across public directories. This is a recognized pattern of shared public-mold certificates.
- **Regulatory Exemption Conflict:** The product specification claims statutory CCC certification, yet the product description explicitly states: *"Cross-border exclusive, English packaging only, Not for domestic use; Contact customer service for custom domestic CCC"*. This creates an explicit operational contradiction regarding the legal status of standard production batches.

3.3 Engineering Consistency & Capacity Analysis

- **30,000mAh Model Evaluation:** The 30,000mAh configuration utilizes three 1260110 pouch cells in parallel (~10,000mAh/cell, ~111Wh total). The combined cell volume (237.6 cm^3) is physically compatible with the casing dimensions ($143.5 \times 69.5 \times 46\text{ mm}$).
- **50,000mAh & 60,000mAh Model Discrepancy:**
 - A genuine 60,000mAh (222 Wh) configuration requires at least six 1260110 cells, with an estimated bare cell weight $\geq 1,050\text{ g}$ and net volume of 475.2 cm^3 .
 - The supplier lists the total finished unit weight as **800g** with a casing thickness of **82mm**. After deducting chassis (~150g) and PCBA (~50g) mass, net cell weight cannot exceed 600g.
 - Net gravimetric density calculation:

$$\text{Gravimetric Energy Density} = \frac{222\text{ Wh}}{0.6\text{ kg}} = 370\text{ Wh/kg}$$

- Standard consumer-grade LCO/NCM lithium polymer pouch cells achieve 200\text{-}250\text{ Wh/kg}. A rating of 370\text{ Wh/kg} represents a theoretical inconsistency with standard production chemistry.

3.4 Interface & Protocol Observations

- **Fast Charging Protocols:** Advertised support for 22.5W Huawei SCP and 20W PD is listed without referencing third-party protocol testing or USB-IF compliance identifiers.
- **Integrated Lightning Cable:** No evidence of official Apple MFi authorization was provided. Non-licensed protocol IC solutions carry compatibility risks when mobile operating system updates occur.

3.5 Export Compliance Review

- **North American Market:** FCC ID and SDoC test reports under 47 CFR Part 15B are unprovided.
- **Safety & Flammability:** UL 2056 and UL 1642 reports were not submitted; flame-retardant casing claims lack supporting UL 94-V0 flammability test records.
- **Dangerous Goods Logistics:** UN 38.3 test summaries, air/sea transport appraisal certificates, and 2026 MSDS documentation are missing from the public listing.

4. Failure Mode & Effects Analysis (FMECA)

Potential Failure Mode	Identified Vulnerability	Operational Impact	Probability	Risk Level
Customs Clearance Delays / Rejection	Missing UN 38.3 summary, MSDS, and FCC documentation	Financial penalties, shipment impoundment	High	● HIGH
E-Commerce Listing Removal	Inability to provide UL 2056 reports upon audit	Inventory freeze, account review	High	● HIGH
Substandard Thermal & Cycle Performance	Low unit price (¥59 – ¥89) combined with unverified cell sourcing	Premature degradation, cell swelling, elevated RMA rates	Medium-High	● HIGH
Capacity-Related Customer Returns	Claimed 50k/60k specifications conflict with physical benchmarks	Customer disputes, store rating impairment	High	● HIGH

Cable Interoperability Degradation	Non-certified Lightning hardware integration	Accessory compatibility warnings following OS updates	Medium	 MEDIUM
------------------------------------	--	---	--------	---

5. Pre-Contract Sourcing Punchlist

Before executing purchase agreements or placing trial orders, the buyer should request the following written verification from the supplier:

- [Certificate Holder Traceability]** Original color scan of CCC Certificate 2025010914746623 confirming that Shenzhen XX Electronic Technology Co., Ltd. is listed as the Applicant, Manufacturer, or Factory, or provision of a formal authorization agreement.
- [Export Compliance Dossier]** Accredited test reports including FCC Part 15B SDoC, CE-EMC/LVD reports, current UN 38.3 Test Summary, and 2026 MSDS.
- [Cell Specification Sheets]** Official manufacturer datasheets for the internal cells, confirming cell brand, nominal capacity, discharge curves, and rated conversion efficiency (Wh).
- [Cable Compatibility Terms]** Written confirmation of the Lightning interface component sourcing and contractual warranty terms addressing firmware compatibility.
- [Golden Sample & Teardown Agreement]** Written authorization permitting destructive sample teardowns to verify PCBA protection circuits, NTC temperature sensors, and internal cell serial numbers.

6. Sourcing Recommendation & Risk Notice

Overall Verdict:  **HIGH RISK** — Material Discrepancies & Critical Compliance Gaps Found

The "HW90 / HCW-90" power bank listing associated with Shenzhen XX Electronic Technology Co., Ltd. presents multiple material discrepancies regarding statutory certification scope, domestic liability, and physical capacity specifications.

Proceeding with standard commercial orders under current conditions carries significant operational, regulatory, and channel-compliance risks.

Sourcing Guidance:

- Standard Commercial Procurement:** Not Recommended until all documentation requested in Section 5 is formally provided and verified.

- **Conditional Evaluation:** If evaluating the basic 30,000mAh configuration, procurement teams should restrict order scope to this specific model, mandate pre-shipment sample teardowns, and commission independent third-party UN 38.3 and FCC compliance testing prior to mass production.

7. Reference Standards & Data Sources

1. **State Administration for Market Regulation (SAMR / CNCA):** *Compulsory Product Certification Implementation Rules* (Announcement No. 10, 2023).
2. **Chinese Mandatory Standards:** GB 31241-2022 (*Safety requirements for lithium-ion cells and batteries used in portable electronic equipment*); GB 4943.1-2022 (*Audio/video, information and communication technology equipment - Part 1: Safety requirements*).
3. **US Federal Communications Commission:** Title 47 CFR Part 15 Subpart B (*Unintentional Radiators*).
4. **Underwriters Laboratories (UL):** ANSI/CAN/UL 2056 (*Outline of Investigation for Power Banks*); UL 1642 (*Standard for Lithium Batteries*); UL 94 (*Tests for Flammability of Plastic Materials*).
5. **United Nations Transport Recommendations:** *Manual of Tests and Criteria*, Part III, Subsection 38.3 (*UN 38.3 Lithium Battery Transport Testing*).
6. **Dangerous Goods Transport Regulations:** *IATA Dangerous Goods Regulations (DGR) 67th Edition (2026)*; *IMDG Code 42-24*.
7. **Engineering Reference Manuals:** IEEE Std 1625-2008 (*Standard for Rechargeable Batteries for Multi-Cell Mobile Computing Devices*); Industry Gravimetric/Volumetric Energy Density Benchmarks for LCO/NCM Pouch Cells.
8. **Public Platform Verification Data:** 1688 supplier profile records, transaction metrics, and product specification listings (Archived: August 18, 2026).

— VERIFY BEFORE YOU BUY —
CHINESE SUPPLIER VERIFICATION