INFO-F-403 : Language theory and compiling
Rapport projet partie 2 - Grammaire

Simon Picard
Arnaud Rosette

17 décembre 2014

1 Transformation de la grammaire donnée

1.1 Elimination des ambiguités

La première étape pour rendre la grammaire LL(1) fut l'élimination des ambiguités de la grammaire donnée. Pour cela, nous avons commencé par fixer la iorité et l'associativité des opérateurs.

2 Grammaire

[1]	<Program>	→	<InstructionList>
[2]	<InstructionList>	→	<IdentifierInstruction> END_OF_INSTRUCTION <InstructionList>
[3]		→	<ConstDefinition> END_OF_INSTRUCTION <InstructionList>
[4]		→	<Block> END_OF_INSTRUCTION <InstructionList>
[5]		→	<Loop> END_OF_INSTRUCTION <InstructionList>
[6]		→	<BuiltInFunctionCall> END_OF_INSTRUCTION <InstructionList>
[7]		→	<FunctionDefinition> END_OF_INSTRUCTION <InstructionList>
[8]		→	END_OF_INSTRUCTION <InstructionList>
[9]		→	ϵ
[10]	<IdentifierInstruction>	→	IDENTIFIER <IdentifierInstructionTail>
[11]	<IdentifierInstructionTail>	→	<AssignationTail>
[12]		→	TYPE_DEFINITION <Type>
[13]		→	<FunctionCallTail>
[14]	<AssignationTail>	→	ASSIGNATION <Expression>
[15]		→	COMMA IDENTIFIER <AssignationTail> COMMA <Expression>
[16]	<ConstDefinition>	→	CONST IDENTIFIER <AssignationTail>
[17]	<Block>	→	LET IDENTIFIER <AssignationTail> END_OF_INSTRUCTION <InstructionList> END
[18]	<Loop>	→	<If>
[19]		→	WHILE <Expression> END_OF_INSTRUCTION <InstructionList> END
[20]		→	FOR IDENTIFIER ASSIGNATION <Expression> TERNARY_ELSE <Expression> <ForTail>
[21]	<ForTail>	→	END_OF_INSTRUCTION <InstructionList> END
[22]		→	TERNARY_ELSE <Expression> END_OF_INSTRUCTION <InstructionList> END
[23]	<Type>	→	BOOLEAN_TYPE

[24]		→	REAL_TYPE
[25]		→	INTEGER_TYPE
[26]	<Expression>	→	<BinaryExpression> <TernaryIfExpression>
[27]	<TernaryIfExpression>	→	TERNARY_IF <Expression> <TernaryElseExpression>
[28]		→	ϵ
[29]	<TernaryElseExpression>	→	TERNARY_ELSE <Expression>
[30]	<AtomicExpression>	→	<AtomicIdentifierExpression>
[31]		→	INTEGER
[32]		→	REAL
[33]		→	BOOLEAN
[34]		→	<BuiltInFunctionCall>
[35]	<AtomicIdentifierExpression>	→	IDENTIFIER <AtomicIdentifierExpressionTail>
[36]	<AtomicIdentifierExpressionTail>	→	<FunctionCallTail>
[37]		→	ϵ
[38]	<UnaryExpression>	→	NEGATION <UnaryExpression>
[39]		→	<UnaryBitwiseNotExpression>
[40]	<UnaryBitwiseNotExpression>	→	BITWISE_NOT <UnaryBitwiseNotExpression>
[41]		→	<UnaryMinusPlusExpression>
[42]	<UnaryMinusPlusExpression>	→	MINUS <UnaryMinusPlusExpression>
[43]		→	PLUS <UnaryMinusPlusExpression>
[44]		→	<UnaryAtomicExpression>
[45]	<UnaryAtomicExpression>	→	<AtomicExpression>
[46]		→	LEFT_PARENTHESIS <Expression> RIGHT_PARENTHESIS
[47]	<BinaryExpression>	→	<BinaryLazyOrExpression> <BinaryExpression'>
[48]	<BinaryExpression'>	→	LAZY_OR <BinaryLazyOrExpression> <BinaryExpression'>
[49]		→	ϵ
[50]	<BinaryLazyOrExpression>	→	<BinaryLazyAndExpression> <BinaryLazyOrExpression'>
[51]	<BinaryLazyOrExpression'>	→	LAZY_AND <BinaryLazyAndExpression> <BinaryLazyOrExpression'>
[52]		→	ϵ
[53]	<BinaryLazyAndExpression>	→	<BinaryNumericExpression> <BinaryLazyAndExpression'>
[54]	<BinaryLazyAndExpression'>	→	GREATER_THAN <BinaryNumericExpression> <BinaryLazyAndExpression'>
[55]		→	LESS_THAN <BinaryNumericExpression> <BinaryLazyAndExpression'>
[56]		→	GREATER_OR_EQUALS_THAN <BinaryNumericExpression> <BinaryLazyAndExpression'>
[57]		→	LESS_OR_EQUALS_THAN <BinaryNumericExpression> <BinaryLazyAndExpression'>
[58]		→	EQUALITY <BinaryNumericExpression> <BinaryLazyAndExpression'>
[59]		→	INEQUALITY <BinaryNumericExpression> <BinaryLazyAndExpression'>
[60]		→	ϵ
[61]	<BinaryNumericExpression>	→	<BinaryTermExpression> <BinaryNumericExpression'>
[62]	<BinaryNumericExpression'>	→	PLUS <BinaryTermExpression> <BinaryNumericExpression'>

[63]		→	MINUS <BinaryTermExpression> <BinaryNumericExpression'>
[64]		→	BITWISE_OR <BinaryTermExpression> <BinaryNumericExpression'>
[65]		→	BITWISE_XOR <BinaryTermExpression> <BinaryNumericExpression'>
[66]		→	ϵ
[67]	<BinaryTermExpression>	→	<BinaryShiftedExpression> <BinaryTermExpression'>
[68]	<BinaryTermExpression'>	→	ARITHMETIC_SHIFT_LEFT <BinaryShiftedExpression> <BinaryTermExpression'>
[69]		→	ARITHMETIC_SHIFT_RIGHT <BinaryShiftedExpression> <BinaryTermExpression'>
[70]		→	ϵ
[71]	<BinaryShiftedExpression>	→	<BinaryFactorExpression> <BinaryShiftedExpression'>
[72]	<BinaryShiftedExpression'>	→	TIMES <BinaryFactorExpression> <BinaryShiftedExpression'>
[73]		→	DIVIDE <BinaryFactorExpression> <BinaryShiftedExpression'>
[74]		→	REMAINDER <BinaryFactorExpression> <BinaryShiftedExpression'>
[75]		→	BITWISE_AND <BinaryFactorExpression> <BinaryShiftedExpression'>
[76]		→	INVERSE_DIVIDE <BinaryFactorExpression> <BinaryShiftedExpression'>
[77]		→	ϵ
[78]	<BinaryFactorExpression>	→	<UnaryExpression> <BinaryFactorExpression'>
[79]	<BinaryFactorExpression'>	→	POWER <UnaryExpression> <BinaryFactorExpression'>
[80]		→	ϵ
[81]	<If>	→	IF <Expression> END_OF_INSTRUCTION <InstructionList> <IfEnd>
[82]	<IfEnd>	→	ELSE_IF <Expression> END_OF_INSTRUCTION <InstructionList> <IfEnd>
[83]		→	ELSE <InstructionList> END
[84]		→	END
[85]	<BuiltInFunctionCall>	→	READ_REAL LEFT_PARENTHESIS RIGHT_PARENTHESIS
[86]		→	READ_INTEGER LEFT_PARENTHESIS RIGHT_PARENTHESIS
[87]		→	INTEGER_CAST LEFT_PARENTHESIS <Expression> RIGHT_PARENTHESIS
[88]		→	REAL_CAST LEFT_PARENTHESIS <Expression> RIGHT_PARENTHESIS
[89]		→	BOOLEAN_CAST LEFT_PARENTHESIS <Expression> RIGHT_PARENTHESIS
[90]		→	PRINTLN LEFT_PARENTHESIS <Expression> RIGHT_PARENTHESIS
[91]	<FunctionCallTail>	→	LEFT_PARENTHESIS <Parameter> RIGHT_PARENTHESIS
[92]	<Parameter>	→	<Expression> <ParameterTail>
[93]		→	ϵ
[94]	<ParameterTail>	→	COMMA <Expression> <ParameterTail>
[95]		→	ϵ

[96] <FunctionDefinition> → FUNCTION IDENTIFIER LEFT_PARENTHESIS <Argument> RIGHT_PARENTHESIS <InstructionList> <FunctionDefinitionEnd>
[97] <FunctionDefinitionEnd> → RETURN <Expression> END
[98] → END
[99] <Argument> → IDENTIFIER TYPE_DEFINITION <Type> <ArgumentTail>
[100] → ϵ
[101] <ArgumentTail> → COMMA IDENTIFIER TYPE_DEFINITION <Type> <ArgumentTail>
[102] → ϵ

3 First et Follow set

Variable	First	Follow
<Program>	BOOLEAN_CAST, PRINTLN, FOR EPSILON_VALUE INTEGER_CAST, FUNCTION END_OF_INSTRUCTION CONST, READ_INTEGER, LET WHILE, IDENTIFIER READ_REAL, REAL_CAST, IF	
<InstructionList>	BOOLEAN_CAST, PRINTLN, FOR EPSILON_VALUE INTEGER_CAST, FUNCTION END_OF_INSTRUCTION CONST, READ_INTEGER, LET WHILE, IDENTIFIER READ_REAL, REAL_CAST, IF	RETURN, ELSE_IF, ELSE, END
<IdentifierInstruction>	IDENTIFIER	END_OF_INSTRUCTION
<IdentifierInstructionTail>	ASSIGNATION, COMMA LEFT_PARENTHESIS TYPE_DEFINITION	END_OF_INSTRUCTION
<AssignationTail>	ASSIGNATION, COMMA	COMMA END_OF_INSTRUCTION
<ConstDefinition>	CONST	END_OF_INSTRUCTION
<Block>	LET	END_OF_INSTRUCTION
<Loop>	FOR, WHILE, IF	END_OF_INSTRUCTION
<ForTail>	END_OF_INSTRUCTION TERNARY_ELSE	END_OF_INSTRUCTION
<Type>	INTEGER_TYPE BOOLEAN_TYPE, REAL_TYPE	COMMA, RIGHT_PARENTHESIS END_OF_INSTRUCTION
<Expression>	BOOLEAN_CAST BITWISE_NOT, PRINTLN NEGATION, INTEGER_CAST BOOLEAN, MINUS LEFT_PARENTHESIS, REAL READ_INTEGER, IDENTIFIER READ_REAL, REAL_CAST INTEGER, PLUS	COMMA END_OF_INSTRUCTION RIGHT_PARENTHESIS TERNARY_ELSE, END
<TernaryIfExpression>	TERNARY_IF EPSILON_VALUE	COMMA END_OF_INSTRUCTION RIGHT_PARENTHESIS TERNARY_ELSE, END

<TernaryElseExpression>	TERNARY_ELSE	COMMA END_OF_INSTRUCTION RIGHT_PARENTHESIS TERNARY_ELSE, END
<AtomicExpression>	BOOLEAN_CAST, PRINTLN REAL, READ_INTEGER INTEGER_CAST, IDENTIFIER READ_REAL, REAL_CAST BOOLEAN, INTEGER	LESS_OR_EQUALS_THAN INVERSE_DIVIDE BITWISE_OR RIGHT_PARENTHESIS INEQUALITY, TERNARY_IF TERNARY_ELSE, DIVIDE MINUS, GREATER_THAN LAZY_AND ARITHMETIC_SHIFT_RIGHT COMMA ARITHMETIC_SHIFT_LEFT TIMES, POWER, BITWISE_AND LESS_THAN, LAZY_OR BITWISE_XOR, REMAINDER END_OF_INSTRUCTION GREATER_OR_EQUALS_THAN EQUALITY, END, PLUS
<AtomicIdentifierExpression>	IDENTIFIER	LESS_OR_EQUALS_THAN INVERSE_DIVIDE BITWISE_OR RIGHT_PARENTHESIS INEQUALITY, TERNARY_IF TERNARY_ELSE, DIVIDE MINUS, GREATER_THAN LAZY_AND ARITHMETIC_SHIFT_RIGHT COMMA ARITHMETIC_SHIFT_LEFT TIMES, POWER, BITWISE_AND LESS_THAN, LAZY_OR BITWISE_XOR, REMAINDER END_OF_INSTRUCTION GREATER_OR_EQUALS_THAN EQUALITY, END, PLUS
<AtomicIdentifierExpressionTail>	LEFT_PARENTHESIS EPSILON_VALUE	LESS_OR_EQUALS_THAN INVERSE_DIVIDE BITWISE_OR RIGHT_PARENTHESIS INEQUALITY, TERNARY_IF TERNARY_ELSE, DIVIDE MINUS, GREATER_THAN LAZY_AND ARITHMETIC_SHIFT_RIGHT COMMA ARITHMETIC_SHIFT_LEFT TIMES, POWER, BITWISE_AND LESS_THAN, LAZY_OR BITWISE_XOR, REMAINDER END_OF_INSTRUCTION GREATER_OR_EQUALS_THAN EQUALITY, END, PLUS

<UnaryExpression>	BOOLEAN_CAST BITWISE_NOT, PRINTLN NEGATION, INTEGER_CAST BOOLEAN, MINUS LEFT_PARENTHESIS, REAL READ_INTEGER, IDENTIFIER READ_REAL, REAL_CAST INTEGER, PLUS	LESS_OR_EQUALS_THAN INVERSE_DIVIDE BITWISE_OR RIGHT_PARENTHESIS INEQUALITY, TERNARY_IF TERNARY_ELSE, DIVIDE MINUS, GREATER_THAN LAZY_AND ARITHMETIC_SHIFT_RIGHT COMMA ARITHMETIC_SHIFT_LEFT TIMES, POWER, BITWISE_AND LESS_THAN, LAZY_OR BITWISE_XOR, REMAINDER END_OF_INSTRUCTION GREATER_OR_EQUALS_THAN EQUALITY, END, PLUS
<UnaryBitwiseNotExpression>	BOOLEAN_CAST BITWISE_NOT, PRINTLN INTEGER_CAST, BOOLEAN MINUS, LEFT_PARENTHESIS REAL, READ_INTEGER IDENTIFIER, READ_REAL REAL_CAST, INTEGER, PLUS	LESS_OR_EQUALS_THAN INVERSE_DIVIDE BITWISE_OR RIGHT_PARENTHESIS INEQUALITY, TERNARY_IF TERNARY_ELSE, DIVIDE MINUS, GREATER_THAN LAZY_AND ARITHMETIC_SHIFT_RIGHT COMMA ARITHMETIC_SHIFT_LEFT TIMES, POWER, BITWISE_AND LESS_THAN, LAZY_OR BITWISE_XOR, REMAINDER END_OF_INSTRUCTION GREATER_OR_EQUALS_THAN EQUALITY, END, PLUS
<UnaryMinusPlusExpression>	BOOLEAN_CAST, PRINTLN INTEGER_CAST, BOOLEAN MINUS, LEFT_PARENTHESIS REAL, READ_INTEGER IDENTIFIER, READ_REAL REAL_CAST, INTEGER, PLUS	LESS_OR_EQUALS_THAN INVERSE_DIVIDE BITWISE_OR RIGHT_PARENTHESIS INEQUALITY, TERNARY_IF TERNARY_ELSE, DIVIDE MINUS, GREATER_THAN LAZY_AND ARITHMETIC_SHIFT_RIGHT COMMA ARITHMETIC_SHIFT_LEFT TIMES, POWER, BITWISE_AND LESS_THAN, LAZY_OR BITWISE_XOR, REMAINDER END_OF_INSTRUCTION GREATER_OR_EQUALS_THAN EQUALITY, END, PLUS

<UnaryAtomicExpression>	LEFT_PARENTHESIS BOOLEAN_CAST, PRINTLN REAL, READ_INTEGER INTEGER_CAST, IDENTIFIER READ_REAL, REAL_CAST BOOLEAN, INTEGER	LESS_OR_EQUALS_THAN INVERSE_DIVIDE BITWISE_OR RIGHT_PARENTHESIS INEQUALITY, TERNARY_IF TERNARY_ELSE, DIVIDE MINUS, GREATER_THAN LAZY_AND ARITHMETIC_SHIFT_RIGHT COMMA ARITHMETIC_SHIFT_LEFT TIMES, POWER, BITWISE_AND LESS_THAN, LAZY_OR BITWISE_XOR, REMAINDER END_OF_INSTRUCTION GREATER_OR_EQUALS_THAN EQUALITY, END, PLUS
<BinaryExpression>	BOOLEAN_CAST BITWISE_NOT, PRINTLN NEGATION, INTEGER_CAST BOOLEAN, MINUS LEFT_PARENTHESIS, REAL READ_INTEGER, IDENTIFIER READ_REAL, REAL_CAST INTEGER, PLUS	COMMA END_OF_INSTRUCTION RIGHT_PARENTHESIS TERNARY_IF, TERNARY_ELSE END
<BinaryExpression'>	EPSILON_VALUE, LAZY_OR	COMMA END_OF_INSTRUCTION RIGHT_PARENTHESIS TERNARY_IF, TERNARY_ELSE END
<BinaryLazyOrExpression>	BOOLEAN_CAST BITWISE_NOT, PRINTLN NEGATION, INTEGER_CAST BOOLEAN, MINUS LEFT_PARENTHESIS, REAL READ_INTEGER, IDENTIFIER READ_REAL, REAL_CAST INTEGER, PLUS	COMMA END_OF_INSTRUCTION RIGHT_PARENTHESIS TERNARY_IF, TERNARY_ELSE END, LAZY_OR
<BinaryLazyOrExpression'>	LAZY_AND, EPSILON_VALUE	COMMA END_OF_INSTRUCTION RIGHT_PARENTHESIS TERNARY_IF, TERNARY_ELSE END, LAZY_OR
<BinaryLazyAndExpression>	BOOLEAN_CAST BITWISE_NOT, PRINTLN NEGATION, INTEGER_CAST BOOLEAN, MINUS LEFT_PARENTHESIS, REAL READ_INTEGER, IDENTIFIER READ_REAL, REAL_CAST INTEGER, PLUS	COMMA END_OF_INSTRUCTION RIGHT_PARENTHESIS LAZY_AND, TERNARY_IF TERNARY_ELSE, END, LAZY_OR
<BinaryLazyAndExpression'>	LESS_OR_EQUALS_THAN GREATER_THAN GREATER_OR_EQUALS_THAN EQUALITY, INEQUALITY EPSILON_VALUE, LESS_THAN	COMMA END_OF_INSTRUCTION RIGHT_PARENTHESIS LAZY_AND, TERNARY_IF TERNARY_ELSE, END, LAZY_OR

<BinaryNumericExpression>	BOOLEAN_CAST BITWISE_NOT, PRINTLN NEGATION, INTEGER_CAST BOOLEAN, MINUS LEFT_PARENTHESIS, REAL READ_INTEGER, IDENTIFIER READ_REAL, REAL_CAST INTEGER, PLUS	LESS_OR_EQUALS_THAN COMMA, RIGHT_PARENTHESIS INEQUALITY, TERNARY_IF TERNARY_ELSE, LESS_THAN LAZY_OR END_OF_INSTRUCTION GREATER_THAN GREATER_OR_EQUALS_THAN EQUALITY, LAZY_AND, END
<BinaryNumericExpression'>	BITWISE_OR EPSILON_VALUE BITWISE_XOR, PLUS, MINUS	LESS_OR_EQUALS_THAN COMMA, RIGHT_PARENTHESIS INEQUALITY, TERNARY_IF TERNARY_ELSE, LESS_THAN LAZY_OR END_OF_INSTRUCTION GREATER_THAN GREATER_OR_EQUALS_THAN EQUALITY, LAZY_AND, END
<BinaryTermExpression>	BOOLEAN_CAST BITWISE_NOT, PRINTLN NEGATION, INTEGER_CAST BOOLEAN, MINUS LEFT_PARENTHESIS, REAL READ_INTEGER, IDENTIFIER READ_REAL, REAL_CAST INTEGER, PLUS	LESS_OR_EQUALS_THAN COMMA, BITWISE_OR RIGHT_PARENTHESIS INEQUALITY, TERNARY_IF TERNARY_ELSE, LESS_THAN LAZY_OR, BITWISE_XOR MINUS END_OF_INSTRUCTION GREATER_THAN GREATER_OR_EQUALS_THAN EQUALITY, LAZY_AND, END PLUS
<BinaryTermExpression'>	ARITHMETIC_SHIFT_LEFT EPSILON_VALUE ARITHMETIC_SHIFT_RIGHT	LESS_OR_EQUALS_THAN COMMA, BITWISE_OR RIGHT_PARENTHESIS INEQUALITY, TERNARY_IF TERNARY_ELSE, LESS_THAN LAZY_OR, BITWISE_XOR MINUS END_OF_INSTRUCTION GREATER_THAN GREATER_OR_EQUALS_THAN EQUALITY, LAZY_AND, END PLUS
<BinaryShiftedExpression>	BOOLEAN_CAST BITWISE_NOT, PRINTLN NEGATION, INTEGER_CAST BOOLEAN, MINUS LEFT_PARENTHESIS, REAL READ_INTEGER, IDENTIFIER READ_REAL, REAL_CAST INTEGER, PLUS	LESS_OR_EQUALS_THAN COMMA ARITHMETIC_SHIFT_LEFT BITWISE_OR RIGHT_PARENTHESIS INEQUALITY, TERNARY_IF TERNARY_ELSE, LESS_THAN LAZY_OR, BITWISE_XOR MINUS END_OF_INSTRUCTION GREATER_THAN GREATER_OR_EQUALS_THAN EQUALITY, LAZY_AND, END ARITHMETIC_SHIFT_RIGHT PLUS

<BinaryShiftedExpression'>	INVERSE_DIVIDE, TIMES REMAINDER, EPSILON_VALUE BITWISE_AND, DIVIDE	LESS_OR_EQUALS_THAN COMMA ARITHMETIC_SHIFT_LEFT BITWISE_OR RIGHT_PARENTHESIS INEQUALITY, TERNARY_IF TERNARY_ELSE, LESS_THAN LAZY_OR, BITWISE_XOR MINUS END_OF_INSTRUCTION GREATER_THAN GREATER_OR_EQUALS_THAN EQUALITY, LAZY_AND, END ARITHMETIC_SHIFT_RIGHT PLUS
<BinaryFactorExpression>	BOOLEAN_CAST BITWISE_NOT, PRINTLN NEGATION, INTEGER_CAST BOOLEAN, MINUS LEFT_PARENTHESIS, REAL READ_INTEGER, IDENTIFIER READ_REAL, REAL_CAST INTEGER, PLUS	LESS_OR_EQUALS_THAN INVERSE_DIVIDE BITWISE_OR RIGHT_PARENTHESIS INEQUALITY, TERNARY_IF TERNARY_ELSE, DIVIDE MINUS, GREATER_THAN LAZY_AND ARITHMETIC_SHIFT_RIGHT COMMA ARITHMETIC_SHIFT_LEFT TIMES, BITWISE_AND LESS_THAN, LAZY_OR BITWISE_XOR, REMAINDER END_OF_INSTRUCTION GREATER_OR_EQUALS_THAN EQUALITY, END, PLUS
<BinaryFactorExpression'>	POWER, EPSILON_VALUE	LESS_OR_EQUALS_THAN INVERSE_DIVIDE BITWISE_OR RIGHT_PARENTHESIS INEQUALITY, TERNARY_IF TERNARY_ELSE, DIVIDE MINUS, GREATER_THAN LAZY_AND ARITHMETIC_SHIFT_RIGHT COMMA ARITHMETIC_SHIFT_LEFT TIMES, BITWISE_AND LESS_THAN, LAZY_OR BITWISE_XOR, REMAINDER END_OF_INSTRUCTION GREATER_OR_EQUALS_THAN EQUALITY, END, PLUS
<If>	IF	END_OF_INSTRUCTION
<IfEnd>	ELSE_IF, ELSE, END	END_OF_INSTRUCTION

<BuiltInFunctionCall>	BOOLEAN_CAST, PRINTLN READ_INTEGER INTEGER_CAST, READ_REAL REAL_CAST	LESS_OR_EQUALS_THAN INVERSE_DIVIDE BITWISE_OR RIGHT_PARENTHESIS INEQUALITY, TERNARY_IF TERNARY_ELSE, DIVIDE MINUS, GREATER_THAN LAZY_AND ARITHMETIC_SHIFT_RIGHT COMMA ARITHMETIC_SHIFT_LEFT TIMES, POWER, BITWISE_AND LESS_THAN, LAZY_OR BITWISE_XOR, REMAINDER END_OF_INSTRUCTION GREATER_OR_EQUALS_THAN EQUALITY, END, PLUS
<FunctionCallTail>	LEFT_PARENTHESIS	LESS_OR_EQUALS_THAN INVERSE_DIVIDE BITWISE_OR RIGHT_PARENTHESIS INEQUALITY, TERNARY_IF TERNARY_ELSE, DIVIDE MINUS, GREATER_THAN LAZY_AND ARITHMETIC_SHIFT_RIGHT COMMA ARITHMETIC_SHIFT_LEFT TIMES, POWER, BITWISE_AND LESS_THAN, LAZY_OR BITWISE_XOR, REMAINDER END_OF_INSTRUCTION GREATER_OR_EQUALS_THAN EQUALITY, END, PLUS
<Parameter>	BOOLEAN_CAST BITWISE_NOT, PRINTLN NEGATION, EPSILON_VALUE INTEGER_CAST, BOOLEAN MINUS, LEFT_PARENTHESIS REAL, READ_INTEGER IDENTIFIER, READ_REAL REAL_CAST, INTEGER, PLUS	RIGHT_PARENTHESIS
<ParameterTail>	COMMA, EPSILON_VALUE	RIGHT_PARENTHESIS
<FunctionDefinition>	FUNCTION	END_OF_INSTRUCTION
<FunctionDefinitionEnd>	RETURN, END	END_OF_INSTRUCTION
<Argument>	EPSILON_VALUE IDENTIFIER	RIGHT_PARENTHESIS
<ArgumentTail>	COMMA, EPSILON_VALUE	RIGHT_PARENTHESIS

4 Action Table

	EPSILON_VALUE	IDENTIFIER	TYPE_DEFINITION	CONST	END	ASSIGNATION	END_OF_INSTRUCTION	BOOLEAN_TYPE	REAL_TYPE	INTEGER_TYPE	WHILE	FOR	TERNARY_ELSE	COMMA	TERNARY_IF	INTEGER	REAL	BOOLEAN	NEGATION	BITWISE_NOT	MINUS	PLUS	LEFT_PARENTHESIS	RIGHT_PARENTHESIS	LAZY_OR	LAZY_AND	GREATER_THAN	LESS_THAN	GREATER_OR_EQUALS_THAN	LESS_OR_EQUALS_THAN	EQUALITY	INEQUALITY	BITWISE_OR	BITWISE_XOR	ARITHMETIC_SHIFT_LEFT	ARITHMETIC_SHIFT_RIGHT	TIMES	DIVIDE	REMAINDER	BITWISE_AND	INVERSE_DIVIDE	POWER	IF	ELSE_IF	ELSE	LET	BOOLEAN_TYPE	REAL_TYPE	INTEGER_TYPE	READ_REAL	READ_INTEGER	INTEGER_CAST	REAL_CAST	BOOLEAN_CAST	PRINTLN	FUNCTION	RETURN
<Program>	1	1		1			1				1	1																														1								1	1	1	1	1	1	1	
<InstructionList>	9	2		3	9		8				5	5																														5	9	9	4				6	6	6	6	6	6	7	9
<IdentifierInstruction>		10																																																							
<IdentifierInstructionTail>			12			11								11								13																																			
<AssignationTail>						14								15																																											
<ConstDefinition>				16																																																				
<Block>																																														17												
<Loop>											19	20																														18															
<ForTail>							21						22																																												
<Type>								23	24	25																																						23	24	25							
<Expression>		26														26	26	26	26	26	26	26	26																														26	26	26	26	26	26		
<TernaryIfExpression>	28				28		28						28	28	27									28																																			
<TernaryElseExpression>													29																																												
<AtomicExpression>		30														31	32	33																																				34	34	34	34	34	34		
<AtomicIdentifierExpression>		35																																																							
<AtomicIdentifierExpressionTail>	37				37		37						37	37	37						37	37	36	37	37	37	37	37	37	37	37	37	37	37	37	37	37	37	37	37	37	37																
<UnaryExpression>		39														39	39	39	38	39	39	39	39																														39	39	39	39	39	39		
<UnaryBitwiseNotExpression>		41														41	41	41		40	41	41	41																														41	41	41	41	41	41		
<UnaryMinusPlusExpression>		44														44	44	44			42	43	44																														44	44	44	44	44	44		
<UnaryAtomicExpression>		45														45	45	45					46																														45	45	45	45	45	45		
<BinaryExpression>		47														47	47	47	47	47	47	47	47																														47	47	47	47	47	47		
<BinaryExpression'>	49				49		49						49	49	49									49	48																																			
<BinaryLazyOrExpression>		50														50	50	50	50	50	50	50	50																														50	50	50	50	50	50		
<BinaryLazyOrExpression'>	52				52		52						52	52	52									52	52	51																																		
<BinaryLazyAndExpression>		53														53	53	53	53	53	53	53	53																														53	53	53	53	53	53		
<BinaryLazyAndExpression'>	60				60		60						60	60	60									60	60	60	54	55	56	57	58	59																											
<BinaryNumericExpression>		61														61	61	61	61	61	61	61	61																														61	61	61	61	61	61		
<BinaryNumericExpression'>	66				66		66						66	66	66						63	62		66	66	66	66	66	66	66	66	66	64	65																							
<BinaryTermExpression>		67														67	67	67	67	67	67	67	67																														67	67	67	67	67	67		
<BinaryTermExpression'>	70				70		70						70	70	70						70	70		70	70	70	70	70	70	70	70	70	70	70	68	69																				
<BinaryShiftedExpression>		71														71	71	71	71	71	71	71	71																														71	71	71	71	71	71		
<BinaryShiftedExpression'>	77				77		77						77	77	77						77	77		77	77	77	77	77	77	77	77	77	77	77	77	77	77	72	73	74	75	76																
<BinaryFactorExpression>		78														78	78	78	78	78	78	78	78																														78	78	78	78	78	78		
<BinaryFactorExpression'>	80				80		80						80	80	80						80	80		80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	79																
<If>																																												81												
<IfEnd>					84																																								82	83											
<BuiltInFunctionCall>																																																					85	86	87	88	89	90		
<FunctionCallTail>																							91																																			
<Parameter>	93	92														92	92	92	92	92	92	92	92	93																												92	92	92	92	92	92		
<ParameterTail>	95													94										95																																		
<FunctionDefinition>																																																								96	
<FunctionDefinitionEnd>					98																																																			97
<Argument>	100	99																						100																																		
<ArgumentTail>	102													101										102																																		