



Degree Project in *****Unknown subject area*****

*****Unknown cycle*****, *****Unknown number of ***** credits

This is the title in the language of the thesis

A subtitle in the language of the thesis

FAKE A. STUDENT

FAKE B. STUDENT

This is the title in the language of the thesis

A subtitle in the language of the thesis

FAKE A. STUDENT

FAKE B. STUDENT

*****Master's Programme, FakeProgramme*****, XXX credits

Date: May 12, 2026

Supervisors: A. Busy Supervisor, Another Busy Supervisor, Third Busy Supervisor

Examiner: ExaminersFirstname ExaminersLastname

*****School of XXX*****

Host company: Företaget AB

Swedish title: Detta är den svenska översättningen av titeln

Swedish subtitle: Detta är den svenska översättningen av undertiteln

Abstract

All theses at KTH are **required** to have an abstract in both *English* and *Swedish*.

Exchange students may want to include one or more abstracts in the language(s) used in their home institutions to avoid the need to write another thesis when returning to their home institution.

Keep in mind that most of your potential readers are only going to read your title and abstract. This is why the abstract must give them enough information so that they can decide if this document is relevant to them or not. Otherwise, the likely default choice is to ignore the rest of your document.

An abstract should stand on its own, *i.e.*, no citations, cross-references to the body of the document, acronyms must be spelled out,

Write this early and revise as necessary. This will help keep you focused on what you are trying to do.

Enter your abstract here!

An abstract is (typically) about 250 and 350 words (1/2 A4-page) with the following components:

- What is the topic area? (optional) Introduces the subject area for the project.
- Short problem statement
- Why was this problem worth a Bachelor's/Master's thesis project? (*i.e.*, why is the problem both significant and of a suitable degree of difficulty for a Bachelor's/Master's thesis project? Why has no one else solved it yet?)
- How did you solve the problem? What was your method/insight?
- Results/Conclusions/Consequences/Impact: What are your key results/conclusions? What will others do based on your results? What can be done now that you have finished - that could not be done before your thesis project was completed?

The following are some notes about what can be included (in terms of LaTeX) in your abstract.

Choice of typeface with `\textit`, `\textbf`, and `\texttt`: x , $\mathbf{x}$, and x .

Text superscripts and subscripts with `\textsubscript` and `\textsuperscript`: A_x and A^x .

Some symbols that you might find useful are available, such as: `\textregistered`, `\texttrademark`, and `\textcopyright`. For example, the copyright symbol: `\textcopyright` Maguire 2022 results in ©Maguire 2022. Additionally, here are some examples of text superscripts (which can be combined with some symbols): `\textsuperscript{99m}Tc`, `A\textsuperscript{*}`, `A\textsuperscript{\textregistered}`, and `A\texttrademark` resulting in $^{99\text{m}}\text{Tc}$, A^* , $A^\text{®}$, and $A^\text{™}$. Two examples of subscripts are: `H\textsubscript{2}O` and `CO\textsubscript{2}` which produce H_2O and CO_2 .

You can use simple environments with `begin` and `end`: `itemize` and `enumerate` and within these use instances of `\item`.

The following commands can be used: `\eg`, `\Eg`, `\ie`, `\Ie`, `\etc`, and `\etal`: *e.g.*, *E.g.*, *i.e.*, *I.e.*, *etc.*, and *et al.*

The following commands for numbering with lowercase Roman numerals: `\first`, `\Second`, `\third`, `\fourth`, `\fifth`, `\sixth`, `\seventh`, and `\eighth`: (i), (ii), (iii), (iv), (v), (vi), (vii), and (viii). Note that the second case is set with a capital 'S' to avoid conflicts with the use of `second` as a unit in the `siunitx` package.

Equations using `\( xxxx \)` or `\[ xxxx \]` can be used in the abstract. For example: $(\text{C}_5\text{O}_2\text{H}_8)_n$ or

$$\int_a^b x^2 dx$$

Note that you **cannot** use an equation between dollar signs.

Even LaTeX comments can be handled by using a backslash to quote the percent symbol, for example: `% comment`. Note that one can include percentages, such as: 51% or 51 %.

Keywords

KeywordA, KeywordB, KeywordC

Choosing good keywords can help others to locate your paper, thesis, dissertation, ...and related work.

Choose the most specific keyword from those used in your domain, see for example: the ACM Computing Classification System (<http://www.acm.org/publications/computing-classification-system/how-to-use>), the IEEE Taxonomy (<https://www.ieee.org/publications/services/the-saurus-thank-you.html>), PhySH (Physics Subject Headings)

(<https://physh.aps.org/>), ...or keyword selection tools such as the National Library of Medicine's Medical Subject Headings (MeSH) (<https://www.nlm.nih.gov/mesh/authors.html>) or Google's Keyword Tool (<https://keywordtool.io/>)

Formatting the keywords:

- The first letter of a keyword should be set with a capital letter and proper names should be capitalized as usual.
- Spell out acronyms and abbreviations.
- Avoid "stop words" - as they generally carry little or no information.
- List your keywords separated by commas (",").

Since you should have both English and Swedish keywords - you might think of ordering the keywords in corresponding order (*i.e.*, so that the n^{th} word in each list correspond) - this makes it easier to mechanically find matching keywords.

Sammanfattning

Inside the following scontents environment, you cannot use a `\includefilename` as the command rather than the file contents will end up in the for DiVA information. Additionally, you should not use a straight double quote character in the abstracts or keywords, use two single quote characters instead.

Alla avhandlingar vid KTH **måste ha** ett abstrakt på både *engelska* och *svenska*.
Om du skriver din avhandling på svenska ska detta göras först (och placera det som det första abstraktet) - och du bör revidera det vid behov.

If you are writing your thesis in English, you can leave this until the draft version that goes to your opponent for the written opposition. In this way, you can provide the English and Swedish abstract/summary information that can be used in the announcement for your oral presentation.
If you are writing your thesis in English, then this section can be a summary targeted at a more general reader. However, if you are writing your thesis in Swedish, then the reverse is true – your abstract should be for your target audience, while an English summary can be written targeted at a more general audience.
This means that the English abstract and Swedish sammnfattning or Swedish abstract and English summary need not be literal translations of each other.

Do not use the `\glspl{}` command in an abstract that is not in English, as my programs do not know how to generate plurals in other languages. Instead, you will need to spell these terms out or give the proper plural form. In fact, it is a good idea not to use the glossary commands at all in an abstract/summary in a language other than the language used in the `acronyms.tex` file - since the glossary package does **not** support use of more than one language.

The abstract in the language used for the thesis should be the first abstract, while the Summary/Sammanfattning in the other language can follow

Enter your Swedish abstract or summary here!

Nyckelord

NyckelordA, NyckelordB, NyckelordC

Nyckelord som beskriver innehållet i uppsatsen eller rapporten

If you add the class option `includeExtraAbstracts` in your `documntclass`, then you can enable abstracts/summaries in a number of languages. Include those versions of abstracts that you need.

If you are an exchange student, use the relevant language or languages for abstracts for your home university, as this will often avoid the need for writing another thesis for your home university.

If you are fluent in other languages, feel free to add the abstracts in one or more of them.

The set of languages that can be easily included are based on those languages that were used in theses at KTH in the period 2018-2019, along with several others that have been used in theses since.

Note that you may need to augment the set of languages used in `polyglossia` or `babel` (see the file `kththesis.cls`). If you add a new language, when specifying the language for the abstract, use the three-letter ISO 639-2 Code – specifically the "B" (bibliographic) variant of these codes (note that this is the same language code used in DiVA).

Acknowledgments

Författarnas tack

It is nice to acknowledge the people that have helped you. It is also necessary to acknowledge any special permissions that you have gotten – for example, getting permission from the copyright owner to reproduce a figure. In this case, you should acknowledge them and this permission here and in the figure's caption.

Note: If you do **not** have the copyright owner's permission, then you **cannot** use any copyrighted figures/tables/.... Unless stated otherwise all figures/tables/...are generally copyrighted.

I detta kapitel kan du ev nämna något om din bakgrund om det påverkar rapporten på något sätt. Har du t ex inte möjlighet att skriva perfekt svenska för att du är nyanländ till landet kan det vara på sin plats att nämna detta här. OBS, detta får dock inte vara en ursäkt för att lämna in en rapport med undermåligt språk, undermålig grammatik och stavning (t ex får fel som en automatisk stavningskontroll och grammatikkontroll kan upptäcka inte förekomma)

En dualism som måste hanteras i hela rapporten och projektet

To ensure academic transparency, you must report whether and how generative AI has been used in your examinable work. This includes any new content, including, but not limited text, images, tables, or code.

För att säkerställa akademisk transparens måste du rapportera om och hur generativ AI har använts i ditt examinerbara arbete. Detta inkluderar allt nytt innehåll, inklusive, men inte begränsat till, text, bilder, tabeller eller kod.

I would like to thank xxxx for having yyyy. Or in the case of two authors: We would like to thank xxxx for having yyyy.

Stockholm, May 2026

Fake A. Student

Fake B. Student

Contents

1	Introduction	1
1.1	Background	2
1.2	Problem	3
1.2.1	Original problem and definition	3
1.2.2	Scientific and engineering issues	3
1.3	Purpose	3
1.4	Goals	4
1.5	Research Methodology	4
1.6	Delimitations	5
1.7	Structure of the thesis	5
2	Background	7
2.1	Major background area 1	8
2.1.1	Subarea 1.1	8
2.1.2	Subarea 1.1.2	9
2.1.3	Subarea 1.1.2	9
2.1.4	Link layer Encapsulation	9
2.1.5	IP packet headers	9
2.1.6	Test for accessibility of formulas	9
2.2	Major background area 2	10
2.2.1	WLAN Security	11
2.2.2	Network layer security	11
2.3	Related work area	11
2.3.1	Major related work 1	11
2.3.2	Major related work n	11
2.3.3	Minor related work 1	11
2.3.4	Minor related work n	11
2.4	Summary	11

3	Method or Methods	13
3.1	Research Process	15
3.2	Research Paradigm	15
3.3	Data Collection	16
3.3.1	Sampling	16
3.3.2	Sample Size	16
3.3.3	Target Population	16
3.4	Experimental design/Planned Measurements	16
3.4.1	Test environment/test bed/model	16
3.4.2	Hardware/Software to be used	17
3.5	Assessing reliability and validity of the data collected	17
3.5.1	Validity of method	17
3.5.2	Reliability of method	17
3.5.3	Data validity	17
3.5.4	Reliability of data	18
3.6	Planned Data Analysis	18
3.6.1	Data Analysis Technique	18
3.6.2	Software Tools	18
3.7	Evaluation framework	18
3.8	System documentation	18
4	What you did	19
4.1	Hardware/Software design .../Model/Simulation model pa- rameters/...	19
4.2	Implementation .../Modeling/Simulation/...	20
4.2.1	Some examples of coding	21
4.2.2	Some examples of figures in tikz	23
4.2.2.1	Azure's Form Recognizer	24
4.2.2.2	Hyper-V with Containers	24
4.2.2.3	VM versus Containers	25
5	Results and Analysis	27
5.1	Major results	27
5.2	Reliability Analysis	30
5.3	Validity Analysis	31
6	Discussion	33

7	Conclusions and Future work	35
7.1	Conclusions	35
7.2	Limitations	36
7.3	Future work	36
7.3.1	What has been left undone?	36
7.3.1.1	Cost analysis	36
7.3.1.2	Security	37
7.3.2	Next obvious things to be done	37
7.4	Reflections	37
	References	39
A	Supporting materials	41
B	Something Extra	43
B.1	Just for testing KTH colors	43
C	README_author - the starting place for authors	45
C.1	Advice for Author or Authors	45
C.2	Author configuration of the L ^A T _E X engine	47
C.3	Author configuration of the template	49
C.3.1	Setting the UN's Sustainable Development Goals (SDGs) information	56
C.4	Author macros	57
C.5	Starting to write - for the impatient	59
C.6	Starting to write	59
C.6.1	Working abstract	59
C.6.2	Structure of the abstracts and summaries	60
C.6.3	Abstracts must be able to stand alone	62
C.6.4	Acronyms	62
C.6.5	Some predefined macros to help when writing	62
C.6.6	Additional abstract(s)	62
C.6.7	Removing and hiding parts that you do not want	63
C.6.8	Removing the README_notes	63
C.7	Copyright or Creative Commons License	63
C.7.1	Example configuration to have a CC BY-NC-ND license	64
C.7.2	Example configuration to have a CC BY-NC-ND license with a Euro symbol rather than a Dollar sign	64
C.7.3	Example configuration to have a CC0 license	65
C.8	Use of fonts within the thesis	65

C.9	One big thesis file or a master file with includes of the parts . . .	66
D	README and notes about the template	69
D.1	Introduction	70
D.2	Delimitations	70
D.3	Structure of the files for the template	71
D.4	Expected users and their differences	73
D.5	Those working in parallel with the authors(s) during the degree project	73
D.5.1	Supervisor	73
D.5.2	Examiner	74
D.5.3	Opponent(s) and oral presentation	75
D.6	Administrative staff	76
D.6.1	What is a TRITA number and why does each approved thesis get assigned one?	76
D.6.2	Where does the TRITA number go?	77
D.6.3	What does this mean in practice?	77
D.6.4	Entering the metadata into DiVA	78
D.7	(Human) Readers of the thesis	78
D.7.1	Machines reading the metadata or full text of the thesis	78
D.7.2	Template author and maintainers	79
D.8	More about Abstracts	79
D.8.1	Structured abstracts	80
D.8.2	Automated checking of some properties of abstracts	80
D.8.3	Tables and images in abstracts	84
D.8.4	Graphical or visual abstracts	84
D.9	Cover illustration	85
D.10	While writing	85
D.10.1	Conventions for todo notes	86
D.10.2	Turning on and off the README_notes	86
D.10.3	Removing the README_notes	86
D.10.4	Removing the README_notes	87
D.10.5	Removing unused fonts	87

List of Figures

2.1	Lots of stars (Inspired by Figure x.y on page z of [xxx])	8
2.2	Ethernet data link layer protocol encapsulated into a IEEE 802.3 MAC packet	9
2.3	IPv4 datagram header	10
2.4	IPv6 datagram header	10
3.1	Research Process	15
4.1	Homepage icon	20
4.2	The processing of key-value extraction from a PDF document using Azure's Form Recognizer	24
4.3	Hyper-V with containers	24
4.4	Virtual machines (VMs) versus Containers	25
5.1	A GNUplot figure	29
5.2	Rust types distribution for the compiler, crates.io, and lib.rs. (percentage) - appears here with the permission of the author - see the thesis at https://urn.kb.se/resolve?urn=urn%3Anbn%3Ase%3Akth%3Adiva-332124	30
A.1	Adobe Acrobat Reader using the paperclip icon for the attached references.bib file	42
A.2	Adobe Acrobat Reader after right-clicking on the push-pin icon for the attached references.bib file	42
C.1	Selecting a compiler (<i>i.e.</i> , TeX engine) in Overleaf	48
D.1	Example of a warning for use of a citation in an abstract)	83

List of Tables

2.1	xxx characteristics	8
4.1	Configurations tested	20
5.1	Delay measurement statistics	28
5.2	RTT for 4 hosts	28
5.3	Median values of sandwich attributes	29
C.1	Examples of some national subject categories and their codes .	55
C.2	UN’s Sustainable Development Goals (SDGs)	56
D.1	Structure of files for the template	72

Listings

4.1	Hello world in C code	21
4.2	Using a python program to access the KTH API to get all of the programs at KTH	21
4.3	Example of using <code>minted</code> with python code	23
D.1	Code snippet from ACM Conference Proceedings template . .	81
D.2	Code snippet from <code>phfnote</code> package	82
D.3	Hooks to save an restore the cite and ref definitions before and after the abstract environment	83
D.4	Configuring a cover illustration	85

If you have listings in your thesis. If not, then remove this preface page.

List of acronyms and abbreviations

API	Application Programming Interface
DiVA	Digitala Vetenskapliga Arkivet
IMRAD	Introduction, Methods, Results, and Discussion
JSON	JavaScript Object Notation
KI	Karolinska Institutet
KOPPS	Kurs- och programplaneringssystemet
KTH	KTH Royal Institute of Technology
LADOK	Lokalt adb-baserat dokumentationssystemt
LAN	Local Area Network
OS	operating system
SDG	Sustainable Development Goal
TIMTM	Interactive Media Technology
TMMTM	Media Managemen
UN	United Nations
Wi-Fi	Wireless Fidelity
WLAN	Wireless Local Area Network

The list of acronyms and abbreviations should be in alphabetical order based on the spelling of the acronym or abbreviation.

Chapter 1

Introduction

svensk: Introduktion

Ofta kommer problemet och problemägaren från industrin där man önskar en specifik lösning på ett specifikt problem. Detta är ofta "för smalt" definierat och ger ofta en "för smal" lösning för att resultatet skall vara intressant ur ett mer allmänt ingenjörsperspektiv och med "nya" erfarenheter som resultat. Fundera tillsammans med projektets intressenter (student, problemägare och akademi) hur man skulle kunna använda det aktuella problemet/förslaget för att undersöka någon ingenjöraspekt och vars resultat kan ge ny eller kompletterande erfarenhet till ingenjörssamfundet och vetenskapen.

slöser man en del eller hela delen av det ursprungliga problemet. Erfarenheten kommer ur en frågeställning som man i examensarbetet försöker besvara med tidigare och andras erfarenhet, egna eller modifierade metoder som ger ett resultat vilket kan användas för att diskutera ett svar på undersökningsfrågan.

Detta stycke skall alltså, förutom det ursprungliga "smala" problemet, innehålla vad som skall undersökas för att skapa ny ingenjörserfarenhet och/eller vetenskap.

The first paragraph after a heading is not indented, all of the subsequent paragraphs have their first line indented.

This chapter describes the specific problem that this thesis addresses, the context of the problem, the goals of this thesis project, and outlines the structure of the thesis.

Give a general introduction to the area. (Remember to use appropriate references in this and all other sections.)

We use the *bibtex* package to handle our references. We, therefore, use the command `\cite{farshin_make_2019}`. For example, Farshin, *et al.*, described how to improve LLC cache performance in [1] in the context of links running at 200 Gbps.

Use the *glossaries* package to help yourself and your readers. Add the acronyms and abbreviations to `lib/acronyms.tex`. Some examples are shown below:

In this thesis, we will examine the use of **Local Area Networks (LANs)**. In this thesis, we will assume that **LANs** include **Wireless Local Area Networks (WLANs)**, such as **Wireless Fidelity (Wi-Fi)**.

1.1 Background

svensk: Bakgrund

Present the background for the area. Set the context for your project – so that your reader can understand both your project and this thesis. (Give detailed background information in Chapter 2 - together with related work.) Sometimes it is useful to insert a system diagram here so that the reader knows what are the different elements and their relationship to each other. This also introduces the names/terms/... that you are going to use throughout your thesis (be consistent). This figure will also help you later delimit what you are going to do and what others have done or will do.

As one can find in RFC 1235 [2] multicast is useful for xxxx. A number of different **operating systems (OSes)** have been used in this work, such as the following **OSes**: UNIX, Linux, Windows, etc. The main focus will be on one **OS**, namely Linux.

1.2 Problem

svensk: Problemdefinition eller Frågeställning

Lyft fram det ursprungliga problemet om det finns något och definiera därefter den ingenjörsmässiga erfarenheten eller/och vetenskapen som kan komma ur projektet.

Longer problem statement

If possible, end this section with a question as a problem statement.

1.2.1 Original problem and definition

Ursprungligt problem och definition

Some text

1.2.2 Scientific and engineering issues

Vetenskaplig och ingenjörsmässig frågeställning

some text

1.3 Purpose

Syfte

Skilj på syfte och mål! Syfte är att förändra något till det bättre. I examensarbetet finns ofta två aspekter på detta. Dels vill problemägaren (företaget) få sitt problem löst till det bättre men akademin och ingenjörssamfundet vill också få nya erfarenheter och vetenskap. Beskriv ett syfte som tillfredställer båda dessa aspekter.

Det finns även ett syfte till som kan vara värt att beakta och det är att du som student skall ta examen och att du måste bevisa, i ditt examensarbete, att du uppfyller examensmålen. Dessa mål sammanfaller med kursmålen för examensarbetskursen.

State the purpose of your thesis and the purpose of your degree project. Describe who benefits and how they benefit if you achieve your goals. Include anticipated ethical, sustainability, social issues, etc. related to your project. (Return to these in your reflections in Section 7.4.)

1.4 Goals

Mål

Skilj på syfte och mål. Syftet är att åstadkomma en förändring i något. Målen är vad som konkret skall göras för att om möjligt uppnå den önskade förändringen (syfte).

State the goal/goals of this degree project.

The goal of this project is XXX. This has been divided into the following three sub-goals:

1. Subgoal 1

för att tillfredsställa problemägaren – industrin?

2. Subgoal 2

för att tillfredsställa ingenjörssamfundet och vetenskapen – akademien)

3. Subgoal 3

eventuellt, för att uppfylla kursmålen – du som student

In addition to presenting the goal(s), you might also state what the deliverables and results of the project are.

1.5 Research Methodology

Undersökningsmetod

Här anger du vilken vilken övergripande undersökningsstrategi eller metod du skall använda för att försöka besvara den akademiska frågeställning och samtidigt lösa det e v ursprungliga problemet. Ofta kan man använda "lösandet av ursprungsproblemet" som en fallstudie kring en akademisk frågeställning. Du undersöker någon intressant fråga i "skarpt" läge och samlar resultat och erfarenhet ur detta.

Tänk på att företaget ibland måste stå tillbaka i sin önskan och förväntan på projektets resultat till förmån för ny eller kompletterande ingenjörserfarenhet och vetenskap (ditt examensarbete). Det är du som student som bestämmer och löser fördelningen mellan dessa två intressen men se till att alla är informerade.

Introduce your choice of methodology/methodologies and method/methods – and the reason why you chose them. Contrast them with and explain why you did not choose other methodologies or methods. (The details of the actual methodology and method you have chosen will be given in Chapter 3. Note that in Chapter 3, the focus could be research strategies, data collection, data analysis, and quality assurance.)

In this section you should present your philosophical assumption(s), research method(s), and research approach(es).

1.6 Delimitations

Avgränsningar

Describe the boundary/limits of your thesis project and what you are explicitly not going to do. This will help you bound your efforts – as you have clearly defined what is out of the scope of this thesis project. Explain the delimitations. These are all the things that could affect the study if they were examined and included in the degree project.

1.7 Structure of the thesis

Rapportens disposition

Chapter 2 presents relevant background information about xxx. Chapter 3 presents the methodology and method used to solve the problem. ...

Chapter 2

Background

Bakgrund

When you do your literature study, you should have a nearly complete Chapters 1 and 2.

You may also find it convenient to introduce the future work section into your report early – so that you can put things that you think about but decide not to do now into this section.

Note that later you can move things between this future work section and what you have done as you may change your mind about what to do now versus what to put off to future work.

What does a reader (another x student – where x is your study line) need to know to understand your report? What have others already done? (This is the “related work”.) Explain what and how prior work/prior research will be applied on or used in the degree project/work (described in this thesis). Explain why and what is not used in the degree project and give valid reasons for rejecting the work/research.

This chapter provides basic background information about xxx. Additionally, this chapter describes xxx. The chapter also describes related work xxxx.

Vilken viktig litteratur och (forsknings-)artiklar har du studerat inom området (litteraturstudie)?

2.1 Major background area 1

Viktigt bakgrundsområde 1

There are xxx characteristics that distinguish yyy from other information and communication technology (ICT) system, as shown in Figure 2.1. Table 2.1 summarizes these characteristics.




Figure 2.1: Lots of stars (Inspired by Figure x.y on page z of [xxx])

Massor av stjärnor (Inspirerad av figur x.y på sidan z i [xxx])

Table 2.1: xxx characteristics

Characteristics	Description
α	β
1	1 110.1
2	10.1
3	23.113 231

Egenskaper
Beskrivning

2.1.1 Subarea 1.1

Entangled states are an important part of quantum cryptography, but also relevant in other domains. This concept might be relevant for neutrinos, see

for example [3].

2.1.2 Subarea 1.1.2

Computational methods are increasingly used as a third method of carrying out scientific investigations. For example, computational experiments were used to find the amount of wear in a polyethylene liner of a hip prosthesis in [4]. ...

2.1.3 Subarea 1.1.2

Using the nearest data center may improve performance, see [5]

2.1.4 Link layer Encapsulation

See Figure 2.2 which uses the `bytefield` L^AT_EX package.




Figure 2.2: Ethernet data link layer protocol encapsulated into a IEEE 802.3 MAC packet

2.1.5 IP packet headers

The data link layer will receive a packet from the IP layer. The layout of an IPv4 packet is shown in Figure 2.3. This should be contrasted with the IPv6 header shown in Figure 2.4.

2.1.6 Test for accessibility of formulas

As can be seen in these equations: $c = 2 \cdot \pi \cdot r$ or

$$\int_a^b x^2 \, dx$$

a chemical formula: $(C_5O_2H_8)_n \dots$

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
Version		IHL		Type of Service				ECN		Total Length																					
Identification								Flags		Fragment Offset																					
Time to Live				Protocol				Header Checksum																							
Source Address																															
Destination Address																															
Options																										Padding					

Figure 2.3: IPv4 datagram header. Light grey-colored fields are optional.

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31																												
Version		Traffic Class						Flow Label																																																			
Payload Length										Next Header						Hop Limit																																											
Source Address																																																											
Destination Address																																																											

Figure 2.4: IPv6 datagram header

2.2 Major background area 2

Viktigt bakgrundsområde 2

...

2.2.1 WLAN Security

2.2.2 Network layer security

...

2.3 Related work area

Relaterade arbeten

2.3.1 Major related work 1

Relaterade arbeten 1

Carrier clouds have been suggested as a way to reduce the delay between the users and the cloud server that is providing them with content. However, there is a question of how to find the available resources in such a carrier cloud. One approach has been to disseminate resource information using an extension to OSPF-TE, see Roozbeh, Sefidcon, and Maguire [6].

2.3.2 Major related work n

Relaterade arbeten

2.3.3 Minor related work 1

Mindre relaterat arbete 1

...

2.3.4 Minor related work n

Mindre relaterat arbete n

2.4 Summary

Sammanfattning

Det är trevligt om detta kapitel avslutas med en sammanfattning. Till exempel kan du inkludera en tabell som sammanfattar andras idéer och fördelar och nackdelar med varje - så som senare kan du jämföra din lösning till var och en av dessa. Detta kommer också att hjälpa dig att definiera de variabler som du kommer att använda för din utvärdering.

It is nice to have this chapter conclude with a summary. For example, you can include a table that summarizes other people's ideas and benefits and drawbacks with each - so as later you can compare your solution to each of them. This will also help you define the variables that you will use for your evaluation.

Chapter 3

Method or Methods

Metod eller Metodval

This chapter is about Engineering-related content, Methodologies and Methods. Use a self-explaining title.
The contents and structure of this chapter will change with your choice of methodology and methods.

Describe the engineering-related contents (preferably with models) and the research methodology and methods that are used in the degree project.

Give a theoretical description of the scientific or engineering methodology you are going to use and why have you chosen this method. What other methods did you consider and why did you reject them?

In this chapter, you describe what engineering-related and scientific skills you are going to apply, such as modeling, analyzing, developing, and evaluating engineering-related and scientific content. The choice of these methods should be appropriate for the problem. Additionally, you should be conscious of aspects relating to society and ethics (if applicable). The choices should also reflect your goals and what you (or someone else) should be able to do as a result of your solution - which could not be done well before you started.

The purpose of this chapter is to provide an overview of the research method used in this thesis. Section 3.1 describes the research process. Section 3.2 details the research paradigm. Section 3.3 focuses on the data collection techniques used for this research. Section 3.4 describes the experimental design. Section 3.5 explains the techniques used to evaluate the

reliability and validity of the data collected. Section 3.6 describes the method used for the data analysis. Finally, Section 3.7 describes the framework selected to evaluate xxx.

Vilka vetenskaplig eller ingenjörsmetodik ska du använda och varför har du valt den här metoden. Vilka andra metoder gjorde du övervägde du och varför du avvisar dem. Vad är dina mål? (Vad ska du kunna göra som ett resultat av din lösning - vilken inte kan göras i god tid innan du började) Vad du ska göra? Hur? Varför? Till exempel, om du har implementerat en artefakt vad gjorde du och varför? Hur kommer du utvärdera den. Syftet med detta kapitel är att ge en översikt över forskningsmetod som används i denna avhandling. Avsnitt 3.1 beskriver forskningsprocessen. Avsnitt 3.2 beskriver forskningsparadigmen detaljerat. Avsnitt 3.3 fokuserar på datainsamlingstekniker som används för denna forskning. Avsnitt 3.4 beskriver experimentell design. Avsnitt 3.5 förklarar de tekniker som används för att utvärdera tillförlitligheten och giltigheten av de insamlade uppgifterna. Avsnitt 3.6 beskriver den metod som används för dataanalysen. Slutligen, Avsnitt 3.7 beskriver ramverket som valts för att utvärdera xxx.

Ofta kan man koppla ett antal följdfrågor till undersökningsfrågan och problemlösningen t ex

- (1) Vilken process skall användas för konstruktion av lösningen och vilken process skall kopplas till denna för att svara på undersökningsfrågan?
- (2) Hur och vilket resultat (storheter) skall presenteras både för att redovisa svar på undersökningsfrågan (resultatkapitlet i denna rapport) och redovisa resultat av problemlösningen (prototypen, ofta dokument som bilagor men vilka dokument och varför?).
- (3) Vilken teori/teknik skall väljas och användas både för undersökningen (taxonomi, matematik, grafer, storheter mm) och problemlösning (UML, UseCases, Java mm) och varför?
- (4) Vad behöver du som student leverera för att uppnå hög kvalitet (minimikrav) eller mycket hög kvalitet på examensarbetet?
- (5) Frågorna kopplar till de följande underkapitlen.
- (6) Resonemanget bygger på att studenter på hing-programmet ofta skall konstruera något åt problemägaren och att man till detta måste koppla en intressant ingenjörfråga. Det finns hela tiden en dualism mellan dessa aspekter i exjobbet.

3.1 Research Process

Undersökningsprocess och utvecklingsprocess

Figure 3.1 shows the steps conducted to carry out this research.

Figur 3.1 visar de steg som utförs för att genomföra
Beskriv, gärna med ett aktivitetsdiagram (UML?), din
undersökningsprocess och utvecklingsprocess. Du måste koppla ihop det
akademiska intresset (undersökningsprocess) med ursprungsproblemet
(utvecklingsprocess) denna forskning.
Aktivitetsdiagram från t ex UML-standard



Figure 3.1: Research Process

Example of using customized item labels.

Some steps in the process:

- Step 1** plan experiment,
- Step 2** conduct experiment,
- Step 3** analyze data from the experiment, and
- Step 4** discuss the results of the analysis.

Forskningsprocessen

3.2 Research Paradigm

Undersökningsparadigm

Exempelvis

Positivistisk (vad/hur fungerar det?) kvalitativ fallstudie med en
deduktivt (förbestämd) vald ansats och ett induktivt(efterhand uppstår
dataområden och data) insamlade av data och erfarenheter.

3.3 Data Collection

Datainsamling

(Detta bör också visa att du är medveten om de sociala och etiska frågor som kan vara relevanta för dina data insamlingsmetod.)

This should also show that you are aware of the social and ethical concerns that might be relevant to your data collection method.

3.3.1 Sampling

Stickprovsundersökning

3.3.2 Sample Size

Provstorleken

3.3.3 Target Population

Målgruppen

3.4 Experimental design and Planned Measurements

Experimentdesign/Mätuppställning

3.4.1 Test environment/test bed/model

Describe everything that someone else would need to reproduce your test environment/test bed/model/... .

Testmiljö/testbädd/modell

Beskriv allt att någon annan skulle behöva återskapa din testmiljö / testbädd / modell / ...

3.4.2 Hardware/Software to be used

Hårdvara / programvara som ska användas

3.5 Assessing reliability and validity of the data collected

Bedömning av validitet och reliabilitet hos använda metoder och insamlade data

3.5.1 Validity of method

Giltigheten av metoder

Har dina metoder gett dig de rätta svaren och lösningarna? Var metoderna korrekta?

How will you know if your results are valid?

Remember that validity is about the *accuracy* of a measurement while reliability is about the *consistency* of the measurement values under the same conditions (*i.e.*, repeatability).

3.5.2 Reliability of method

Tillförlitlighet av för metoder

Hur bra är dina metoder, finns det bättre metoder? Hur kan du förbättra dem?

How will you know if your results are reliable?

3.5.3 Data validity

Giltigheten av uppgifter

Hur vet du om dina resultat är giltiga? Är ditt resultat rättvisande?

3.5.4 Reliability of data

Tillförlitlighet av data

Hur vet du om dina resultat är tillförlitliga? Hur bra är dina resultat?

3.6 Planned Data Analysis

Metod för analys av data

3.6.1 Data Analysis Technique

Dataanalysteknik

3.6.2 Software Tools

Mjukvaruverktyg

3.7 Evaluation framework

Utvärdering och ramverk

Metod för utvärdering, jämförelse mm. Kopplar till kapitel 5.

3.8 System documentation

Systemdokumentation

Med vilka dokument och hur skall en konstruerad prototyp dokumenteras? Detta blir ofta bilagor till rapporten och det som problemägaren till det ursprungliga problemet (industrin) ofta vill ha. Bland dessa bilagor återfinns ofta, och enligt någon angiven standard, kravdokument, arkitekturdokument, designdokument, implementationsdokument, driftsdokument, testprotokoll mm.

If this is going to be a complete document consider putting it in as an appendix, then just put the highlights here.

Chapter 4

What you did

Choose your own chapter title to describe this

[Vad gjorde du? Hur gick det till? – Välj lämplig rubrik
("Genomförande", "Konstruktion", "Utveckling" eller annat)]

What have you done? How did you do it? What design decisions did you make? How did what you did help you to meet your goals?

Vad du har gjort? Hur gjorde du det? Vilka designval gjorde du?
Hur kom det du hjälpte dig att uppnå dina mål?

4.1 Hardware/Software design .../Model/Simulation model & parameters/...

Hårdvara / Mjukvarudesign ... / modell / Simuleringsmodell och parametrar / ...

Figure 4.1 shows a simple icon for a home page. The time to access this page when served will be quantified in a series of experiments. The configurations that have been tested in the test bed are listed in Table 4.1. In 7.0 % of cases, there was an error indicating xxxxx.

Figur 4.1 visar en enkel ikon för en hemsida. Tiden för att få tillgång till den här sidan när den laddas kommer att kvantifieras i en serie experiment. De konfigurationer som har testats i provbänk listas i tabell 4.1.

Vad du har gjort? Hur gjorde du det? Vilka designval gjorde du?




Figure 4.1: Homepage icon

Table 4.1: Configurations tested

Configuration	Description
1	Simple test with one server
2	Simple test with one server

Testade konfigurationer

4.2 Implementation .../Modeling/Simulation/...

Implementering ... / modellering / simulering / ...

Two commonly used simulators are:

- Mininet** This simulator uses traffic control (tc) to simulate network devices connected by links with specific bandwidth, packet loss rates, qdisc methods, etc.
- ns-2 or ns-3 simulator** These simulators are very useful for simulating wireless communication links between moving devices. You can specify the mobility patterns of the nodes.

4.2.1 Some examples of coding

This section is simply to show some example of how you can include code in your thesis - this is not a section you would have in your thesis.

Det här avsnittet är helt enkelt för att visa ett exempel på hur du kan inkludera kod i ditt examensarbete - det här är inte ett avsnitt du skulle ha i ditt examensarbete.

Listing 4.1 shows an example of a simple program written in C code.

Listing 4.1: Hello world in C code

```
int main() {
    printf("hello ,\world");
    return 0;
}
```

This template uses the package `lstlistings` for many different listings. Alternatively, one could use the `minited` package together with the `listings` environment, see, for example, [Code Highlighting with minted](#).

In contrast, Listing 4.2 is an example of code in Python to get a list of all of the programs at KTH. Note that on 2025-06-01 the KOPPS API will no longer work.

Note that the change to the iso date format was done in a group so that afterwards the date style returns to what it was, resulting in June 1, 2025.

Listing 4.2: Using a python program to access the KTH API to get all of the programs at KTH

```
KOPPSbaseUrl = 'https://www.kth.se '
```

```
def v1_get_programmes():
    global Verbose_Flag
    #
    # Use the KOPPS API to get the data
    # note that this returns XML
    url = "{0}/api/kopps/v1/programme".format(KOPPSbaseUrl)
    if Verbose_Flag:
        print("url:\n" + url)
    #
```

```

r = requests.get(url)
if Verbose_Flag:
    print("result_of_getting_v1_programme:{}".format(r.text))
#
if r.status_code == requests.codes.ok:
    return r.text          # simply return the XML
#
return None

```

In Listing 4.3, line 5 shows the use of the `ExcelWriter` function. Line 13 writes a panda dataframe (named `comp`) to the spreadsheet, while line 19 closes the open spreadsheet.

Listing 4.3 Example of using minted with python code

```

1 import pandas as pd
2 def make_spreadsheet_of_differences(pds):
3     global school
4     publishers=set()
5     writer =
        ↪ pd.ExcelWriter(f'/tmp/{school}_compare_duplicates.xlsx',
        ↪ engine='xlsxwriter')
6     print("starting")
7     for idx, p in enumerate(pds):
8         p0=list(p)[0]
9         p1=list(p)[1]
10        print(f"\nfor {p0} and {p1}")
11        comp, publisher1,
            ↪ publisher2=compare_two_records_silent(p0,
            ↪ p1)
12        sheet_name=f'{p0}'.split(':')[1]
13        print(f'Wrote {sheet_name=}')
14        comp.to_excel(writer,
            ↪ sheet_name=sheet_name)
15        publishers.add(publisher1)
16        publishers.add(publisher2)
17
18        # Close the Pandas Excel writer and output the
        ↪ Excel file.
19    writer.close()
20    print(f'{publishers=}')
21    return publishers

```

4.2.2 Some examples of figures in tikz

This section is simply to show some example of how you can draw your own figures for in your thesis - this is not a section you would have in your thesis.

Det här avsnittet är helt enkelt för att visa ett exempel på hur du kan rita dina egna figurer i ditt examensarbete – det här är inte ett avsnitt du skulle ha i ditt examensarbete.

These figures are just some examples to show that you can draw your own figures for your thesis. This has two advantages: (i) you do not have to worry about copyrights – as these are your own figures and (ii) the text is now readable and not simply a picture of text – so screen readers can read the figure’s contents to someone who is listening to the contents of your thesis.

4.2.2.1 Azure’s Form Recognizer

Figure 4.2 shows the processing of key-value extraction from a PDF document using Azure’s Form Recognizer.




Figure 4.2: The processing of key-value extraction from a PDF document using Azure’s Form Recognizer

4.2.2.2 Hyper-V with Containers

Figure 4.3 shows how Hyper-V deals with containers.




Figure 4.3: Hyper-V with containers

4.2.2.3 VM versus Containers

Figure 4.4 shows a comparison of virtual machines (VMs) versus containers.




Figure 4.4: Virtual machines (VMs) versus Containers

Chapter 5

Results and Analysis

svensk: Resultat och Analys

Sometimes this is split into two chapters.

Keep in mind: How you are going to evaluate what you have done?

What are your metrics?

Analysis of your data and proposed solution

Does this meet the goals which you had when you started?

In this chapter, we present the results and discuss them.

I detta kapitel presenterar vi resultaten och diskutera dem.

Ibland delas detta upp i två kapitel.

Hur du ska utvärdera vad du har gjort? Vad är din statistik?

Analys av data och föreslagen lösning

Innebär detta att uppfyllelse av de mål som du hade när du började?

5.1 Major results

Huvudsakliga resultat

Some statistics of the delay measurements are shown in Table 5.1. The delay has been computed from the time the GET request is received until the response is sent.

Lite statistik av fördröjningsmätningarna visas i Tabell 5.1. Förseningen har beräknats från den tidpunkt då begäran GET tas emot fram till svaret skickas.

Table 5.1: Delay measurement statistics

Configuration	Average delay (ns)	Median delay (ns)
1	467.35	450.10
2	1 687.5	901.23

Table 5.2 shows the measurement of round trip times from four hosts to and from a server.

Table 5.2: Result for the ping measurements of RTT for 4 hosts

Host	host to server RTT in ms			
	min	avg	max	mdev
h1	5.625	5.625	5.625	0.0
h2	2.909	2.909	1.909	0.0
h3	5.007	5.007	5.007	0.0
h4	2.308	2.308	2.308	0.0

Fördröj mätstatistik

Konfiguration | Genomsnittlig fördröjning (ns) | Median fördröjning (ns)

Figure 5.1 shows an example of the performance as measured in the experiments.




Figure 5.1: Processing time vs. payload length

Given these measurements, we can calculate our processing bit rate as the inverse of the time it takes to process an additional byte divided by 8 bits per byte:

$$\text{bit rate} = \frac{1}{\frac{\text{time}_{\text{byte}}}{8}} = 20.03 \text{ kb/s}$$

Table 5.3 shows another table in which some values have been set in bold (using \B) to emphasize them. Note how the S formatting has been modified so that it considers the weight of the characters and this is able to decimal align even these hold-faced numbers with the numbers in the column above them.

Table 5.3: Median values of sandwich attributes

Attribute	sites	
	A	B
price (in SEK)	36.5	71.3
protean (g)	97.2	100.0
salt (mg)	9.7	9.3
Average customer rating in %	82.2	89.9

Figure 5.2 shows a stacked bar chart using pgfplots. It illustrates how easy it is to take a set of data and make a stacked bar plot. One of the features is the shifted values – this is very useful when the bar itself is too small to put the value into.




Figure 5.2: Rust types distribution for the compiler, crates.io, and lib.rs. (percentage) - appears here with the permission of the author - see the thesis at <https://urn.kb.se/resolve?urn=urn%3Anbn%3Ase%3Akt%3Adiva-332124>

5.2 Reliability Analysis

Analys av tillförlitlighet
Tillförlitlighet i metod och data

5.3 Validity Analysis

Analys av validitet
Validitet i metod och data

Chapter 6

Discussion

Diskussion
Förbättringsförslag?

This can be a separate chapter or a section in the previous chapter.

Chapter 7

Conclusions and Future work

Slutsats och framtida arbete

Add text to introduce the subsections of this chapter.

7.1 Conclusions

Slutsatser

Describe the conclusions (reflect on the whole introduction given in Chapter 1).

Discuss the positive effects and the drawbacks.

Describe the evaluation of the results of the degree project.

Did you meet your goals?

What insights have you gained?

What suggestions can you give to others working in this area?

If you had it to do again, what would you have done differently?

Uppfyllde du dina mål?

Vilka insikter har du fått?

Vilka förslag kan du ge till andra som arbetar inom detta område? Om du skulle göra detta igen, vad skulle du ha gjort annorlunda?

7.2 Limitations

Begränsande faktorer

Vad gjorde du som begränsade dina ansträngningar? Vilka är begränsningarna i dina resultat?

What did you find that limited your efforts? What are the limitations of your results?

7.3 Future work

Vad du har kvar ogjort?

Vad är nästa självklara saker som ska göras?

Vad tips kan du ge till nästa person som kommer att följa upp på ditt arbete?

Describe valid future work that you or someone else could or should do. Consider: What you have left undone? What are the next obvious things to be done? What hints can you give to the next person who is going to follow up on your work?

Due to the breadth of the problem, only some of the initial goals have been met. In these section we will focus on some of the remaining issues that should be addressed in future work. ...

7.3.1 What has been left undone?

The prototype does not address the third requirement, *i.e.*, a yearly unavailability of less than 3 minutes; this remains an open problem. ...

7.3.1.1 Cost analysis

Example of a missing component

The current prototype works, but the performance from a cost perspective makes this an impractical solution. Future work must reduce the cost of this solution; to do so, a cost analysis needs to first be done. ...

7.3.1.2 Security

Example of a missing component

A future research effort is needed to address the security holes that results from using a self-signed certificate. Page filling text mass. Page filling text mass. ...

7.3.2 Next obvious things to be done

In particular, the author of this thesis wishes to point out xxxxxx remains as a problem to be solved. Solving this problem is the next thing that should be done. ...

7.4 Reflections

Reflektioner

Vilka är de relevanta ekonomiska, sociala, miljömässiga och etiska aspekter av ditt arbete?

What are the relevant economic, social, environmental, and ethical aspects of your work?

One of the most important results is the reduction in the amount of energy required to process each packet while at the same time reducing the time required to process each packet.

The thesis contributes to the **United Nations (UN) Sustainable Development Goals (SDGs)** numbers 1 and 9 by xxxx.

In the references, let Zotero or other tool fill this in for you. I suggest an extended version of the IEEE style, to include URLs, DOIs, ISBNs, etc., to make it easier for your reader to find them. This will make life easier for your opponents and examiner.

IEEE Editorial Style Manual: https://www.ieee.org/content/dam/ieee-org/ieee/web/org/conferences/style_references_manual.pdf

Låt Zotero eller annat verktyg fylla i det här för dig. Jag föreslår en utökad version av IEEE stil - att inkludera webbadresser, DOI, ISBN osv. - för att göra det lättare för läsaren att hitta dem. Detta kommer att göra livet lättare för dina opponenter och examinerator.

References

- [1] A. Farshin, A. Roozbeh, G. Q. Maguire, and D. Kostić, “Make the Most out of Last Level Cache in Intel Processors,” in *Proceedings of the Fourteenth EuroSys Conference 2019 CD-ROM on ZZZ - EuroSys '19*. Dresden, Germany: ACM Press, 2019. doi: 10.1145/3302424.3303977. ISBN 978-1-4503-6281-8 pp. 1–17. [Online]. Available: <http://dl.acm.org/citation.cfm?doid=3302424.3303977>
- [2] J. Ioannidis and G. Maguire, “Coherent File Distribution Protocol,” *Internet Request for Comments*, vol. RFC 1235 (Experimental), Jun. 1991. doi: 10.17487/RFC1235. [Online]. Available: <http://www.rfc-editor.org/rfc/rfc1235.txt>
- [3] Y. S. Kim, G. Q. Maguire, and M. E. Noz, “Do Small-Mass Neutrinos Participate in Gauge Transformations?” *Advances in High Energy Physics*, vol. 2016, pp. 1–7, 2016. doi: 10.1155/2016/1847620. [Online]. Available: <http://www.hindawi.com/journals/ahep/2016/1847620/>
- [4] G. Q. Maguire Jr., M. E. Noz, H. Olivecrona, M. P. Zeleznik, and L. Weidenhielm, “A New Automated Way to Measure Polyethylene Wear in THA Using a High Resolution CT Scanner: Method and Analysis,” *The Scientific World Journal*, vol. 2014, pp. 1–9, 2014. doi: 10.1155/2014/528407. [Online]. Available: <http://www.hindawi.com/journals/tswj/2014/528407/>
- [5] K. Bogdanov, M. Peón-Quirós, G. Q. Maguire, and D. Kostć, “The nearest replica can be farther than you think,” in *Proceedings of the Sixth ACM Symposium on Cloud Computing - SoCC '15*. Kohala Coast, Hawaii: ACM Press, 2015. doi: 10.1145/2806777.2806939. ISBN 978-1-4503-3651-2 pp. 16–29. [Online]. Available: <http://dl.acm.org/citation.cfm?doid=2806777.2806939>

- [6] A. Roozbeh, A. Sefidcon, and G. Q. Maguire, “Resource Monitoring in a Network Embedded Cloud: An Extension to OSPF-TE,” in *2013 IEEE/ACM 6th International Conference on Utility and Cloud Computing*. Dresden, Germany: IEEE, Dec. 2013. doi: 10.1109/UCC.2013.36. ISBN 978-0-7695-5152-4 pp. 139–146. [Online]. Available: <http://ieeexplore.ieee.org/document/6809350/>
- [7] Álvaro Menéndez-Aller, Álvaro Postigo, P. Montes-Álvarez, F. J. González-Primo, and E. García-Cueto, “Humor as a protective factor against anxiety and depression,” *International Journal of Clinical and Health Psychology*, vol. 20, no. 1, pp. 38–45, Jan. 2020. doi: 10.1016/j.ijchp.2019.12.002. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/S1697260019302509>

If you do not have an appendix, do not include the \cleardoublepage command below; otherwise, the last page number in the metadata will be one too large.

Appendix A

Supporting materials

Here is a place to add supporting material that can help others build upon your work. You can include files as attachments to the PDF file or indirectly via URLs. Alternatively, consider adding supporting material uploaded as separate files in DiVA.

The BibTeX references used in this thesis are attached. 

Some source code relevant to this project can be found at <https://github.com/ggmaquirejr/E-learning> and <https://github.com/ggmaquirejr/Canvas-tools>.

Your reader can access the attached (embedded) files using a PDF tool such as Adobe Acrobat Reader using the paperclip icon in the left menu, as shown in Figure A.1 or by right-clicking on the push-pin icon in the PDF file and then using the menu to save the embedded file as shown in Figure A.2.

An argument for including supporting material in the PDF file is that it will be available to anyone who has a copy of the PDF file. As a result, they do not have to look elsewhere for this material. This comes at the cost of a larger PDF file. However, the embedded files are encoded into a compressed stream within the PDF file; thus, reducing the number of additional bytes. For example, the references.bib file that was used in this example is 10 617 B in size but only occupies 4 261 B in the PDF file.

DiVA is limited to ≈ 1 GB for each supporting file. If you have very large amounts of supporting material, you will probably want to use one of the data repositories. For additional help with this, contact KTH Library via researchdata@kth.se.

As of Spring 2024, there are plans to migrate this supporting data from DiVA to a research data repository.




Figure A.1: Adobe Acrobat Reader using the paperclip icon for the attached references.bib file




Figure A.2: Adobe Acrobat Reader after right-clicking on the push-pin icon for the attached references.bib file

Appendix B

Something Extra

svensk: Extra Material som Bilaga

B.1 Just for testing KTH colors

You have selected to optimize for print output

- Primary color

- kth-blue 

- kth-blue80 

- Secondary colors

- kth-lightblue 

- kth-lightred 

- kth-lightred80 

- kth-lightgreen 

- kth-coolgray 

- kth-coolgray80 

black 

Appendix C

README_author - the starting place for authors

This chapter describes the thesis template that I (Gerald Q. Maguire Jr.) have developed for use at KTH Royal Institute of Technology (KTH). It is important to note that the template is **not prescriptive**, as not every thesis will have all of the parts that the template shows. However, if there is something that you decide to leave out, you should make a conscious decision to do so and you should consider the impact this may have on your thesis being approved by the examiner.

Fundamental to the design of the template are several key factors:

- Helping students be successful in their degree project,
- Helping students produce a high-quality thesis, and
- Supporting all of the (relevant) phases of the degree project process.

This document is a work in progress.

C.1 Advice for Author or Authors

One of the hardest problems an author faces is getting started writing, *i.e.*, the blank sheet of paper – empty file barrier. The template provides a non-blank starting point; hence, avoiding the blank paper barrier. Additionally, the template provides some initial structure, basically, an Introduction, Methods, Results, and Discussion (IMRAD) structure, so that there are hints of where to place material. Moreover, there are places (and notes) about material that the

student should consider adding; for example, the “required reflections” section in the final chapter.

The template (located in the file `examplethesis.tex`) also provides some examples of commonly occurring types of content, so that one can easily find examples of how to include a figure, table, code listing, *etc.* These examples are not meant to be exhaustive and quite often the student will probably need to learn new $\text{\LaTeX}$ commands in the course of writing their thesis.

As an author, the first step is to configure the $\text{\LaTeX}$ engine that you will use to process the files - see Section C.2. The second step will be to configure the template - see Section C.3. The third step will be to make sure that the information about you, your supervisor(s), and the examiner are correct in the file `custom_configuration.tex` - this information uses the macros described in Section C.4. Now that you have a lot of the administrative details taken care of it is time to start to write - see Section C.6.

Note that if you are using Overleaf:

Make your own copy of the template If you have opened the template from a URL, in the upper left-hand corner, click on **Menu**. Then select **Copy Project** - this will give you your own private copy.

Use a helpful project name I suggest you include your name in the project name so that when you share it with your supervisor(s) and examiner, they will know it is your project.

Invite your supervisor(s) and examiner to your project You can invite your supervisor(s) and examiner to your project and they can directly comment on and correct your drafts.

Log in to Overleaf with your KTH account If you log in to Overleaf with your KTH account, you get a version of Overleaf that lets you turn on “Track changes” which is very useful (particularly if you have invited your supervisor(s) and examiner to join your project). It also gives you a bit more of a time budget to compile (which can be useful if you have a lot of Tikz figures or other things that take a lot of time for the $\text{\LaTeX}$ engine to render).

If you have more detailed questions about the template itself - see Chapter D.

C.2 Author configuration of the $\text{\LaTeX}$ engine

The template should work with $\text{\pdfLaTeX}$, $\text{\XeLaTeX}$, and $\text{\LuaLaTeX}$. If you are using Overleaf, I strongly recommend using $\text{\XeLaTeX}$ — as this will get the `Arial` fonts correct for the KTH cover. If you are running the compiler on your local machine and you use $\text{\XeLaTeX}$ **and** you have `Arial` as a system font, then it will be able to use it. Similarly, for $\text{\LuaLaTeX}$. For $\text{\pdfLaTeX}$ I have used `\fontfamilyhelvet`, *i.e.*, Helvetica, as it is a sans serif font.

One student reported problems with `FONTSPEC` not loading the fonts properly when running locally with macOS 12.4, TeXLive 2022, LaTeX Workshop on VS Code, and $\text{\XeLaTeX}$ - the solution is described at <https://tug.org/TUGboat/tb39-2/tb122robertson-fontspec.pdf>.

If you are using Overleaf, it is easy to select the compiler (*i.e.*, $\text{\TeX}$ engine) by using the drop-down menu, as shown in Figure C.1.




Figure C.1: Selecting a compiler (*i.e.*, TeX engine) in Overleaf

C.3 Author configuration of the template

The template is designed to handle a thesis written in English or Swedish. You can set the default language to ‘english’ or ‘swedish’ by passing an option to the documentclass. Note that the language option is written in all lowercase letters; for example, to set the document’s language to English:

```
\documentclass[english]{kththesis}
```

To set the document’s language to Swedish (uncomment the following line):

```
\documentclass[swedish]{kththesis}
```

The language option ‘swedish’ sets the conditional `\ifinswedish` to true. Among many other things, this conditional is used to configure the KTH cover and the title page to use the chosen language.

The two most common bibliographic engines are supported, *i.e.*, BibTeX and BibLaTeX. To set the language to English and use the bibliographic engine to BibTeX you would say:

```
\documentclass[english, bibtex]{kththesis}
```

To set the language to Swedish and use the bibliographic engine to BibLaTeX you would say:

```
\documentclass[swedish, biblatex]{kththesis}
```

The above illustrates that you can pass multiple options to the document class separated by commas. Also, note that the options were passed as all lowercase letters.

You can, of course, also modify the formatting of the citations and bibliography. See for example the following code snippet:

```
\ifbiblatex
% \usepackage[language=english, bibstyle=authoryear,
% ↪ citestyle=authoryear, maxbibnames=99]{biblatex}
% \usepackage[style=numeric, sorting=none, backend=biber
% ↪ ]{biblatex}
\usepackage[bibstyle=authoryear, citestyle=authoryear,
% ↪ maxbibnames=99, language=english]{biblatex}
% alternatively you might use another style, such as
% ↪ IEEE
% \usepackage[style=ieee]{biblatex}
\addbibresource{references.bib}
% \DeclareLanguageMapping{norsk}{norwegian}
```

```

\else
  % The line(s) below are for BibTeX
  \bibliographystyle{bibstyle/myIEEETran}
  %\bibliographystyle{apalike}
\fi

```

To optimize for digital output (this changes the color palette) add the option: `digitaloutput`. There are also options for A4 or G6 paper: `a4paper` or `g5paper` (respectively). There is an option for nomenclature, to produce and refer to equations. Finally, there are options for a 1st cycle thesis or 2nd cycle thesis: `bachelor` and `master` (respectively); however, these two options are **not** currently used.

One of the first things that the author(s) will want to do is add the working title and subtitle to the thesis. This is done using the `\title`, `\subtitle`, `\alttitle`, and `\altsubtitle` macros as shown below:

```

\title{This is the title in the language of the thesis}
\subtitle{A subtitle in the language of the thesis}

% give the alternative title - i.e., if the thesis is in
  ↪ English,
% then give a Swedish title
\alttitle{Detta är den svenska översättningen av titeln}
\altsubtitle{Detta är den svenska översättningen av
  ↪ undertiteln}
% alternative, if the thesis is in Swedish, then give an
  ↪ English title
%\alttitle{This is the English translation of the title}
%\altsubtitle{This is the English translation of the
  ↪ subtitle}

```

Setting these values once and then using them in many places reduces the work to change them while at the same time ensuring consistency.

The issue of what characters can be placed in a title (subtitle, keywords, and abstracts) and how to enter them is a bit complex, but you should be able to achieve much of what you want - at the cost of some effort. Ultimately, the characters that will be placed into DiVA and LADOK must be Unicode, encoded using Unicode Transformation Format (UTF), specifically UTF-8. While DiVA utilizes HTML for these fields, allowing you to include some markup, LADOK does not support any markup.

If you have titles or subtitles that cannot be converted to pure Unicode (such as subscripts with capital letters or other symbols), you should also use the optional commands `\titleInPlainText`, `\subtitleInPlainText`, `\alttitleInPlainText`, and `\altsubtitleInPlainText` in your `custom_configuration.tex` or `custom_configuration_plaintext.tex` files to provide versions of titles and subtitles that can be used with LADOK. Compiling `Generate_titles_in_plain_text.tex` with **Lua^AT_EX** will produce a file named `extra_plaintext.tex` containing plain text versions of the titles and subtitles (both main and alternate). The reason that you have to compile using Lua^AT_EX is that I have used Lua code and Lua^AT_EX to compute the plain text strings. After you have compiled the file, you can follow the workflow to generate, download, edit and merge, and upload the `custom_configuration_plaintext.tex` file to your Overleaf project.

Some additional configuration that the author(s) might do is to set the values of the macros related to the course cycle, course code, date of the thesis, number of credits, degree/exam name, subject area, and if the degree is done external to KTH to set the host information (see the file *custom_configuration.text*). Consider the snippet below for a student admitted to the “Bachelor’s Programme in Information and Communication Technology (TCOMK)” program and enrolled in the degree project course “IA150X Degree Project in Information and Communication Technology, First Cycle 15.0 credits” and working at a company “Företaget AB”:

```
\hostcompany{Företaget AB} % Remove this line if the
    ↳ project was not done at a host company

\date{\today}

\courseCycle{1}
\courseCode{IA150X}
\courseCredits{15.0}

\programcode{TCOMK}
\degreeName{Bachelors degree}
% Note that the subject area for a Bachelor's thesis (
    ↳ Kandidatexamen)
```

```
% should be either Technology or Architecture
% If the thesis is in Swedish, these would be: teknik |
    ↪ arkitektur
% -- Note the use of lower case for the Swedish subject
    ↪ area
\subjectArea{Technology}
```

Note that in the above macros you have to give the English or Swedish names in the arguments to \degreeName and \subjectArea - as shown below:

```
\degreeName{Kandidatexamen}
\subjectArea{teknik}
```

For a CDATE student enrolled in the course “DA231X Degree Project in Computer Science and Engineering, Second Cycle 30.0 credits”, the cycle, program, course code, degree, and subject area information would be:

```
\programcode{CDATE}
\courseCycle{2}
\courseCode{DA231X}
\courseCredits{30.0}
\degreeName{Degree of Master of Science in Engineering}
\subjectArea{Computer Science and Engineering}
```

The set of possible values for the English or Swedish names in the arguments to \degreeName are:

```
\degreeName{Higher Education Diploma}
\degreeName{Högskoleexamen}

\degreeName{Bachelors degree}
\degreeName{Kandidatexamen}

\degreeName{Master of Architecture}
\degreeName{Arkitektexamen}

\degreeName{Degree of Master of Science in Engineering}
\degreeName{Civilingenjörs}

\degreeName{Magister}
\degreeName{Magisterexamen}

\degreeName{Degree of Master of Science}
\degreeName{Masterexamen}
```

```

\degreeName{Master of Science in Engineering and Master
↪ of Arts in Education degree}
\degreeName{Civilingenjör och lärare examen}

\degreeName{Degree of Master of Science in Secondary
↪ Education}
\degreeName{Ämneslärarexamen}

\degreeName{Both} # Degree Project in the Field of
↪ Technology <teknikområde> and the Main Field of
↪ Study <huvudområde>
\degreeName{Same} # The case when the field of
↪ technology <teknikområde> and main field of study <
↪ huvudområde> are the same.

```

For the last two cases, the code compares the values of subjectArea and secondSubjectArea.

You can find a list of the program codes and school acronyms in the file: lib/schools_and_programs.ins.

There are a set of rules about what is to be displayed on the KTH cover. These can be found at <https://www.kth.se/social/group/sprakkommitte/page/omrade-for-examensarbete/>.

One of the reasons for many of the macros shown above and below is to collect the information that is needed to report the approved thesis in Digitala Vetenskapliga Arkivet (DiVA) and to report the title(s) and grade in Lokalt adb-baserat dokumentationssystem (LADOK).

National subject categories are a **required** field in the DiVA record. These categories follow a definition by SCB (nowadays known as Statistikmyndigheten or in English: Statistics Sweden) and HSV (Högskoleverket - nowadays known as Universitetskanslersämbetet (UK-ämbetet) and Universitets- och högskolerådet (UHR) or in English: Swedish Higher Education Authority and Swedish Council for Higher Education). While these codes refer to research areas, these codes are also used in KTH to indicate the area of the thesis. The guidance that I received from the Linköping University library was that one should try to use 5-digit codes when possible. Some examples of these codes are shown in Table C.1.

```

\nationalsubjectcategories{} comma-separated list of national
                             subject category codes - each a 3
                             or 5 digit code

```

An example for a thesis in Computer Science and Computer Systems:

```
\nationalsubjectcategories{10201, 10206}
```

You can find examples of the subjects and their codes at in Table C.1. The complete list can be found AT <https://www.scb.se/contentassets/3a12f556522d4bdc887c4838a37c7ec7/standard-for-svensk-indelning--av-forskningsamnen-2011-uppdaterad-aug-2016.pdf>

and

<https://www.scb.se/contentassets/10054f2ef27c437884e8cde0d38b9cc4/oversattningsnyckel-forskningsamnen.pdf>

You can also find them in README_notes/National_Subject_Categories.tex. This file can be processed separately or included as an appendix by commenting out the begin and end comments around it near the end of the examplethesis.tex file. The full list is about 14 pages long.

Table C.1: Examples of some national subject categories and their codes

Code	Category (in Swedish)	Category (in English)
102	Data- och informationsvetenskap (Datateknik)	Computer and Information Sciences
10201	Datavetenskap (datalogi)	Computer Sciences
10202	Systemvetenskap, informationssystem och informatik (samhällsvetenskaplig inriktning under 50804)	Information Systems (Social aspects to be 50804)
10203	Bioinformatik (beräkningsbiologi) (tillämpningar under 10610)	Bioinformatics (Computational Biology) (applications to be 10610)
10204	Människa-datorinteraktion (interaktionsdesign) (Samhällsvetenskapliga aspekter under 50803)	Human Computer Interaction (Social aspects to be 50803)
10205	Programvaruteknik	Software Engineering
10206	Datorteknik	Computer Engineering
10207	Datorseende och robotik (autonoma system)	Computer Vision and Robotics (Autonomous Systems)
10208	Språkteknologi (språkvetenskaplig databehandling)	Language Technology (Computational Linguistics)
10209	Medieteknik	Media and Communication Technology
10299	Annan data- och informationsvetenskap	Other Computer and Information Science
202	Elektroteknik och elektronik	Electrical Engineering, Electronic Engineering, Information Engineering
20201	Robotteknik och automation	Robotics
20202	Reglerteknik	Control Engineering
20203	Kommunikationssystem	Communication Systems
20204	Telekommunikation	Telecommunications
20205	Signalbehandling	Signal Processing
20206	Datorsystem	Computer Systems
20207	Inbäddad systemteknik	Embedded Systems
20299	Annan elektroteknik och elektronik	Other Electrical Engineering, Electronic Engineering, Information Engineering

C.3.1 Setting the UN's Sustainable Development Goals (SDGs) information

The UN’s Sustainable Development Goals (SDGs) are a field in the DiVA record. Some examples of these SDGs are shown in Table C.2.

\SDGs{ }	comma-separated list of SDG codes - each a numerical value
-----------------	---

An example of a thesis supporting SDGs 8 and 9:

$$\backslash \text{SDGs} \{8, 9\}$$

Table C.2: UN's Sustainable Development Goals (SDGs)

SDG	Category (in English)	Category (in Swedish)
1	No poverty	Ingen fattigdom
2	Zero hunger	Ingen hunger
3	Good health and well-being	God hälsa och välbefinnande
4	Quality education	God utbildning för alla
5	Gender equality	Jämställdhet
6	Clean water and sanitation	Rent vatten och sanitet för alla
7	Affordable and clean energy	Hållbar energi för alla
8	Decent work and economic growth	Anständiga arbetsvillkor och ekonomisk tillväxt
9	Industry, innovation and infrastructure	Hållbar industri, innovationer och infrastruktur
10	Reduced inequalities	Minskad ojämlikhet
11	Sustainable cities and communities	Hållbara städer och samhällen
12	Responsible consumption and production	Hållbar konsumtion och produktion
13	Climate action	Bekämpa klimatförändringarna
14	Life below water	Hav och marina resurser
15	Life on land	Ekosystem och biologisk mångfald
16	Peace, justice and strong institutions	Fredliga och inkluderande samhällen
17	Partnerships for the goals	Genomförande och globalt partnerskap

C.4 Author macros

It is assumed that there can only be 1 or 2 authors. For many years now 2nd cycle theses are expected to only have one author.

For the author or first author, there are a number of macros defined to store information about the author, so that it can later be used in multiple places – for example, the KTH cover (produced with `\kthcover`), the title page (via `\titlepage`, the “For DiVA” section at the end of the thesis (via `\divainfo{pg:lastPageofPreface}{pg:lastPageofMainmatter}`), and possibly a JavaScript Object Notation (JSON) file named `fordiva.json` produced as a by product of the `\divainfo`. Note that the actual section name has DiVA set in all caps - which hopefully should not occur in the thesis! If the string DiVA set in all caps, does have to appear, then the section heading should be preceded by four euro signs and followed by four more euro signs (as is done in this document).

The author-related macros are:

<code>\authorsLastname{ }</code>	the last name of the author*
<code>\authorsFirstname{ }</code>	the first name of the author
<code>\email{ }</code>	the KTH e-mail address of the author
<code>\kthid{ }</code>	the author’s kthid, this generally starts with the string “u1” and is a unique identifier for every KTH user.
<code>\authorsSchool{ }</code>	the value is generally of the form: <code>\schoolAcronym{XXX}</code> . The currently supported school acronyms are: ABE, CBH, EECS, ITM, and SCI. These are defined in the file <code>schools_and_programs.ins</code> . There is also a fake school XXX for use in the template.

If the first author is not in Stockholm, Sweden when the acknowledgements are written, then add that information via the macros described below. This information will be used when generating the acknowledgements

*Note that the author’s name can include a suffix such as “, Jr.” or “ Jr.”, i.e., the suffix can be separated with a comma or not – as the author prefers to write their name.

signature. The acknowledgements signature is the text at the end of the acknowledgements and it gives the place where the author(s) is/are when writing the acknowledgements and also gives the date and name(s).

`\authorCity{A City}` specify the city

`\authorCountry{A Country}` specify the country

`\authorCityCountryDate{}` pass into this function the month and year for the acknowledgement. This can be a string such as January 2022 or it can be a $\LaTeX$ expression, such as `\MONTH\enspace\the\year`.

If there is a second author and the place, month, and year are **all** the same, then specify the month and year for only the **first** author:

`\authorCityCountryDate{\MONTH\enspace\the\year}`

If there is a second author and the place is different, then say:

`\authorCityCountryDate{}`

If there is a second author, the macros are:

`\secondAuthorsLastname{}` the last name of the 2nd author

`\secondAuthorsFirstname{}` the first name of the 2nd author

`\secondemail{}` the KTH e-mail address of the 2nd author

`\secondkthid{}` the 2nd author's kthid

`\secondAuthorsSchool{}` the school of the 2nd author

If the second author is not in the same place as the first author, then add the relevant information using the macros below. This information will be used when generating the acknowledgements signature.

`\secondAuthorCity{A City}` specify the city

`\secondAuthorCountry{A Country}` specify the country

`\secondAuthorCityCountryDate{\MONTH\enspace\the\year}`
pass into this function the month and year for the acknowledgement

If the second author is the same place as the first author, then comment out or delete the `\secondAuthorCityCountryDate{ }` as shown below:

```
%\secondAuthorCityCountryDate{ }
```

C.5 Starting to write - for the impatient

For those who are impatient and rapidly want to start writing, I suggest you start by configuring the `custom_configuration.tex` file (see Section C.3), your working title, and abstract (Section C.6.1). After this, a quick way to start writing the text in your document is to go to the table of contents in Overleaf and click on a chapter or section - this will utilize a hyperlink to go to that part of the PDF file. Next, click on the left-going arrow near the top of the border between the LaTeX on the left and the PDF on the right; this will take you (close) to the correct place in the source file where you can start to modify the content and write.

C.6 Starting to write

As you write you will notice "todo" notes in the template. They follow the following conventions:

```
\generalExpl{Comments/directions/... in English}
\sweExpl{Text på svenska}
\engExpl{English descriptions about formatting}
\sweExpl{warnings}
```

If you do not want to see these notes, you can, of course, redefine the above macros to output nothing. If you do not want to see any notes, then add the option **final** to the `\documentclass` arguments near the top of the file `examplethesis.tex`.

C.6.1 Working abstract

I generally recommend that every student start by writing a working abstract, this will help you keep your focus. To find where you can start to enter your abstract, look in the `examplethesis.tex` file for the line:

```
\generalExpl{Enter your abstract here!}
```

There is lots of information already in the template to help you with entering text, equations, *etc.*, in your abstract. **NB** Abstracts are supposed to

stand by themselves, this means no footnotes, no cross-references, no figures, no tables, *etc.*

I suggest avoiding the use of the defined acronyms in abstracts *i.e.*, spell them out rather than using the glossary commands. This is due to the fact that the `glossaries` package (that is being used to support acronyms) does not directly provide support for multiple languages and because I do not understand how to programmatically create plurals of acronyms in Swedish or other languages. Even in an English abstract, it is desirable to avoid using the glossary commands - as this makes subsequent processing of the abstracts harder - since one has to make sure that the list of acronyms and their definitions are provided to any program that will process this $\text{\LaTeX}$ source code. For this reason, later versions of this template include the `acronyms.tex` file after the metadata for DiVA.

C.6.2 Structure of the abstracts and summaries

The basic $\text{\LaTeX}$ structure for an abstract or summary is shown below (for the case of an English abstract and a Swedish summary *i.e.*, sammanfattning):

```
\begin{abstract}
  \markboth{\abstractname}{}
\begin{scontents} [store-env=lang]
eng
\end{scontents}

\begin{scontents} [store-env=abstracts, print-env=true]
here is where you abstract goes.
\end{scontents}

\subsection*{Keywords}
\begin{scontents} [store-env=keywords, print-env=true]
% If you set the EnglishKeywords earlier, you can
  ↪ retrieve them with:
\InsertKeywords{english}
% If you did not set the EnglishKeywords earlier then
  ↪ simply enter the comma separate keywords here:
%such as: Canvas Learning Management System, Docker
  ↪ containers, Performance tuning
\end{scontents}
\end{abstract}
```

```

\cleardoublepage
\babelpolyLangStart{swedish}
\begin{abstract}
  \markboth{\abstractname}{}
\begin{scontents}[store-env=lang]
swe
\end{scontents}
\begin{scontents}[store-env=abstracts,print-env=true]
Swedish summary goes here
\end{scontents}
\subsection*{Nyckelord}
\begin{scontents}[store-env=keywords,print-env=true]
% SwedishKeywords were set earlier, hence we can use
  ↪ alternative 2
\InsertKeywords{swedish}
\end{scontents}
\end{abstract}
\babelpolyLangStop{swedish}

```

It is important to note that the contents of the `scontents` environment for the abstracts are stored **verbatim**, *i.e.*, the $\LaTeX$ is **not** executed. The reason for this is to be able to later have a program that can manipulate the source $\LaTeX$ to convert it to HTML for use in announcements, calendar events, and for DiVA. This means that if you write the following:

```

\begin{scontents}[store-env=abstracts,print-env=true]
\input{abstract.tex}
\end{scontents}

```

what will end up in your abstract in the metadata save for DiVA will simply be: `"\input{abstract.tex}"` – which means that someone will have to cut and paste your actual abstract to insert it into DiVA.

It is also important to note that the following lines:

```

\begin{scontents}[store-env=lang]
eng
\end{scontents}

```

must be before the `scontents` environment for the abstracts and keywords – as these lines indicate what language the subsequent abstract and keywords are in. The three-character code used for the language is the ISO 639-2 Code – specifically the "B" (bibliographic) variant of these codes — as these codes are used in the DiVA metadata to tag what language is used.

C.6.3 Abstracts must be able to stand alone

The abstract needs to be able to stand alone; therefore, you **cannot** include citations to your references – as the references are **not** part of the abstract! It is possible (but very rare) to have footnotes as part of the abstract. However, you should be aware that quite often, if the abstract is manually entered in DiVA, the footnote might not be entered. In this case, unless your full text is available (*e.g.*, via DiVA), a reader might not have an easy way to find out what the footnote says.

C.6.4 Acronyms

You may want to define an acronym to help you with your writing, as this can both reduce the amount of typing and help your reader by providing consistent use of acronyms. The acronyms' definitions can be found in the file *lib/acronyms.tex*. The file contains some examples. I generally try to sort the lines to help find which acronyms I already have defined and keep track of the new one(s) I want to add.

C.6.5 Some predefined macros to help when writing

The file *lib/defines.tex* includes some macros that will help you when writing. This includes `\etc`, to give you “*etc.*”, `\eg`, `\ie`, and `\etal`. The file also defines `\first`, `\Second`, ... `\eighth` to give you *(i)*, *(ii)*, *(iii)*, ... *(viii)*. Note that ‘Second’ is written with an initial capital letter to avoid conflict with the unit ‘second’ in the `siunitx` package.

C.6.6 Additional abstract(s)

All theses at KTH are **required** to have an abstract in both *English* and *Swedish*. However, in addition to this, many students want to add abstracts in additional languages. The template comes pre-configured with places for abstracts in several other languages. If there is a language that you want to use that is not already supported, there are directions for how to add an additional language. If there are abstracts in languages that you do not want, please delete them or comment them out (see Section [C.6.7](#)).

C.6.7 Removing and hiding parts that you do not want

It is quite likely that you will find parts of the template that you do not want/need. One way of dealing with this is to delete them, and another way is to comment them out. Personally, I like to comment things out, in case I actually do want to be able to read it in the L^AT_EX file or uncomment it later. To comment out a portion of the file, simply use the following environment:

```
\begin{comment}
    *** what you want to comment out ***
\end{comment}
```

For example, if you are not interested in the Swedish language `todo` notes, you can look for lines with “\sweExpl” in them and comment them out (or delete them).

C.6.8 Removing the README_notes

At some point you will no longer want this README information. You can remove it by removing the line `\include{README_notes/README_notes}` – from the *examplethesis.tex* file. You can then remove the **README_notes** directory.

Unless you are an examiner or an administrator you can delete the file: `README_notes/README_examiner_notes.tex` and delete the include of this file from near the end of the template (*i.e.*, *examplethesis.tex*). You can also delete the directory **README_notes/README_examiner-figures**.

C.7 Copyright or Creative Commons License

It is possible to have several variants of the bookinfo page^{*}:

copyright If you want to have a bookinfo page, include the line saying `\bookinfo page`.

Creative Commons (CC) If you want to have a bookinfo page but want to have a Creative Commons license, then include `\bookinfo page` and use and configure the `doclicense` package as described below.

^{*}When printed double sided, the bookinfo page is the back of the title page.

none If you do **not** want to have a bookinfo page, comment the line saying \bookinfo page and add a \cleardoublepage.

For background about Creative Commons licenses, see: <https://www.kb.se/samverkan-och-utveckling/oppen-tillgang-och-bibsamkonsortiet/open-access-and-bibsam-consortium/open-access/creative-commons-faq-for-researchers.html> and <https://kib.ki.se/en/publish-analyse/publish-your-article-open-access/open-licence-your-publication-cc>.

Note that the lowercase version of the Creative Commons license has to be used in the modifier, *i.e.*, one of: by, by-nc, by-nd, by-nc-nd, by-sa, by-nc-sa, or zero. For the list of supported licenses, see the documentation for the doclicense package.

Note that if the doclicense package is used, it automatically redefines \bookinfo page to be \bookinfo pageCC.

C.7.1 Example configuration to have a CC BY-NC-ND license

```
\usepackage[
  type={CC},
  modifier={by-nc-nd},
  version={4.0},
  hyphenation={RaggedRight},
]{doclicense}
```

Note that the option “hyphenation=RaggedRight” can be used with the configuration of the package to set the license information with a ragged right margin rather than as a filled and justified paragraph.

C.7.2 Example configuration to have a CC BY-NC-ND license with a Euro symbol rather than a Dollar sign

```
\usepackage[
  type={CC},
  modifier={by-nc-nd},
```

```

version={4.0},
imagemodifier={-eu-88x31}, % to get Euro symbol rather
    ↔ than Dollar sign
hyphenation={RaggedRight},
]{doclicense}

```

C.7.3 Example configuration to have a CC0 license

```

\usepackage[
    type={CC},
    modifier={zero},
    version={1.0},
]{doclicense}

```

C.8 Use of fonts within the thesis

The choice of fonts is a very individual matter and may be affected by the kind of content that you are trying to write, the language that you are writing in, and what you want to convey to your reader. However, some points to keep in mind are:

- Use fonts with serifs for the body of your thesis, their presence makes it much easier for your reader.
- Use sans serif fonts for headings. This helps your reader distinguish them from the body.
- Be very careful when using fonts that are not widely available*. Unless you embed the fonts that you have used, your readers may not see what you want them to see. Ideally, you should embed all fonts – even if you only embed the subset you use.
- Although there are fonts that have a huge number of characters in them, they might not have the characters that you need.

*For example, even though it is widely used, not everyone has the Arial font. Additionally, it is a proprietary font; thus, you need to have an appropriate license to use it.

- There are also fonts that, although they have a vast number of characters in them, do not have the math table that $\text{\LaTeX}$ needs to be able to set mathematical content*.
- Many fonts are proprietary, thus you need to consider whether you have an appropriate license to use them.

What can you do when the fonts you use are missing characters that you need to use? One solution is to use a font that has the character(s) that you want and then make use of them in the places that you need to.

The details of working with different fonts and characters is a rather complex area and not for the faint-hearted. However, if you **really** want to have specific characters, $\text{\XeLaTeX}$ and $\text{\LuaLaTeX}$ have the means to help you realize what you want.

C.9 One big thesis file or a master file with includes of the parts

While many students split their thesis into multiple files (such as `introduction.tex`, `background.tex`, `method.tex`, `what-you-did.tex`, `results-and-analysis.tex`, `discussion.tex`, `conclusion-and-future-work.tex`) and then include these in their main document (with a series of `\includexxxx`), my experience is that it actually makes it hard to be consistent in the thesis. For example, you cannot do a simple global replacement when you have decided to introduce a particular acronym. It also makes searching for things difficult, as Overleaf's search function only works on individual files[†]. Personally, I find it hard to correct LaTeX errors when the file is split in this way - since Overleaf does not make it simple to find the root cause of a problem when the chapters are included in this way. There can be a problem with compiling the project in Overleaf, as Overleaf does not always handle the separate files as one document (unless you use the functions to tell LaTeX that a file is part of a larger document and identify the parent document). Although I have had some students do this splitting successfully and they liked being able to compile just

*An example of such a font is Google's Noto font. Even though it includes a vast number of characters, it lacks a math table – although there is an awareness of this missing feature

[†]Note that this is not a problem if you use emacs and a tags file, as this can do searching over the whole set of files and even a tags based query and replace.

a part of their report; I've personally had strange errors occur with it - hence I did not use this with the template.

There are some advantages to splitting the document into different parts:

- Overleaf has a limit on the number of changes that it can track - but this limit is per file! [Yes, I have gotten bitten by this when I have put in more changes and comments than the limit and had to stop marking up a manuscript.]
- Additionally, Overleaf has a per file size limit (*i.e.*, how large a file can be) - again this is per file [Yes, I have gotten bitten by this when exporting a Jupyter notebook that produced a LaTeX file larger than 50 MB.]
- This is useful when different students (in a 1st cycle degree project) are writing different parts of the report (in this case the divisions can be even at the section or subsection level).

Similarly, many students like to group their figures along with their chapters, *i.e.*, introducing a folder for each part of the report and placing both the text and the figures relevant to this section into the relevant folder. A similar approach can be used with included code snippets, tables, *etc.*

Ultimately, I think the main issue is the degree to which the separate files are separate and can be worked on as if they were very independent. This generally is true in third-cycle theses, as the chapters tend to be rather independent - typically with one conference/journal paper as the focus of a chapter. However, my experience is that first-cycle theses have very highly interdependent parts, while 2nd cycle theses are split between highly interdependent and highly independent.

However, some might find the question of splitting or not to be a matter of taste or perhaps different ways to approach organizing their writing. So you and your supervisor(s) and examiners might want to discuss what choice is most suitable for your purposes.

Appendix D

README and notes about the template

This document, written by Gerald Q. Maguire Jr, describes the thesis template that I have developed for use at **KTH Royal Institute of Technology (KTH)** and provides some background about why it is the way that it is. It is important to note that the template is **not prescriptive**, as not every thesis will have all the parts the template shows. However, if there is something that you decide to leave out, you should make a conscious decision to do so, and you should consider the impact this may have on your thesis being approved by the examiner.

Fundamental to the design of the template are several key factors:

- Helping students be successful in their degree project,
- Helping students produce a high-quality thesis, and
- Supporting all of the (relevant) phases of the degree project process.

Several thousand theses are written each year by **KTH** students. Every approved thesis will be entered into **Digitala Vetenskapliga Arkivet (DiVA)** (independent of whether the full text is made available via **DiVA**). Collecting the data necessary for **DiVA** was a major driving force in the design of the template. This data is useful for many of the phases of the degree project, such as announcing the oral presentation.

This template is **not** designed for use by **Interactive Media Technology (TIMTM)** and **Media Management (TMMTM)** students - as students in these two programs are using a different structure for their reports (there is another template available for them).

This document is a work in progress.

D.1 Introduction

This template evolved (radically) from an earlier thesis template that was widely used at **KTH**. The direction of this evolution was based on the DOCX template developed over many years for use with students for whom I was the examiner and/or supervisor. The suggested structure and contents of the thesis reflect my experience as an examiner for more than 600 degree projects and the experience I have had as a teacher and examiner for the course *II2202 Research Methodology and Scientific Writing*. The template also reflects my interest as a member of KTH's Language Committee in facilitating the parallel use of English and Swedish at **KTH**, as well as supporting other languages. The latter aspect reflects my experience with double-degree students, who often need to have at least the abstract of their thesis in their home university's language(s). The thesis template also reflects my experience in entering the metadata for hundreds of theses into **DiVA** and announcing a very large number of degree project seminars.

Section **D.4** describes several different groups of users and how the template is relevant to them.

Several major thoughts have influenced the design of this template:

- Thought 1** The template should help a student be successful in their degree project and help them produce a high-quality thesis in conjunction with their degree project.
- Thought 2** The template should help support all of the (relevant) phases of the degree project process.
- Thought 3** Redundant data entry should be minimized to increase consistency.
- Thought 4** There are several thousand theses written each year at **KTH**. Theses are the second most common type of publication at **KTH**.
- Thought 5** Every approved thesis will have at least its metadata entered into **DiVA**. **DiVA** features multi-language support for title, subtitle, abstract, and keywords.

D.2 Delimitations

This template is **not** designed for use by **TIMTM** and Media Management **TMMTM** students - as students in these two programs are using a different

structure for their reports (there is another template available for them).

Additionally, I have been told by one of my colleagues in applied mathematics that theses in this area generally do not follow the **Introduction, Methods, Results, and Discussion** (IMRAD) structure.

Some parts of the template are conditional based on the value of a switch: `\ifinswedish`. The idea is to easily have a single template that supports theses written in English or Swedish. However, in many places, the conditional has not been used but could be. Examples of this include the Swedish names for chapters and sections. Generally, this information is in a note after the English chapter or section name. More complete implementation of the use of this condition remains as future work.

The template does not fully support the G5 paper format. In particular, the **KTH** cover (produced with `\kthcover`) and back cover (produced with `\kthbackcover`) have only been adapted for A4 paper. Support for G5 paper remains as future work.

The handling of the subject area (Swedish: Område för examensarbete) is currently incomplete and remains as future work. Personally, I'm still struggling to understand the rules and how one knows what the correct values are (especially for cases of (i) dual degrees and (ii) combinations of technical subjects and education degrees).

D.3 Structure of the files for the template

Table D.1 shows the structure of the files for the template. These files are generally taken from an existing Overleaf project, a ZIP file, or a github.

One hope is that by automatically extracting information from various sources, this information is more likely to be *correct* and *consistent* (supporting **Thought 3**). This approach has been used to generate two of the files used for the template. These files are:

1. The file `custom_configuration.tex` contains macros and values for configuring a project. These values are generally expected to be known at the start of the project, *e.g.*, author(s), supervisor(s), examiner, course code for the degree project program code, *etc.* While this file can be manually edited, it was designed to be generated by a program that I have written that extracts most of the data from the Canvas course being used in conjunction with the degree project. One of the goals of using such a program is to extract data from Canvas automatically, the **KTH** profile **Application Programming Interface (API)**, **Kurs- och**

programplaneringssystemet (KOPPS), and other sources. The macros for defining this information are described in Sections **C.4**, **D.5.1**, and **D.5.2** - for authors, supervisors, and examiner (respectively).

2. The file `schools_and_programs.ins` contains the English and Swedish names of schools and programs. A program extracted this information from **KOPPS**.

We will assume that these files have been generated by someone. Later, we will examine who this someone might be for each of these files.

Table D.1: Structure of files for the template

bibstyle	directory containing files related to the style of the bibliography	
	<code>myIEEEtran.bst</code>	a bibtex style file
figures	directory containing files for figures	
kth	directory containing various files for the kththesis class	
	<code>kth-commands.tex</code>	definition of commands
	<code>kth-fonts.tex</code>	fonts for the template
	<code>kth-layout.tex</code>	the graphical layout
	<code>kth-packages.tex</code>	the packages used in the template
	<code>kth-sanity-check.tex</code>	some code to do sanity checking
lib	directory containing various library files	
	<code>acronyms.tex</code>	a place to define the acronyms that will or might be used
	<code>defines.tex</code>	some generally useful defines
	<code>includes-after-hyperref.tex</code>	a special include file for packages that have to be included after the hyperref package
	<code>includes.tex</code>	a centralized place to include packages that might be useful
	<code>kthcolors.tex</code>	defines a number of colors from the KTH palette
	<code>pdf_related_includes.tex</code>	includes to be able to add the title and other information to the PDF file
	<code>schools_and_programs.ins</code>	English and Swedish names of schools and the programs
<code>custom_configuration.tex</code>	macros and values for configuring a project	
<code>examplethesis.tex</code>	an example of the thesis itself	
<code>kth_logo.png</code>	the KTH logo for use on the cover	
<code>KTH_ROYAL_INSTITUTE_OF_TECHNOLOGY_logotype.png</code>	KTH logotype for use on the English language cover	
<code>kththesis.cls</code>	the kththesis class file	
<code>README_notes.tex</code>	these notes	
<code>references.bib</code>	references that may be cited in the thesis	

D.4 Expected users and their differences

This template is relevant to several different sets of users:

- Users 1** Author or Authors (see Section [C.1](#)),
- Users 2** Those working together with the author(s) during the degree project process (see Section [D.5](#)),
- Users 3** Administrative staff working with the document after it has been approved by the examiner (see Section [D.6](#)), and
- Users 4** The (hopefully) many (human) readers of the final document (see Section [D.7](#)).
- Users 5** The (hopefully) many computers reading the metadata and the full text of the final document (see Section [D.7.1](#)).
- Users 6** Those who are maintaining or updating this template (see Section [D.7.2](#)).

Each of these different sets of users has different needs and perspectives. The following subsections describe these needs and perspectives.

For information for authors, see Chapter [C](#) - located in the file `README_author.tex`.

D.5 Those working in parallel with the authors(s) during the degree project

Those working together with the author(s) during the degree project process include the examiner, supervisor(s), and the opponent(s).

D.5.1 Supervisor

If a degree project is done in industry, there is generally an industrial supervisor in addition to the academic supervisor(s). The template supports up to 5 supervisors (typically an academic supervisor, an industrial supervisor, and sometimes an additional academic or industrial supervisor). The choice of up to five reflects my experience, observation of prior theses in [DiVA](#), and a request by a student with four supervisors. Note that there is expected to be at least one supervisor. The supervisors are enumerated as A, B, C, D, and E.

For each of A, B, C, D, and E as appropriate, replace the "X" in the following macros:

`\supervisorXsLastname{ }` the last name of the supervisor
`\supervisorXsFirstname{ }` the first name of the supervisor
`\supervisorXsEmail{ }` e-mail address of the supervisor

If the supervisor is from within **KTH**, then add their KTHID, School, and Department info:

`\supervisorXsKTHID{ }` the supervisor's kthid
`\supervisorXsSchool{ }` the school of the supervisor
`\supervisorXsDepartment{ }` the department of the supervisor

If the supervisor is from outside of **KTH**, then add their organization with:

`\supervisorXsOrganization{ }` the supervisor's organization

D.5.2 Examiner

I assume that there is only a single examiner for a given thesis*. For this examiner, the relevant macros are:

`\examinersLastname{ }` the last name of the examiner
`\examinersFirstname{ }` the first name of the examiner
`\examinersEmail{ }` e-mail address of the examiner

If the examiner is from within **KTH**, then add their KTHID, School, and Department info:

`\examinersKTHID{ }` the examiner's kthid
`\examinersSchool{ }` the school of the examiner

*Statistically, there are very few theses with multiple examiners, and this generally occurs for students either in a double degree program or when there are two students in a 1st cycle degree project from different schools, then there might be one examiner for each student. As the case of more than one examiner occurs very infrequently, I have left it for future work. The pseudo-JSON structure is set up to handle multiple examiners, but additional macros would be needed in a similar fashion as used for multiple supervisors, and this metadata would have to be conditionally added where appropriate.

`\examinersDepartment{ }` the department of the examiner

If the examiner is from outside of **KTH**, then add their organization with:

`\examinersOrganization{ }` the examiner's organization

I assume that someone (such as the examiner) will generate the file: `custom_configuration.tex`. This assumption is based upon the fact that the examiner knows who the student or students are who will be working on a given degree project, who the supervisor or supervisors are, what program the student is in, course code, Ideally, this file should be generated automatically by some computer program so that each student or pair of students in a group gets a customized template automatically via the Canvas course. However, currently, the file is generated using a command line program (`create_customized_JSON_file.py`) to generate a **JavaScript Object Notation (JSON)** file. Subsequently, a separate program (`customize_LaTeX_project.py`) takes this **JSON** data and creates the appropriate **L^AT_EX** commands and inserts this information into the file and then inserts this file into a ZIP file, either replacing or augmenting the `custom_configuration.tex` within this ZIP file (if one exists). There is an option for this second program `-initialize` that causes the program to simply replace the file rather than appending the new information to the end of the file.

The above programs are available from <https://github.com/gqmaquirejr/E-learning>. The README file for this GitHub contains information about how to run the programs, their options, and gives examples.

D.5.3 Opponent(s) and oral presentation

Unlike the supervisors and examiner, the macros related to the opponent and oral presentation are in the `examplethesis.tex` file. The macro for the opponent(s) is:

`\opponentsNames{ }` the names (in normal name order) of
the opponent or opponents

When there are multiple opponents, separate their names with `'\&'`; for example, A. B. Normal `\&` A. X. E. Normal.

For the oral presentation, the following macros are filled in once the examiner has scheduled your oral presentation:

<code>\presentationDateAndTimeISO{}</code>	date and time of the presentation is ISO format, for example: 2022-03-15 13:00
<code>\presentationLanguage{}</code>	three letter abbreviation for the language of the presentation according to three letter ISO 639-2 Code – specifically the "B" (bibliographic) variant of these codes (note that this is the same language code used in DiVA), generally eng or swe
<code>\presentationRoom{}</code>	a room name and/or "via Zoom https://kth-se.zoom.us/j/ddddddddd "
<code>\presentationAddress{}</code>	location of the room, for example: Isafjordsgatan 22 (Kistagången 16)
<code>\presentationCity{}</code>	city where the presentation occurs, generally: Stockholm

D.6 Administrative staff

Once a thesis is approved by the examiner we need to add the TRITA number. The TRITA number is assigned by the student affairs office of the school from an annual series of numbers.

D.6.1 What is a TRITA number and why does each approved thesis get assigned one?

TRITA stands for Transactions for the Royal Institute of Technology, with the letter 'A' appended to it. The TRITA definition is the 1971 report, "Mall för publikationsserier vid Kungl. Tekniska högskolan i Stockholm", TRITA-LIB-1001, <http://urn.kb.se/resolve?urn=urn:nbn:se:kth:diva-127656>.

The format for TRITA numbers for degree projects is TRITA-⟨school acronym⟩-EX-YYYY:nnnn, where nnnn is a sequential number starting from 1 each year with the numbers assigned in chronological order to approved theses (“numren delas ut kronologiskt först när examinatorn godkänt arbetet.” - according to one of KTH’s archivists). Note that the list of assigned TRITA numbers is archived each year*. The year, YYYY, is based on the year that the thesis was *approved*.

The TRITA number value can be set with a macro that takes two arguments: series and year:number as shown below:

```
% for entering the TRITA number for a thesis
\trita{TRITA-XXX-EX}{2022:00}
```

D.6.2 Where does the TRITA number go?

The TRITA number will appear on the back cover of the thesis. It is also stored as part of the metadata entered into **DiVA**.

D.6.3 What does this mean in practice?

Currently, at School of XXX[†] the TRITA number is only assigned to the thesis when the examiner has approved the thesis and submitted the PDF of the approved thesis (with cover) to the student affairs office. Of course, this does not make much sense because the back cover is already on the thesis! This means that someone in the student affairs office must either (i) edit the sequential number part of the TRITA number (using some PDF tool) or (ii) they need to make a new back cover and replace the existing back cover. A better solution would be to inform the examiner of the TRITA number and the examiner can see that this number is inserted into the macro shown above and this can enable the number to appear on the back cover and as an added bonus be included in the metadata for **DiVA**.

Note that it is expected that in 2023, this process will change – thus the assignment of the TRITA number and the application of the back cover would be done by the student affairs office (as only they have the relevant information)[‡].

*It seems that this archiving is done twice a year.

[†]Name replaced to neutralize the template.

[‡]Note to maintainers: This means that the back cover can be removed from this template.

D.6.4 Entering the metadata into DiVA

If a thesis has used this template the “For DIVA” page contains the metadata for **DiVA** and an administrator can cut and paste this data into **DiVA**. Alternatively, this metadata can be extracted with a program from the PDF file to produce a **JSON** file that can subsequently be used to create a MODS file for import into **DiVA**. The $\text{\LaTeX}$ compiler can in many cases produce a file called “fordiva.json” that contains the metadata.

The programs that can be used to extract data and to take a **JSON** file and create a MODS file are available from <https://github.com/gqmagui/rejr/E-learning>.

Note that the import of the MODS file does **not import the collaboration data**, even though this is in the file. This is a limitation of the **DiVA** import function. Therefore, this information has to be manually entered along with uploading of the PDF file itself.

D.7 (Human) Readers of the thesis

Some theses have very few downloads from **DiVA**, while some have had hundreds of thousands of downloads. Therefore, you should remember that you have a wide range of human readers of your thesis. The readers include other students looking for information related to their own thesis or because they are interested in the future work that you have suggested to work on for their own degree project. Additionally, researchers who are looking for your results may find your thesis relevant to them. In many cases, companies will look at theses for ideas about what the state of the art is - in several cases, theses have been important as “prior art” and this invalidated patents that had been issued if the patent was submitted after the thesis became public (hence it pays to get theses public as soon as possible). Other human readers are the UKÄ review teams that examine the degree programs offered at **KTH**. Finally, as **KTH** is a public agency, it is important that the general public know what is done at **KTH**^{*}.

D.7.1 Machines reading the metadata or full text of the thesis

The file `pdf_related_includes.tex` contains $\text{\LaTeX}$ code that stores the title, author(s), and keyword information into the PDF document in such

^{*}This is an important part of the Swedish Offentlighetsprincipen.

a way that if you ask for the properties of the PDF file you will get this data. This information makes it easier for machines to get this information from the PDF file.

Additionally, many search engines (such as Google’s search engine) mine **DiVA** for the metadata and if the full text of the thesis is published via **DiVA** then they also process the full text of the thesis. The result is that search engines can find the content in these theses. This is likely to increase the probability that someone will download your thesis if they think it is relevant to them – increasing the number of your human readers (see Section **D.7**).

D.7.2 Template author and maintainers

KTH periodically changes the cover design for theses, introduces new programs of study, eliminates programs of study, reorganizes administratively, and faculty move between schools, departments, and divisions. It can be expected that this template will need to evolve with these changes.

For example, if there is a change in schools or programs then there needs to be changes made to the file `schools_and_programs.ins`. While the current file was extracted from **KOPPS**, the program that does this will need to be replaced because further development of **KOPPS** has been terminated by KTH’s central IT unit which plans to transition all of this information to **Lokalt adb-baserat dokumentationssystemt (LADOK)**.

As another example, on 13 December 2021 there was a change in the **KTH** cover for 1st and 2nd theses, and the cover generator web service was shutdown. The initial draft version of the cover used a proprietary font (TheSans B4 SemiLight and TheSans B6 SemiBold). The version that was publicly introduced uses another proprietary font (Arial) and officially only existed as a DOCX file for a thesis in Swedish. The result is that I had to make my own version in $\text{\LaTeX}$ to try to emulate the DOCX cover. This led to a lot of effort, but one can get a reasonable cover with the correct font as described in Section **C.2**.

D.8 More about Abstracts

In addition to abstracts of the form shown in the template, there is another form of abstracts, called structured abstracts. These are described in Section **D.8.1**. Some automated checking of abstracts has been added to the template, see Section **D.8.2**.

D.8.1 Structured abstracts

In some fields, structured abstracts are commonly used. These typically have the following parts:

Background/Objectives

`<text>`

Method

`<text>`

Results

`<text>`

Conclusions

`<text>`

Such structured abstracts are typically longer (in word count) than typical abstracts. For an example of such a structured abstract, see [7]. The document is available in both English (*Humor as a protective factor against anxiety and depression*) and Spanish (*El humor como factor protector de la ansiedad y la depresión*) via <https://pmc.ncbi.nlm.nih.gov/articles/PMC6994741/>.

D.8.2 Automated checking of some properties of abstracts

To avoid common mistakes, the template now checks the contents of the abstracts and outputs warnings if the author puts a citation or cross-reference into the abstract.

The method of checking was inspired by the code used in the ACM Conference Proceedings templates to give a warning if the user uses a `\vspace` command or redefines `\baselinestretch`, see Listing D.1. To check the abstract, a pair of functions was introduced to save and restore commands, as was done in the package `phfnote`, see Listing D.2.

Listing D.1: Code snippet from ACM Conference Proceedings template

```

\let\@vspace@orig=\@vspace
\let\@vspacer@orig=\@vspacer
\apptocmd{\@vspace}{\ClassWarning{\@classname}{\string\
  ↪ vspace\space should
  only be used to provide space above/below surrounding
  objects}}{}{}
\apptocmd{\@vspacer}{\ClassWarning{\@classname}{\string\
  ↪ vspace\space should
  only be used to provide space above/below surrounding
  objects}}{}{}
\let\@vspace@acm=\@vspace
\let\@vspacer@acm=\@vspacer
\let\ACM@origbaselinestretch\baselinestretch
\AtEndDocument{\ifx\baselinestretch\ACM@origbaselinestretch\
  ↪ else
  \ClassError{\@classname}{An attempt to redefine
  \string\baselinestretch\space detected. Please do not do
  ↪ this for
  ACM submissions!}\fi}

```

Listing D.2: Code snippet from phfnote package

```

%% Macros from the package phfnote
% \phfnoteSaveDefs<{}>{identifier}<{}>{list of macro >names}
  ↳ saves the current definitions of the given list of
  ↳ macros under the identifier. The list of macros is
  ↳ specified as a comma-separated list of macro names.

\def\phfnoteSaveDefs#1#2{%
  \csgdef{phfnote@restoreddefs@#1}{}%
  \def\@tmpa{#2}%
  \for\next:=\@tmpa\do{%
    \global\csletcs{phfnote@restoreddefs@#1@\next}{\next}%
    \expandafter\xappto\csname phfnote@restoreddefs@#1\
      ↳ endcsname{%
      ↳ \noexpand\csletcs{\next}{phfnote@restoreddefs@#1@\next}
      ↳ %
    }%
  }%
}

% \phfnoteRestoreDef<{}>{identifier} - restores the saved
  ↳ macros
\def\phfnoteRestoreDefs#1{%
  \ifcsname phfnote@restoreddefs@#1\endcsname%
    \csname phfnote@restoreddefs@#1\endcsname%
  \else%
    \PackageError{phfnote}{\string\phfnoteRestoreDefs: no
      ↳ such
      definitions stored (#1)}{}
  \fi%
}

```


Given these two new macros, we use hooks (provided by the `etoolbox` package) to save the definition of `\cite` before the abstract and restore it afterwards – as well as to redefine `\cite` to produce a warning if used within the abstract. Note that in the PDF output, there will be **!?cite!?** at the place (in the PDF) where the `\cite` was - to draw the user’s attention to the error. The same mechanism is used for several other macros. The code for these hooks is shown in Listing D.3.

Listing D.3: Hooks to save and restore the cite and ref definitions before and after the abstract environment

```
\BeforeBeginEnvironment{abstract}{\phfnoteSaveDefs{
  ↪ origcmds}{cite, ref, Cref, cref}%
\renewcommand{\cite}[1]{\{\NotoSansFont \textcolor{red!}{\}
  ↪ uuline{cite!}}}\PackageWarning{kththesis}{attempt
  ↪ to use cite command in an abstract}}%
\renewcommand{\ref}[1]{\{\NotoSansFont \textcolor{red!}{\}
  ↪ uuline{ref!}}}\PackageWarning{kththesis}{attempt
  ↪ to use ref command in an abstract}}%
\renewcommand{\Cref}[1]{\{\NotoSansFont \textcolor{red
  ↪ !}{\uuline{Cref!}}}\PackageWarning{kththesis}{
  ↪ attempt to use Cref command in an abstract}}%
\renewcommand{\cref}[1]{\{\NotoSansFont \textcolor{red
  ↪ !}{\uuline{cref!}}}\PackageWarning{kththesis}{
  ↪ attempt to use cref command in an abstract}}%
}

\AfterEndEnvironment{abstract}{\phfnoteRestoreDefs{
  ↪ origcmds}}
```

The hooks shown in Listing D.3 produce a warning message that provides the page number where the `\cite` was used in an abstract (see Figure D.1). This code could be expanded to handle other undesirable commands in an abstract.



```
Package kththesis Warning: attempt to use cite command in an abstract on input line 523. /examplethesis.tex, 523
```

Figure D.1: Example of a warning for use of a citation in an abstract)

The combination of two red Exclamation Question Marks (!?, unicode U+2049) with the command between them (double underlined) was selected as: (i) this string is unlikely in the user’s text, (ii) it was colored red to make it highly visible, and (iii) the offending command is double underlined to help make it visible (even to those who cannot see the color red). While this combination of characters is sometimes turned into an Interrobang glyph (‽, unicode U+203D), I have chosen to use the Exclamation Question Mark glyph as I found the Interrobang too subtle visually. Additionally, when using struck-through or struck-out characters rather than the double underline, it was too hard to read the name of the command. While the PDF does not include the arguments to the `\cite` or `\ref` command - these are in the source $\text{\LaTeX}$.

D.8.3 Tables and images in abstracts

This template and the tools that I have written to help enter the metadata into DiVA do **not** support tables and figures in abstracts.

As an abstract in DiVA can contain HTML code, it is technically possible to make tables and include figures in a DiVA abstract. The problems are (i) that I do not know a general means of transforming a table from LaTeX to HTML, and (ii) I do not know of a good way of passing the image (or images) that might be in a LaTeX abstract (via tools) to DiVA. The second problem might be addressed by attaching the image files to the PDF and adding code to the generated HTML to refer to these images. One problem with this is that the images would probably need to be uploaded as supplemental/supporting material, and then there would need to be some tool to update the abstract to refer to this uploaded file.

In a recent correction that I suggested for a thesis abstract in DiVA, I manually created the table in HTML to match the table that was in the abstract in the printed thesis.

The DiVA administrator who entered the thesis into DiVA had not put *any* of the abstract in, but simply put "See file" in the abstract field!

D.8.4 Graphical or visual abstracts

Karolinska Institutet (KI) has an excellent page about graphical abstracts, see [Graphical abstracts](#). At present, this template does **not** provide any special support for graphical abstracts. One can use the usual mechanisms to include a figure in the abstract; however, see Appendix [D.8.3](#).

I am unsure (i) how to deal with such figures with respect to facilitating their inclusion in DiVA (Could it be uploaded separately as supplemental material?), and (ii) it is unclear to me whether this graphical abstract would be placed before or after the keywords in the LaTeX file. This will require some further evaluation.

Recently, I helped create such a graphical abstract (for a journal paper) using `tikz`. This might have some advantages in terms of accessibility if the `tikz` source code were available to a (screen) reader.

D.9 Cover illustration

Some theses feature an optional cover illustration. Although I have not gotten an answer from the KTH communications unit about the specifications of the cover illustration, I have tried to infer something suitable from a DOCX file.

Due to the lack of a specification for the cover illustration, one should treat this feature of my template as an experimental feature that will be subject to change. Use at your own risk.

Two macros are introduced to make this process simpler, see Listing D.4. The first (`\coverIllustration`) provides the filename of the illustration to be used. The template includes an `image1.png` file. This blue rectangular image was taken from the DOCX template. The author should replace this file with the illustration that they want to use.

NB There are some constraints about what you can put on the cover. If in doubt, query KTH's [Communications Department \(COM\)](#).

The second macro (`\coverIllustrationCredit`) enables the author to acknowledge the creator of the illustration. Here, we will assume that the author has the creator's permission to include the illustration on the cover of their thesis. If the author has created their own illustration, then they do not need to specify any credit, as it is implicitly the work of the author.

NB The author may have to manually adjust the height and width options to the `\includegraphics` command in the `kththesis.cls` file to get the results that they want. If you make the figure too large, it will appear on a second page and **not** on the cover. If this occurs, you need to reduce the height of the illustration.

Listing D.4: Configuring a cover illustration

```
% It is possible to have a cover illustration
\coverIllustration{figures/image1.png}
% if so, the author might acknowledge this or give the
  ↳ copyright information for it with:
\coverIllustrationCredit{A. B. Normal}
```

D.10 While writing

As was noted in Section C.1, the thesis template contains lots of examples, notes, and comments. One method to provide additional information is the


use of `\todo`. Several different types of `\todo` notes have been used in the thesis. These are described in Section [D.10.1](#).

D.10.1 Conventions for `\todo` notes

The example thesis text includes extensive comments, directions, and warnings. These follow the form shown below:

```
\generalExpl{Comments/directions/... in English}
\sweExpl{Text på svenska}
\engExpl{English descriptions about formatting}
\warningExpl{warning}
```

and appear as:



Each of the above is a macro, so as usual in $\text{\LaTeX}$ you can redefine it - even defining it to produce nothing! Several previous students have placed these re-definitions in the `custom_configuration.tex` file.

D.10.2 Turning on and off the `README_notes`

As the various `README` notes are targeted at different readers, you may or not want to see them. It is very easy to turn them on or off by adding or removing a percent (`'%`) character before the relevant `\begin{comment}` and `\end{comment}` comments around each set of notes.

For example, if you are a student writing a thesis, I suggest turning off everything except for the `README_author.tex` and `README_notes.tex` sets of notes. However, I would suggest keeping the other `README` files around (at least for a little while) as a source of examples of how to do things. Despite having spent a very large number of hours working on the template and drafts of students' theses, I find some of the `README` files very helpful as a reminder of how to do things.

D.10.3 Removing the `README_notes`

At some point you will no longer want this `README` information. You can remove it by removing the line `\include{README_notes/README_notes}`

– from the `examplethesis.tex` file. If you have removed the other README* files from the **README_notes** directory, you can then remove the **README_notes** directory.

D.10.4 Removing the README_notes

At some point, you will no longer want this README information. You can remove it by removing the line `\include{README_notes/README_notes}` – from the `examplethesis.tex` file. If you have removed the other README* files from the **README_notes** directory, you can then remove the **README_notes** directory.

D.10.5 Removing unused fonts

This version of the template may also have some font information, in the form of OpenType Font files (with the extension “.otf”) and TrueType Font font files (with the extension “.ttf”). If you are not using these fonts (and no longer are using any of the README files), then you can delete these font files.

€€€€ For DIVA €€€€

```
{
  "Author1": { "Last name": "Student",
    "First name": "Fake A.",
    "Local User Id": "u1XXXXXX",
    "E-mail": "XXXXXXXXXXXX@kth.se",
    "organisation": {"L1": "*****School of XXX*****",
    }
  },
  "Author2": { "Last name": "Student",
    "First name": "Fake B.",
    "Local User Id": "u1XXXXXX",
    "E-mail": "XXXXXXXXXXXX@kth.se",
    "organisation": {"L1": "*****School of XXX*****",
    }
  },
  "Cycle": "XXX",
  "Course code": "XX100X",
  "Credits": "XXX",
  "Degree1": { "Educational program": "*****Master's Programme, FakeProgramme*****, XXX credits"
    , "programme": "TXXXX"
    , "Degree": "*****Unknown degree*****"
    , "subjectArea": "*****Unknown subject area*****"
  },
  "Title": {
    "Main title": "This is the title in the language of the thesis",
    "Subtitle": "A subtitle in the language of the thesis",
    "Language": "eng" },
    "Alternative title": {
      "Main title": "Detta är den svenska översättningen av titeln",
      "Subtitle": "Detta är den svenska översättningen av undertiteln",
      "Language": "swe"
    },
    "Supervisor1": { "Last name": "Supervisor",
      "First name": "A. Busy",
      "Local User Id": "u1XXXXXX",
      "E-mail": "XXXXXXXXXXXX@kth.se",
      "organisation": {"L1": "*****School of XXX*****",
      "L2": "XXX" }
    },
    "Supervisor2": { "Last name": "Supervisor",
      "First name": "Another Busy",
      "Local User Id": "u1XXXXXX",
      "E-mail": "XXXXXXXXXXXX@kth.se",
      "organisation": {"L1": "*****School of XXX*****",
      "L2": "XXX" }
    },
    "Supervisor3": { "Last name": "Supervisor",
      "First name": "Third Busy",
      "E-mail": "XXXXXXXXXXXX@tu.va",
      "Other organisation": "Timbuktu University, Department of Pseudoscience"
    },
    "Examiner1": { "Last name": "ExaminersLastname",
      "First name": "ExaminersFirstname",
      "Local User Id": "u1XXXXXX",
      "E-mail": "XXXXXXXXXXXX@kth.se",
      "organisation": {"L1": "*****School of XXX*****",
      "L2": "XXX" }
    },
    "Cooperation": { "Partner_name": "Företaget AB",
      "National Subject Categories": "dddd, dddd",
      "SDGs": "XXX, XXX",
      "Other information": { "Year": "2026", "Number of pages": "xxi,87" },
      "Copyrightleft": "copyright",
      "Series": { "Title of series": "TRITA – XXX-EX", "No. in series": "2025:0000" },
      "Opponents": { "Name": "XXX" },
      "Presentation": { "Date": "2022-03-15 13:00"
      , "Language": "XXX"
      , "Room": "via Zoom https://kth-se.zoom.us/j/ddddddddddd"
      , "Address": "Isafjordsgatan 22 (Kistagången 16)"
      , "City": "Stockholm" },
      "Number of lang instances": "2",
      "Abstract[eng ]": €€€€

\generalExpl{Enter your abstract here!}
An abstract is (typically) about 250 and 350 words (1/2 A4-page) with the following components:
% key parts of the abstract
\begin{itemize}
```

```

\item What is the topic area? (optional) Introduces the subject area for the project.
\item Short problem statement
\item Why was this problem worth a Bachelor's/'Masters thesis project? (\ie, why is the problem
both significant and of a suitable degree of difficulty for a Bachelor's/'Masters thesis project?
Why has no one else solved it yet?)
\item How did you solve the problem? What was your method/insight?
\item Results/Conclusions/Consequences/Impact: What are your key results/\linebreak[4]conclusions?
What will others do based on your results? What can be done now that you have finished – that could
not be done before your thesis project was completed?
\end{itemize}

```

"Abstract[swe]": €€€€

\generalExpl{Enter your Swedish abstract or summary here!}

€€€€,

"Keywords[eng]": €€€€

KeywordA, KeywordB, KeywordC €€€€,

€€€€,

"Keywords[swe]": €€€€

NyckelordA, NyckelordB, NyckelordC €€€€,

}



acronyms.tex

```
%%% Local Variables:
%%% mode: latex
%%% TeX-master: t
%%% End:
% The following command is used with glossaries-extra
\setabbreviationstyle[acronym]{long-short}
% The form of the entries in this file is \newacronym[label]{acronym}{phrase}
% or \newacronym[options]{label}{acronym}{phrase}
% see "User Manual for glossaries.sty" for the details about the options, one example is shown below
% note the specification of the long form plural in the line below
\newacronym[longplural={Debugging Information Entities}]{DIE}{DIE}{Debugging Information Entity}
%
% The following example also uses options
\newacronym[shortplural={OSes}, firstplural={operating systems (OSes)}]{OS}{OS}{operating system}

% note the use of a non-breaking dash in long text for the following acronym
\newacronym{IQL}{IQL}{Independent -QLearning}

% example of putting in a trademark on first expansion
\newacronym[first={NVIDIA OpenSHMEM Library (NVSHMEM\texttrademark)}]{NVSHMEM}{NVSHMEM}{NVIDIA OpenSHMEM
↔ Library}

\newacronym{API}{API}{Application Programming Interface}
\newacronym{DiVA}{DiVA}{Digitala Vetenskapliga Arkivet}
\newacronym{IMRAD}{IMRAD}{Introduction, Methods, Results, and Discussion}
\newacronym{JSON}{JSON}{JavaScript Object Notation}
\newacronym{KI}{KI}{Karolinska Institutet}
\newacronym{KOPPS}{KOPPS}{Kurs- och programplaneringssystemet}
\newacronym{LADOK}{LADOK}{Lokalt -addbaserat dokumentationssystem}
\newacronym{TIMTM}{TIMTM}{Interactive Media Technology}
\newacronym{TMMTM}{TMMTM}{Media Managemen}
\newacronym{KTH}{KTH}{KTH Royal Institute of Technology}

\newacronym{LAN}{LAN}{Local Area Network}
\newacronym{VM}{VM}{virtual machine}
% note the use of a non-breaking dash in the following acronym
\newacronym{WiFi}{-WiFi}{Wireless Fidelity}

\newacronym{WLAN}{WLAN}{Wireless Local Area Network}
\newacronym{UN}{UN}{United Nations}
\newacronym{SDG}{SDG}{Sustainable Development Goal}
```