

Property Listings — Android Code Challenge

We'd like you to build a small Android app that fetches hostel property data from a remote API and presents it in a scrollable list and detail screen. This is an opportunity to show us how you approach a real feature — project structure, UI, networking, and state handling.

Submission

Host your project in a **public** git repository (GitHub, Bitbucket, or equivalent). We must be able to access the repository before your follow-up interview.

Challenge

Display a scrollable list of properties retrieved from the mobile API.

Each list item should show at minimum:

- Property name
- Whether the property is featured
- Property rating formatted as a value from 1 to 10 with one decimal place (e.g. 8.7)
- Lowest price per night

Tapping a property opens a detail screen showing important information about the selected property.

On the detail screen, allow the user to view the lowest price per night in three currencies: **EUR**, **USD**, and **GBP**. Currency options are driven by exchange rates from the rates API (see below). Exchange rates may change at any time.

Bonus

Track network performance by issuing a GET request to the stats endpoint after each network call, with two query parameters:

- action — a label for the request (e.g. load, load-details)
- duration — the time in milliseconds for the complete request

Example:

```
https://gist.githubusercontent.com/PedroTrabulo-Hostelworld/6bed011203c6c8217f0d55f74ddcc5c5/raw/ce8f55cfd963aeef70f2ac9f88f34cefd19fca30/stats?action=load-details&duration=100
```

API Details

Properties

GET <https://gist.githubusercontent.com/PedroTrabulo-Hostelworld/a1517b9da90dd6877385a65f324ffbc3/raw/058e83aa802907cb0032a15ca9054da563138541/properties.json>

Much of the response can be ignored. The fields you'll need:

Path	Use
location.city	City and country information
properties	Array of properties in the city
properties[].lowestPricePerNight	Lowest price per night
properties[].overview	Short description
properties[].overallRating.overall	Rating from 1 to 100 (display as 1–10 with one decimal)

Exchange rates

GET <https://gist.githubusercontent.com/PedroTrabulo-Hostelworld/16e87e40ca7b9650aa8e1b936f23e14e/raw/15efd901b57c2b66bf0201ee7aa9aa2edc6df779/rates.json>

Network stats (bonus)

GET <https://gist.githubusercontent.com/PedroTrabulo-Hostelworld/6bed011203c6c8217f0d55f74ddcc5c5/raw/ce8f55cfd963aeef70f2ac9f88f34cefd19fca30/stats>

Hints

This challenge is deliberately open-ended — do as much or as little as you see fit. A few pointers:

Our Android codebase is mid-migration: legacy screens use MVP and XML; new work uses Jetpack Compose and MVI. We use Hilt throughout. All data-layer code uses RxJava; some newer presentation code uses Kotlin Coroutines.

For this challenge, treat it as a greenfield feature — build it the way you would today.

Going further

These aren't required, but they help your submission stand out:

- Pull-to-refresh on the property list
- Empty and error states handled deliberately
- Offline support or cached last-good data
- Accessibility considerations

- Automated tests (unit, integration, or UI)
- Material 3 polish and thoughtful UI design