



**Commonwealth
of Australia**

Gazette

No. TC 26/02, Wednesday, 21 January 2026
Published by the Commonwealth of Australia

TARIFF CONCESSIONS

CONTENTS

TCO Applications	2
TCOs Made.....	5
TCOs Revoked and Re-Issued - Classification Change.....	8
TCOs Revoked and Re-Issued - Transcription Error.....	9

**The Commonwealth of Australia Tariff Concessions Gazette
(the Tariff Concessions Gazette) is free of charge on the link below at:**
<https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system>

Contact details:
General Email inquiries including Tapin Help Desk: tarcon@abf.gov.au

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at

<https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system/tariff-concession-order>

Contact: Email tarcon@abf.gov.au

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
3926.90.90 FUNNEL KITS, COOLANT, including ALL of the following: (a) funnel; (b) lid; (c) flow tubes; (d) extension tubes; (e) adaptors; (f) hose Op. 12.08.25 Stated Use: Used to fill coolant in vehicles Applicant: SRGS PTY LTD	50 - TC 26004566 5%
7326.90.90 PARTS, WIND TURBINE, being transport beams Op. 24.12.25 Stated Use: For the support and stabilising of components in transport during the installation of wind turbine towers Applicant: FMG PROCUREMENT SERVICES PTY LTD	50 - TC 25299775 5%
8424.89.90 SPRAYING MACHINES, reciprocating, dry filter, having ALL of the following: (a) air diffusers; (b) scanners; (c) toothed belts with brushless motor; (d) double filtration suction; (e) pressurised control cabinet; (f) belt cleaner Op. 17.12.25 Stated Use: Surface preparation of panels in particle board or medium density fibre board production lines Applicant: PORTA PRODUCTS PTY LTD	50 - TC 25294062 5%

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number
8431.39.00 PARTS, STACKING AND STORAGE SYSTEM, being conversion kits, including ALL of the following: (a) direct drive; (b) bridge beam; (c) travelling gears for x-axis AND y-axis; (d) vacuum pumps; (e) portal bridge; (f) trolleys; (g) weight monitor; (h) stack lifters; (i) turning device; (j) vacuum loading device; (k) suction beam; (l) valve battery; (m) suction units; (n) vibration device; (o) board measuring unit; (p) axis drive unit; (q) rotation device; (r) cross beam; (s) suction bar; (t) suction cups; (u) panel angle AND weight measuring units; (v) control management software Op. 22.12.25	- TC 25297353	50
Stated Use: Used in particle board and medium density fibre board manufacturing plant Applicant: PORTA PRODUCTS PTY LTD		5%
8433.59.90 HARVESTERS, OLIVE AND/OR GRAPE, self-propelled, including ANY of the following: (a) hopper bins; (b) fans; (c) destemmers having fingers AND mesh; (d) conveyors; (e) side discharge conveyor; (f) weighers; (g) tipper; (h) dischargers; (i) stairs AND/OR rails AND/OR platforms; (j) rods; (k) shakers; (l) cameras; (m) operator interface panel; (n) soft buckets; (o) interchangeable tool holder Op. 24.12.25	- TC 25299757	50
Stated Use: To harvest and remove material other than grape and olive Applicant: RESEARCH & DEVELOPMENT ENGINEERS PTY LTD		5%
8465.91.00 CROSSCUT SAWING MACHINES, having ALL of the following: (a) crosscutting station; (b) electrically controlled carriage; (c) programmable position control; (d) machine sheeting AND protection curtains; (e) chain lubrication oil control; (f) laser light AND scanning unit; (g) set-off device; (h) cutting depth adjustment unit; (i) support rollers; (j) waste conveyor Op. 22.12.25	- TC 25297368	50
Stated Use:		

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
---	------------------------

(Continued on next page)
(Continued from previous page)

Used in production of particle board and medium density fibre boards

Applicant: PORTA PRODUCTS PTY LTD

5%

8481.80.90 ISOLATORS, FLANGE CONNECTION SECTION, mechanical
Op. 29.12.25

- TC 25299786

50

Stated Use:
Mechanical tool to temporarily isolate sections of process systems

Applicant: SHELL AUSTRALIA PTY LTD

5%

8705.90.00 CONCRETE DOSING MACHINES, diesel, self-propelled, having ALL of
the following:

- (a) total vehicle weight NOT greater than 9 900 kgs;
- (b) four-wheel drive AND four wheel steering;
- (c) hydrostatic transmission;
- (d) rotating hopper;
- (e) hopper capacity NOT greater than 6 cubic metres;
- (f) screw auger capacity NOT greater than 60 cubic metres per hour

Op. 19.12.25

- TC 25295821

50

Stated Use:
The production of liquid concrete for mixer truck delivery or for factory production of pre-cast, moulded civil engineering and construction elements such as concrete pipes, culverts, sewers, manhole covers, road gullies and drains

Applicant: BLISS & REELS PTY LTD

5%

8705.90.00 PUMPS, CONCRETE, truck-mounted, having ALL of the following:
(a) vehicle weight NOT greater than 20 000 kg;
(b) NOT less than 2 axles;
(c) articulated boom vertical reach NOT greater than 20 metres
Op. 24.12.25

- TC 25299760

50

Stated Use:
For placing concrete in hard-to-reach construction areas

Applicant: PUTZMEISTER OCEANIA PTY LTD

5%

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

THE TABLE

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect	
4808.90.10	PAPER, uncoated, blank, perforated, in sheets, with OR without dispenser box Op. 16.10.25	Dec. date 15.01.26	50 - TC 25243606
8402.12.00	BOILERS, WATERTUBE, STEAM, having BOTH of the following: (a) pressure rating NOT greater than 95 bar; (b) saturated steam temp at 90 bar NOT less than 300 degrees Celsius Op. 10.10.25	Dec. date 14.01.26	50 - TC 25240829
8412.90.90	PARTS, HYDRAULIC LINEAR CYLINDER, being repair kits, including ALL of the following: (a) bushing; (b) retaining ring; (c) screws; (d) seal kit Op. 20.10.25	Dec. date 15.01.26	50 - TC 25246907
8428.33.00	CONVEYORS, BREAD PRODUCTION, having ALL of the following: (a) two to one lane pneumatic switch; (b) snatch AND batch; (c) batching; (d) rack cooler in-feed Op. 16.10.25	Dec. date 15.01.26	50 - TC 25244191
8428.33.00	CONVEYORS, PANLINE, including ALL of the following: (a) modular double belts; (b) length NOT greater than 100 metres; (c) conveyor speed NOT less than 10m/min and NOT greater than 30m/min with OR without guiderails AND bumpers Op. 20.10.25	Dec. date 15.01.26	50 - TC 25245882
8428.39.00	CONVEYORS, TIMBER PANEL HANDLING, including BOTH of the following: (a) roller conveyors; (b) guide rails Op. 17.10.25	Dec. date 15.01.26	50 - TC 25245739
8428.39.00	BUFFER STATIONS, TIMBER PANELLING, including ALL of the following: (a) NOT less than two strands chain conveyor; (b) safety light curtains; (c) manual release interface; (d) guarding AND/OR fencing Op. 17.10.25	Dec. date 15.01.26	50 - TC 25245777
8431.49.90	PARTS, CENTRE JOINT, EXCAVATOR, being repair kits, including ALL of the following: (a) bushing; (b) o-rings; (c) retaining ring; (d) dust seal; (e) oil seals; (f) spindle Op. 13.10.25	Dec. date 14.01.26	50 - TC 25240838

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
8438.80.00 PORTION CUTTING MACHINES, programmable logic controlled, including ALL of the following: (a) loading belt; (b) block weigher; (c) measuring station; (d) slicing AND/OR cutting station; (e) slice weigher; (f) rejection station; (g) infeed conveyors Op. 13.10.25	50 Dec. date 15.01.26 - TC 25241594
8464.10.00 SHEET SAWING MACHINES, PANEL SHEETING STATION, programmable logic controlled, including ALL of the following: (a) panel cutting saw; (b) dust extraction unit; (c) drive alignment system; (d) control cabinet with OR without handling robots OR handling robotic grippers Op. 17.10.25	50 Dec. date 15.01.26 - TC 25245970
8464.90.00 CONCRETE SEGMENT FINISHING SYSTEM, programmable logic controlled, including ALL of the following: (a) robotic smoothing arm; (b) rotating smoothing roller; (c) frame; (d) positioning unit; (e) conveyor system connection Op. 14.10.25	50 Dec. date 15.01.26 - TC 25242248
8474.31.00 GROUT MIXING MACHINES, diesel, including ALL of the following; (a) mixing tank capacity NOT less than 300 L; (b) holding tank capacity NOT less than 600 L; (c) flow rate NOT greater than 220 L/min; (d) pressure rating NOT greater than 100 bar Op. 14.10.25	50 Dec. date 15.01.26 - TC 25242106
8479.89.90 CLEANING MACHINES, BAKING PAN, programmable logic controlled, including EITHER of the following: (a) horizontal brush unit; (b) disc brush unit Op. 20.10.25	50 Dec. date 15.01.26 - TC 25245824
8483.90.00 PARTS, TRAVEL TRANSMISSION, EXCAVATOR, being repair kits, including ALL of the following: (a) bearings; (b) corks; (c) knock pins; (d) stopper pin; (e) housing corks; (f) washers; (g) o-ring Op. 20.10.25	50 Dec. date 15.01.26 - TC 25246021
8483.90.00 PARTS, PUMP TRANSMISSION, EXCAVATOR, being repair kits, including ALL of the following: (a) air breather; (b) o-rings; (c) retaining rings; (d) stopper springs; (e) bearings; (f) disc; (g) bushings; (h) spacers; (i) spring discs; (j) plugs Op. 20.10.25	50 Dec. date 15.01.26 - TC 25246110

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect
8601.20.00 LOCOMOTIVES, electric, including ALL of the following:		50
(a) battery capacity NOT less than 10 MWh and NOT greater than 16 MWh;		
(b) NOT greater than 8 axles;		
(c) tractive effort NOT less than 780 kN and NOT greater than 891 kN		
Op. 09.10.25	Dec. date 14.01.26	- TC 25238797

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269SE(2)**TARIFF CONCESSION ORDER REVOKED AND NARROWER TARIFF CONCESSION ORDERS MADE IN ACCORDANCE WITH 269SD(2) OF THE CUSTOMS ACT.**

Tariff Concession Orders for the goods described in the following TABLE have been revoked and narrower Tariff Concession Orders made in respect of the goods described below.

The operative date (Op.), decision date (Dec. date) and TC reference number follow the description of goods.

THE TABLE

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect
TCO REVOKED		
8307.90.00	EXPANSION JOINTS, BLAST FURNACE AND/OR GAS CLEANING PLANT, lateral Op. 01.05.25	50 18.01.26
	Dec. date 14.08.25	- TC 25096788
A tariff ruling has been issued via TA23374200 that has changed the classification of the goods in TCO 25096788.		
TCO REISSUED		
8307.10.00	EXPANSION JOINTS, BLAST FURNACE AND/OR GAS CLEANING PLANT, lateral Op. 01.05.25	50
	Dec. date 19.01.26	- TC 26014576

TARIFF CONCESSION ORDERS REVOKED AND NARROWER TARIFF CONCESSION ORDERS MADE IN ACCORDANCE WITH 269SD(3) OF THE CUSTOMS ACT.

The operative date (Op.), decision date (Dec. date) and TC reference number follow the description of goods.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
TCO REVOKED	
8426.11.00 CRANES, OVERHEAD TRAVELLING, unassembled, having ALL of the following; (a) twin grinder span length NOT less than 36 metres; (b) beams with electromagnets with lifting capacity of 29.5 tonnes; (c) electromagnet head maximum load temperature NOT less than 500 degrees Celsius; (d) back up battery; (e) operator cabin; (f) platforms AND ladders AND rails; (g) cable reels AND/OR drums; (h) hoists; (i) electrical panels Op. 01.07.25 Dec. date 20.10.25 - TC 25145250 Revoke and reissue due to typographical error published in gazette 22 Oct 2025, Gazette number TC 25/41	50 12.01.26
TCO REISSUED	
8426.11.00 CRANES, OVERHEAD TRAVELLING, unassembled, having ALL of the following; (a) twin girder span length NOT less than 36 metres; (b) beams with electromagnets with lifting capacity of 29.5 tonnes; (c) electromagnet head maximum load temperature NOT less than 500 degrees Celsius; (d) back up battery; (e) operator cabin; (f) platforms AND ladders AND rails; (g) cable reels AND/OR drums; (h) hoists; (i) electrical panels Op. 01.07.25 Dec. date 13.01.26 - TC 26010354	50