



**Commonwealth
of Australia**

Gazette

No. TC 26/08, Wednesday, 4 March 2026
Published by the Commonwealth of Australia

TARIFF CONCESSIONS

CONTENTS

TCO Applications	2
TCOs Revoked and Re-Issued - Classification Change	7
Intention to Revoke TCOs not used in over 2 years	8

**The Commonwealth of Australia Tariff Concessions Gazette
(the Tariff Concessions Gazette) is free of charge on the link below at:**
<https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system>

Contact details:
General Email inquiries including Tapin Help Desk: tarcon@abf.gov.au

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at

<https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system/tariff-concession-order>

Contact: Email tarcon@abf.gov.au

THE TABLE

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number
3921.13.00	SLEEPER PADS, RAIL, being single layer cellular polyurethane elastomers Op. 28.01.26	50
	Stated Use: Reduce pressure inside the rail ballast to delay degradation	
	Applicant: PILBARA IRON COMPANY (SERVICES) PTY LTD	5%
7309.00.00	STORAGE HOPPERS, having ALL of the following: (a) volume NOT less than 300 litres; (b) stainless steel shell with OR without ANY of the following: (i) valves; (ii) pipes AND/OR inlet AND/OR outlet; (iii) level measuring AND/OR checking instruments Op. 06.02.26	50
	Stated Use: Buffer storage of powdered food ingredients	
	Applicant: NESTLE AUSTRALIA LTD	5%
7318.23.00	RIVETS, CLADDING, with OR without ethylene propylene diene monomer rubber seal, including ALL of the following: (a) steel sleeve; (b) mandrel; (c) grip range NOT less than 14 mm; (d) length NOT greater than 18 mm Op. 05.02.26	50
	Stated Use: Facade rivet for mechanical fixing of fibre cement panels to steel substructures	
	Applicant: CSR PTY LTD	5%

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number
8412.90.90	PARTS, HYDRAULIC CYLINDER, being repair kits, including ALL of the following: (a) steel ball; (b) air breathers; (c) bushings; (d) seal kit; (e) o-rings; (f) retaining ring; (g) wiper rings; (h) screw Op. 02.02.26 Stated Use: For repairing the boom cylinder used in excavators Applicant: HITACHI CONSTRUCTION MACHINERY OCEANIA HOLDINGS PTY LTD	50 - TC 26025018 5%
8412.90.90	PARTS, HYDRAULIC CYLINDER, being repair kits, including ALL of the following: (a) steel ball; (b) air breathers; (c) bushings; (d) seal kit; (e) o-rings; (f) retaining ring; (g) screw; (h) bearing seals; (i) wiper rings Op. 09.02.26 Stated Use: Repair kits for the bucket cylinder used in excavators Applicant: HITACHI CONSTRUCTION MACHINERY OCEANIA HOLDINGS PTY LTD	50 - TC 26030099 5%
8412.90.90	PARTS, HYDRAULIC CYLINDER, being repair kits, including ALL of the following: (a) steel ball; (b) air breathers; (c) bushings; (d) seal kit; (e) o-rings; (f) retaining rings; (g) screw; (h) wiper rings Op. 09.02.26 Stated Use: For repairing the bucket cylinder used in excavators Applicant: HITACHI CONSTRUCTION MACHINERY OCEANIA HOLDINGS PTY LTD	50 - TC 26030265 5%
8421.39.90	FILTERS, COMPRESSOR, skid-mounted, assembled OR unassembled, including ALL of the following: (a) coalescer elements; (b) valves; (c) operating weight NOT less than 2 875 kg Op. 09.02.26 Stated Use: Removing contaminants from gas streams before compression within offshore facilities Applicant: WOODSIDE ENERGY LTD	50 - TC 26030025 5%

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
8421.99.90 SCREENS, MOLECULAR SIEVE DRYER VESSEL, stainless steel wire AND mesh, having an internal diameter NOT less than 3 500 mm Op. 09.02.26 Stated Use: Used in offshore oil and gas processing for prevention of sieve bed and ceramic balls from escaping a gas stream Applicant: SHELL AUSTRALIA PTY LTD	50 - TC 26031119 5%
8422.30.90 BLISTER FILLING MACHINES, MEDICATION, whether OR not assembled, having ALL of the following: (a) picking units; (b) medication containers AND covers, whether OR not having radio frequency identification; (c) barcode AND biometric scanning; (d) human interface machines AND monitors; (e) blister card positioning trays; (f) label printer with OR without power transformer Op. 29.01.26 Stated Use: Filling and packing blister pouches with medication Applicant: BECTON DICKINSON PTY. LTD	50 - TC 26022853 5%
8422.30.90 WEIGHING AND FILLING STATIONS, screw feeder, programmable logic control, including ANY of the following: (a) bagging AND/OR sealing station; (b) pneumatic vibrator; (c) labelling unit Op. 18.11.25 Stated Use: For use in animal nutrition processing plants Applicant: DSM NUTRITIONAL PRODUCTS AUSTRALIA PTY LTD	50 - TC 26041069 5%
8431.39.00 PARTS, SCRAP MANIPULATOR, being lifting masts AND/OR clamping units Op. 04.02.26 Stated Use: Parts for a scrap manipulator for handling off-cut billet scrap pieces Applicant: BOYNE SMELTERS LTD	50 - TC 26027681 5%
8474.31.00 GROUT PLANT, programmable logic controlled, with OR without peristaltic pumps, including ALL of the following: (a) motor control centre; (b) colloidal batch mixer; (c) mix metering system with pumps AND valves; (d) agitation tank; (e) pneumatic system, with OR without ANY of the following: (i) reciprocating compressor; (ii) receiver tank AND automatic drain; (iii) refrigerated air dryer; (iv) filter AND/OR regulator assembly; (v) grout plant container; (vi) water AND/OR bentonite weigh hopper with lid; (vii) load cells; (viii) centrifugal water pump; (ix) ladders AND handrails; (f) grout pump system; (Continued on next page)	50

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
(Continued from previous page)	
(g) accelerator pump system; (h) metering unit; (i) screw conveyors Op. 09.02.26	- TC 26031145
Stated Use: Mixing cementitious grout for construction projects	
Applicant: BOUYGUES CONSTRUCTION AUSTRALIA PTY LTD & JOHN HOLLAND PTY LTD	5%
8479.89.90 SPIDER WRENCH, hydraulic, with OR without control panel, including ALL of the following: (a) split body; (b) rotary table rig adapter plate; (c) lift AND/OR spin AND/OR dog mechanisms Op. 04.02.26	50
- TC 26027941	
Stated Use: For tightening and loosening nuts on workover risers used in oilfield operations	
Applicant: TECHNIPFMC AUSTRALIA PTY LTD	5%
8479.89.90 COILED TUBING SUPPORT UNITS, skid-mounted OR containerised, assembled OR unassembled, including ALL of the following: (a) control cabin; (b) hose reel skid; (c) hydraulic power pack; (d) reel power stand Op. 09.02.26	50
- TC 26030670	
Stated Use: For surface operation and support of coiled tubing work spools	
Applicant: SCHLUMBERGER AUSTRALIA PTY LTD	5%
8479.89.90 POWER STAND MACHINES, COILED TUBING, including ALL of the following: (a) hydraulic jacks; (b) motors; (c) swivel Op. 09.02.26	50
- TC 26030687	
Stated Use: Providing mechanical power and operational control for handling coiled tubing work spools	
Applicant: SCHLUMBERGER AUSTRALIA PTY LTD	5%
8479.89.90 FACADES, motorised, with OR without EITHER of the following: (a) infill frames; (b) LED lighting Op. 10.02.26	50
- TC 26031398	
Stated Use: For sun shading buildings and construction projects	
Applicant: SRG GLOBAL FACADES PTY LTD	5%

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
8481.10.00 VALVES, with OR without actuators, including BOTH of the following: (a) inner cones AND rods; (b) venturi cones Op. 06.02.26 Stated Use: For reducing gas pressure in the scrubber of blast furnace gas cleaning plant Applicant: BLUESCOPE STEEL (AIS) PTY. LTD	50 - TC 26029050 5%
8481.80.90 VALVES, BALL, stainless steel, including ALL of the following: (a) body; (b) cap; (c) connections Op. 04.02.26 Stated Use: For starting, stopping and regulating flow in sanitary processing lines Applicant: JORDAN VALVES & CONTROLS PTY LTD	50 - TC 26027511 5%
8483.10.99 WHEELSHAFT ASSEMBLIES, CENTRIFUGAL COMPRESSOR, including BOTH of the following: (a) drive shaft; (b) bull gear Op. 28.01.26 Stated Use: Primary transmission of rotational energy into the compressor Applicant: CLOUGH PROJECTS AUSTRALIA PTY LTD & SAIPEM AUSTRALIA PTY LTD	50 - TC 26022435 5%

TARIFF CONCESSION ORDER REVOKED AND NARROWER TARIFF CONCESSION ORDERS MADE IN ACCORDANCE WITH 269SD(2) OF THE CUSTOMS ACT.

The operative date (Op.), decision date (Dec. date) and TC reference number follow the description of goods.

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number	Last Date of Effect
TCO REVOKED		
8424.30.90	PRESSURE WASHER, including ALL the following:	50
	(a) operating pressure NOT greater than 2 600 psi;	01.03.26
	(b) flow rate NOT greater than 8.5 litres per minute;	
	(c) single phase power;	
	(d) hose length NOT greater than 10 metres;	
	(e) high-pressure spray gun;	
	(f) spray lance;	
	(g) telescopic handle;	
	(h) integrated water filter;	
	(i) water-cooled motor,	
	with or without ANY of the following:	
	(i) surface cleaner;	
	(ii) wash brush;	
	(iii) foam nozzle;	
	(iv) detergent	
Op. 30.08.24	Dec. date 27.11.24	- TC 24210344
Tariff classification has changed as per advice by NTAC published in gazette 04 December 2024 , Gazette Number TC24/48		
TCO REISSUED		
8424.20.00	PRESSURE WASHER, including ALL the following:	50
	(a) operating pressure NOT greater than 2 600 psi;	
	(b) flow rate NOT greater than 8.5 litres per minute;	
	(c) single phase power;	
	(d) hose length NOT greater than 10 metres;	
	(e) high-pressure spray gun;	
	(f) spray lance;	
	(g) telescopic handle;	
	(h) integrated water filter;	
	(i) water-cooled motor,	
	with or without ANY of the following:	
	(i) surface cleaner;	
	(ii) wash brush;	
	(iii) foam nozzle;	
	(iv) detergent	
Op. 30.08.24	Dec. date 02.03.26	- TC 26046458

TARIFF CONCESSION ORDERS (TCOs) NOT USED IN THE PREVIOUS 2 YEARS

The Comptroller-General of Customs is satisfied that the TCOs listed in the table below are no longer required because, in the 2 years preceding the day of this notice, they have not been quoted in an import declaration to secure a concessional rate of duty.

From Thursday, 02 April 2026, it is intended to take action to revoke these Orders under subsection 269SD(1A) of the Customs Act 1901. In accordance with subsection 269SG(2) of the Customs Act 1901, in transit provisions shall apply. If revoked, the expected date of effect will be 02 April 2026.

Interested parties are invited to provide, by close of business, Wednesday 01 April 2026, written reasons why an Order should NOT be revoked.

Please advise if any of the Orders listed below have been quoted on an import declaration.

If a request is made to retain an Order used for the granting of a Determination, please specify the Determination and the linked Item number to enable mapping to the Order and its scope.

THE TABLE

Tariff Classification	Description	Concession Number
7308.90.00	PARTS, FOUNDATION, VERTICAL ROLLER MILL, CEMENT GRINDING, being ANY of the following: (a) multi-drive foundation frames; (b) thrust bearing gearbox base plates; (c) gearbox plate recess boxes; (d) anchorage base plates; (e) mill foundation anchor plates; (f) mill foundation slide rails; (g) rocker arm support pedestals; (h) assembly and alignment equipment having ALL of the following: (i) I-beams; (ii) threaded rod; (iii) compensation plates; (iv) plates, (i) anchor bolt recess boxes; (j) I-beams being foundation embedments	
	Op. 30.08.12 Dec. date 21.11.12	- TC 1232381
7308.90.00	STACK, WASTE GAS, including ALL of the following: (a) chimney height NOT less than 100 metres; (b) chimney external diameter NOT less than 3 metres; (c) inlet flange	
	Op. 10.03.20 Dec. date 05.06.20	- TC 2042068
7308.90.00	PARTS, ECONOMISER SUPPORT STRUCTURE, being ALL of the following: (a) support beams; (b) hanger rods; (c) u-beam; (d) plates	
	Op. 10.04.18 Dec. date 09.07.18	- TC 1840794
7308.90.00	BOOM SUPPORT POST, OIL AND/OR GAS BURNER, whether OR not assembled, including ALL of the following: (a) base plate; (b) pad eyes; (c) fishplate AND vertical column AND rear bracket having maximum weight capacities exceeding 19 tonnes at a 27 degrees angle	
	Op. 07.03.18 Dec. date 12.06.18	- TC 1827371

Tariff Classification	Description	Concession Number
7308.90.00	SECTIONS, WIND GENERATOR TOWER, having ALL of the following: (a) plate steel having a thickness of NOT less than 30 mm and NOT greater than 60 mm; (b) section length NOT less than 15 500 mm and NOT greater than 22 000 mm; (c) section weight NOT less than 80 metric tonnes and NOT greater than 120 metric tonnes; (d) outer diameter NOT less than 4 400 mm and NOT greater than 4 900 mm	
Op. 29.01.18	Dec. date 11.05.18	- TC 1813104
7308.90.00	TILTING AND TRACKING SUPPORTS, SOLAR PANEL, with OR without braces, including ALL of the following: (a) U shaped section panel rails, having BOTH of the following: (i) NOT less than 8 holes; (ii) length NOT greater than 6 metres, (b) steel ground posts, having BOTH of the following: (i) NOT less than 2 holes; (ii) length NOT greater than 6 metres, (c) torque tube splice brackets having NOT less than 8 holes, (d) torque tubes, having BOTH of the following: (i) rectangular openings; (ii) length NOT greater than 12 metres, (e) post head Y connectors, having BOTH the following: (i) round holes; (ii) keyholes, (f) conforming with ALL of the following: (i) Australian/New Zealand Standard AS/NZS1170.0:2002 Part 0 General Principals; (ii) Australian/New Zealand Standard AS/NZS1170.2:2011 Part 2 Wind Actions; (iii) Australian/New Zealand Standard AS/NZS1170.4:2007 Part 4 Earthquake actions in Australia; (iv) Australian Standard AS4100:1998 Steel Structures; (v) Australian Standard AS4600:2005 Cold Formed Steel Structures, with OR without ANY of the following: (i) motor support brackets, having BOTH the following; (a) keyholes; (b) welded gussets, (ii) panel rail clamps; (iii) post head bushings; (iv) fastener brackets, having NOT less than 6 holes	
Op. 16.01.18	Dec. date 09.04.18	- TC 1807257
7308.90.00	SECTIONS, WIND GENERATOR TOWER, having ALL of the following: (a) plate steel having a thickness of NOT less than 33 mm and NOT greater than 60 mm; (b) section length NOT less than 14 100 mm and NOT greater than 16 250 mm; (c) section weight NOT less than 60 metric tonnes and NOT greater than 105 metric tonnes; (d) diameter NOT less than 4 299 mm and NOT greater than 4 650 mm	
Op. 09.06.17	Dec. date 14.09.17	- TC 1761480
7308.90.00	PEDESTALS, COOLING TUNNEL, unassembled, including ALL of the following: (a) stainless steel checkered plate covering; (b) stairs AND rails; (c) chemical dowel fixtures	
Op. 27.04.17	Dec. date 26.07.17	- TC 1744046

7308.90.00	CYCLONE STRUCTURES, IRON ORE PROCESSING PLANT, hot dipped galvanised steel, unassembled, including ALL of the following: (a) walkways; (b) guards; (c) sump frame; (d) cyclone frame	Op. 09.02.17	Dec. date 22.05.17	- TC 1719896
7308.90.00	BEAMS, FLOORING SUPPORT, steel, assembled OR unassembled, having ALL of the following: (a) beam lengths NOT less than 8 200 mm; (b) complete penetration butt welded steel plate complying with Australian Standard AS 4100-1998, 9.7.2.7; (c) bevelled beam ends, with end plates attached, with OR without ANY of the following: (i) nuts; (ii) bolts; (iii) washers	Op. 10.11.14	Dec. date 15.04.15	- TC 1439131
7308.90.00	TUBES, GAS STACK, VENT OR FLARE	Op. 30.11.12	Dec. date 06.03.13	- TC 1246073
7308.90.00	ASSEMBLIES, BOILER ECONOMIZER SUPPORT STRUCTURE, having a maximum load carrying capacity NOT less than 250 t, including ALL of the following: (a) beams; (b) hanger rods; (c) u-shaped beams; (d) plates	Op. 25.06.18	Dec. date 13.09.18	- TC 18145431
7308.90.00	WALL AND ROOF PANELS, INSULATING, metal, having ALL of the following: (a) polyurethane foam backed; (b) tongue AND groove; (c) concealed fixing; (d) thickness NOT greater than 40 mm	Op. 25.11.22	Dec. date 22.03.23	- TC 22375175
7308.90.00	PANELS, modular, interlocking, having BOTH of the following: (a) metal coating; (b) aluminium honeycomb core	Op. 08.08.23	Dec. date 08.11.23	- TC 23229583
7308.90.00	EXHAUST STACKS, GAS TURBINE, steel, with OR without ANY of the following: (a) exhaust duct; (b) silencer; (c) expansion joint	Op. 04.03.24	Dec. date 05.06.24	- TC 24051336