


Packet Tracer

Configurazione reti



Device Name: Laptop0				
Device Model: Laptop-PT				
Port	Link	IP Address	IPv6 Address	MAC Address
FastEthernet0	Up	192.168.100.100/24	<not set>	0050.0FA9.B798
Bluetooth	Down	<not set>	<not set>	0010.1125.84D1
Gateway: 192.168.100.105				
DNS Server: <not set>				
Line Number: <not set>				
Physical Location: Intercity > Home City > Corporate Office > Laptop0				


Device Name: PC0				
Device Model: PC-PT				
Port	Link	IP Address	IPv6 Address	MAC Address
FastEthernet0	Up	192.168.100.103/24	<not set>	0060.3E21.3C08
Bluetooth	Down	<not set>	<not set>	00E0.B0A9.3712
Gateway: 192.168.100.105				
DNS Server: <not set>				
Line Number: <not set>				
Physical Location: Intercity > Home City > Corporate Office > PC0				

Device Name: Laptop2				
Device Model: Laptop-PT				
Port	Link	IP Address	IPv6 Address	MAC Address
FastEthernet0	Up	192.168.200.100/24	<not set>	0060.3E9D.8C16
Bluetooth	Down	<not set>	<not set>	0010.11C5.7318
Gateway: 192.168.200.105				
DNS Server: <not set>				
Line Number: <not set>				
Physical Location: Intercity > Home City > Corporate Office > Laptop2				

Comunicazione

da Laptop-PT-Laptop0 192.168.100.100
a PC-PT-PC0 192.168.100.103


[Link alla simulazione](#)



Comunicazione

da Laptop-PT-Laptop0 192.168.100.100
a Laptop-PT-Laptop2 192.168.200.100

[Link alla simulazione](#)



Variazioni MAC address e IP Address

da Laptop-PT-Laptop0 192.168.100.100
a Laptop-PT-Laptop2 192.168.200.100

