

HTML Exercises for <div>



Exercise #1

Convert `
` to `<div>`

Line Breaks

- Find below the layout of 'Recommended Flights' section we implemented earlier.

Recommended Flights					
Flight	Departure	Duration	Arrival	Cost	Book
SH288	Berlin (BER) 21:00 Wed 28 Oct 2020	49 hrs 5 mins	Sydney (SYD) 08:05 Sat 31 Oct 2020	\$3447	<input type="button" value="Book"/>
SH245	Sydney (SYD) 22:25 Tue 10 Nov 2020	23 hrs 55 mins	Berlin (BER) 12:20 Wed 11 Nov 2020	\$801	<input type="button" value="Book"/>

- Here for displaying the date and time details we used `
` to separate between the lines.
- Now we will see how to avoid using `
` and how to use `<div>` here.

Implementation Guidelines

1. Refer example where `
` is converted into `<div>`
2. Make similar change in all four locations
3. Check in Live Preview if the page layout is retained as it was earlier.

Current Code

```
Berlin (BER)<br>
21:00<br>
Wed 28 Oct 2020
```

Code after modification

```
<div>Berlin (BER)</div>
<div>21:00</div>
<div>Wed 28 Oct 2020</div>
```

Code Reference

- GitHub code reference link

<https://github.com/simplacademy/html-learn/blob/4d1bf195fa6c48eae4afce8e539ce314ea8b5477/strat-hawk/index.html>

Congratulations on completing
the exercises

Proceed with next learning topic
in the HTML Course