

This assignment will not be graded and is only for practice.

Level 1

1) The null space of a matrix $A_{4 \times 3}$ is

1 point

- ☐ the subspace $W = \{x \in \mathbb{R}^4 \mid Ax = 0\}$ of $\mathbb{R}^4$.
- ☐ the subspace $W = \{x \in \mathbb{R}^3 \mid Ax = 0\}$ of $\mathbb{R}^3$.
- ☐ the subspace $W = \{x \in \mathbb{R}^2 \mid Ax = 0\}$ of $\mathbb{R}^2$.
- ☐ the first column of the matrix $A_{4 \times 3}$.

No, the answer is incorrect.

Score: 0

Accepted Answers:

the subspace $W = \{x \in \mathbb{R}^3 \mid Ax = 0\}$ of $\mathbb{R}^3$.

2) Nullity of a matrix $A_{3 \times 4}$ is

1 point

- ☐ 3
- ☐ 4

the number of independent variables in the system of linear equations $Ax = 0$,

- ☐ where $x = \begin{bmatrix} x_1 \\ x_2 \\ x_3 \\ x_4 \end{bmatrix}$.

the number of dependent variables in the system of linear equations $Ax = 0$,

- ☐ where $x = \begin{bmatrix} x_1 \\ x_2 \\ x_3 \\ x_4 \end{bmatrix}$.

No, the answer is incorrect.

Score: 0

Accepted Answers:

the number of independent variables in the system of linear equations $Ax = 0$, where $x =$

$$\begin{bmatrix} x_1 \\ x_2 \\ x_3 \\ x_4 \end{bmatrix}.$$

Consider the system of linear equations $Ax = 0$, where $x = [x_1 \ x_2 \ x_3]^T$ and $A = \begin{bmatrix} 1 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 1 \end{bmatrix}$.

Use the above information to answer questions 3, 4 and 5.

3) Choose the correct statement from the following options.

1 point

- ☐ x_1, x_2 and x_3 all are dependent variables.
- ☐ x_2 is the only dependent variable.
- ☐ x_1 and x_3 are the dependent variables and x_2 is the only independent variable.
- ☐ x_1, x_2 and x_3 all are independent variables.

No, the answer is incorrect.

Score: 0

Accepted Answers:

x_1 and x_3 are the dependent variables and x_2 is the only independent variable.

4) Which one of the following vector spaces represents the null space of A ?

1 point

- ☐ $\{(t_1, 0, t_2) \mid t_1, t_2 \in \mathbb{R}\}$
- ☐ $\{(0, t, 0) \mid t \in \mathbb{R}\}$
- ☐ $\{(t_1, t_2, 0) \mid t_1, t_2 \in \mathbb{R}\}$
- ☐ $\{(0, 0, t) \mid t \in \mathbb{R}\}$

No, the answer is incorrect.

Score: 0

Accepted Answers:

$\{(0, t, 0) \mid t \in \mathbb{R}\}$

5) What will be the nullity of A ?

No, the answer is incorrect.

Score: 0

Accepted Answers:

(Type: Numeric) 1

1 point

6) Find the nullity of the matrix $\begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 2 & 4 & 6 \end{bmatrix}$.

No, the answer is incorrect.

Score: 0

Accepted Answers:

(Type: Numeric) 1

1 point

7) Let S denote the set of solutions of the homogeneous system of linear equations $Ax = 0$. Which of the following statements is (are) true? **1 point**

- ☐ If x_1 and x_2 are in S , then $x_1 - x_2$ is in S .
- ☐ If x is in S , then cx is in S , for any $c \in \mathbb{R}$.
- ☐ If x_1 and x_2 are in S , then $\alpha x_1 + \beta x_2$ is in S , for any $\alpha, \beta \in \mathbb{R}$.
- ☐ If x is in S , then $A^n x = 0$ for any $n \in \mathbb{N} \setminus \{0\}$.

No, the answer is incorrect.

Score: 0

Accepted Answers:

If x_1 and x_2 are in S , then $x_1 - x_2$ is in S .

If x is in S , then cx is in S , for any $c \in \mathbb{R}$.

If x_1 and x_2 are in S , then $\alpha x_1 + \beta x_2$ is in S , for any $\alpha, \beta \in \mathbb{R}$.

If x is in S , then $A^n x = 0$ for any $n \in \mathbb{N} \setminus \{0\}$.

8) Find out the value of a for which the matrix $\begin{bmatrix} 1 & 2 \\ 3 & a \end{bmatrix}$ has nullity 1.

No, the answer is incorrect.

Score: 0

Accepted Answers:

(Type: Numeric) 6

1 point

Level 2

9) Consider the coefficient matrix A of the following system of linear equations:

1 point

$$x_1 + x_2 + x_4 = 0$$

$$x_2 + x_3 = 0$$

$$x_1 - x_3 + x_4 = 0$$

Which one of the following vector spaces represents the null space of A ?

- ☐ $\{(t_1 + t_2, t_1, t_1, t_2) \mid t_1, t_2 \in \mathbb{R}\}$
- ☐ $\{(t_1 - t_2, -t_1, t_1, t_2) \mid t_1, t_2 \in \mathbb{R}\}$
- ☐ $\{(t_1 + t_2, -t_1, t_1, t_2) \mid t_1, t_2 \in \mathbb{R}\}$
- ☐ $\{(t_1 - t_2, -t_1, t_1, -t_2) \mid t_1, t_2 \in \mathbb{R}\}$

No, the answer is incorrect.

Score: 0

Accepted Answers:

$\{(t_1 - t_2, -t_1, t_1, t_2) \mid t_1, t_2 \in \mathbb{R}\}$

10) Find the nullity of the matrix A , where $A = [a_{ij}]$ is of order 3×3 and $a_{ij} = \min\{i, j\}$, $i, j = 1, 2, 3$.

No, the answer is incorrect.

Score: 0

Accepted Answers:

(Type: Numeric) 0

1 point

11) Choose the correct set of options from the following.

1 point

- ☐ The nullity of a non-zero scalar matrix of order 3 must be 3.
- ☐ The nullity of a non-zero scalar matrix of order 3 must be 0.
- ☐ The nullity of a non-zero diagonal matrix of order 3 must be 3.
- ☐ The nullity of a non-zero diagonal matrix of order 3 can be at most 2.

No, the answer is incorrect.

Score: 0

Accepted Answers:

The nullity of a non-zero scalar matrix of order 3 must be 0.

The nullity of a non-zero diagonal matrix of order 3 can be at most 2.

12) Consider the system $Ax = b$, where $A = \begin{bmatrix} 1 & 2 \\ 4 & 8 \end{bmatrix}$. The number of solutions of when $b = \begin{bmatrix} 1 \\ 0 \end{bmatrix}$ is

No, the answer is incorrect.

Score: 0

Accepted Answers:

(Type: Numeric) 0

1 point

Your score is: 0/12