



## Practice Assignment 5 - Not Graded



This assignment will not be graded and is only for practice.

### Multiple Choice Questions (MCQ):

1 point

Let  $A$  and  $B$  be square matrices of order 2. Which of the following option is true?



$$\text{nullity}(AB) = \text{nullity}(A) + \text{nullity}(B) \quad \text{nullity}(AB) = \text{nullity}(A) + \text{nullity}(B)$$



$$\text{nullity}(AB) = \text{nullity}(A)\text{nullity}(B) \quad \text{nullity}(AB) = \text{nullity}(A)\text{nullity}(B)$$



$$\text{nullity}(A - B) = \text{nullity}(A) - \text{nullity}(B) \quad \text{nullity}(A - B) = \text{nullity}(A) - \text{nullity}(B)$$



$$\text{Rank}(A + B) = \text{Rank}(A) + \text{Rank}(B) \quad \text{Rank}(A + B) = \text{Rank}(A) + \text{Rank}(B)$$

☐ None of the above.

**No, the answer is incorrect.**

**Score: 0**


### Accepted Answers:

None of the above.

### Multiple Select Questions (MSQ):

1 point

A molecule is composed of atoms. A molecule of Ethylene, with the chemical formula  $C_2H_4$ , consists of two Carbon atoms and four Hydrogen atoms. A molecule of Oxygen, with the formula  $O_2$ , consists of two Oxygen atoms. Note that Carbon, Hydrogen and Oxygen are denoted by the letters  $C$ ,  $H$ , and  $O$  respectively in the formula. When Ethylene comes in contact with Oxygen ( $O_2$ ); Carbon dioxide ( $CO_2$ ) and water ( $H_2O$ ) are produced as the products of the chemical reaction. The equation corresponding to the chemical reaction (R) is given below



To balance the chemical equation we have to choose  $x_1$ ,  $x_2$ ,  $x_3$ , and  $x_4$  such that both sides have the same number of carbon atoms on each side, the same number of hydrogen atoms on each side, and the same number of oxygen atoms on each side.

Note: An example to write the system of linear equations for balancing the chemical equation is the following :



corresponding system of linear equations is:  $x_1 = x_3$   $x_2 = 2x_3$

corresponding system of linear equations is:  $x_1 = x_3$   $x_2 = 2x_3$

Consider the system of linear equations obtained for balancing the chemical equation (R) to answer the question.

Which of the following statements are true?

☐ The nullity of the matrix corresponding to this system is 0.

☐ The nullity of the matrix corresponding to this system is 1.



$\{(1, 3, 1, 1)\}$  is a basis of the null space of the matrix corresponding to this system.

☐ There are an infinite number of ways to balance the chemical equation (R).

☐ There is a unique way to balance the chemical equation (R).

**No, the answer is incorrect.**

**Score: 0**

**Accepted Answers:**

The nullity of the matrix corresponding to this system is 1.

There are an infinite number of ways to balance the chemical equation (R).

1 point

Which of the following option(s) is(are) true?

☐

If  $A_{2 \times 3}$  is a non zero matrix, then nullity of the matrix  $\leq 2$ .

☐

If  $A_{3 \times 2}$  is a non zero matrix, then nullity of the matrix  $\leq 1$ .

☐

Let  $A$  and  $BA$  and  $B$  be two square matrices of order 3, If nullity of matrix  $ABAB$  is 0, then nullity of matrix  $AA$  is also zero.

☐

Let  $A$  and  $BA$  and  $B$  be two square matrices of order 3, If nullity of matrix  $ABAB$  is 0, then nullity of matrix  $BB$  is also zero.

**No, the answer is incorrect.**

**Score: 0**

**Accepted Answers:**

If  $A_{2 \times 3}$  is a non zero matrix, then nullity of the matrix  $\leq 2$ .

If  $A_{3 \times 2}$  is a non zero matrix, then nullity of the matrix  $\leq 1$ .

Let  $A$  and  $BA$  and  $B$  be two square matrices of order 3, If nullity of matrix  $ABAB$  is 0, then nullity of matrix  $AA$  is also zero.

Let  $A$  and  $BA$  and  $B$  be two square matrices of order 3, If nullity of matrix  $ABAB$  is 0, then nullity of matrix  $BB$  is also zero.

1 point

Let  $T: R^3 \rightarrow R^3$  be a linear transformation such that

$T(1, 0, 0) = (1, 1, 1)$ ,  $T(1, 1, 0) = (0, 0, 1)$ ,  $T(1, 0, 0) = (1, 1, 1)$ ,  $T(1, 1, 0) = (0, 0, 1)$  and

$T(1, 1, 1) = (0, 1, 1)$ . Then which of the following option(s) is/ are true?

☐

$T(x, y, z) = (x - y, x - y + z, y)$

☐

$T(x, y, z) = (x - y, x - y + z, x)$

☐

$T(x, y, z) = (x + y, x - y + z, x)$

☐

$T$  is one-one.

☐

$T$  is not onto.

**No, the answer is incorrect.**

**Score: 0**

**Accepted Answers:**

$T(x, y, z) = (x - y, x - y + z, x)$

$T$  is one-one.

1 point

Consider a system of linear equations defined as follows:

$$\begin{aligned} x + y - z + w &= 0 \\ 2x + y + 3z - w &= 0 \\ 3x + 2y + 2z &= 0 \end{aligned}$$

If  $AA$  is the coefficient matrix of the system of linear equations, then which of the following options is/are true?

☐

Null space of  $AA = \text{span}\{(-4, 5, 1, 0), (2, -3, 0, 1)\}$   $\text{span}\{(-4, 5, 1, 0), (2, -3, 0, 1)\}$

☐

Null space of  $AA = \text{span}\{(-6, 8, 1, -1), (-4, 5, 1, 0)\}$   $\text{span}\{(-6, 8, 1, -1), (-4, 5, 1, 0)\}$

☐

Null space of  $AA = \text{span}\{(-3, 5, 1, 0), (2, -3, 0, 1)\}$   $\text{span}\{(-3, 5, 1, 0), (2, -3, 0, 1)\}$

☐

Null space of  $AA = \text{span}\{(-4, 5, 1, -1), (6, 7, 2, 1)\}$   $\text{span}\{(-4, 5, 1, -1), (6, 7, 2, 1)\}$

**No, the answer is incorrect.**

**Score: 0**

**Accepted Answers:**

Null space of  $AA = \text{span}\{(-4, 5, 1, 0), (2, -3, 0, 1)\}$   $\text{span}\{(-4, 5, 1, 0), (2, -3, 0, 1)\}$

Null space of  $AA = \text{span}\{(-6, 8, 1, -1), (-4, 5, 1, 0)\}$   $\text{span}\{(-6, 8, 1, -1), (-4, 5, 1, 0)\}$

**Numerical Answer Type (NAT):**

If nullity of a matrix  $A_{5 \times 7}$  is 2, then find the rank of the matrix  $A_{5 \times 7}$ .

**No, the answer is incorrect.**

**Score: 0**

**Accepted Answers:**

(Type: Numeric) 5

1 point

Let  $AA$  be a non-zero matrix of order  $3 \times 13 \times 1$ . What is the rank of the matrix  $AA^T AA$ ?

**No, the answer is incorrect.**

**Score: 0**

**Accepted Answers:**

(Type: Numeric) 1

1 point

**Comprehension Type Question:**

Ayesha, Pritha, Sabya, and Wang went on a trip to Manali and Kasol. Accommodation costs ₹1500 per day in Manali and ₹800 per day in Kasol. The total food cost is ₹2000 per day in Manali and ₹1200 per day in Kasol. They plan to spend 2 days in Manali and 2 days in Kasol. The first and second rows of the Table M2W5P1 shows the percentage of contribution by each of them for the accommodation at Manali and Kasol, respectively. Similarly, the first and the second row of the Table M2W5P2 shows the percentage of contribution by each of them for the food at Manali and Kasol, respectively.

Suppose  $T(x, y)$  denotes the contribution of a person for accommodation per day, where the first

variable  $x$  denotes the percentage of contribution by that person for accommodation in Manali and the second variable  $y$  denotes the percentage of contribution by that person for accommodation in Kasol. (i.e., if  $a$  and  $b$  denote the costs for accommodation per day at Manali and Kasol, respectively, then  $T(x, y) = \frac{1}{100}(ax + by)$   $T(x, y) = 1001(ax + by)$ ). Similarly,  $T'(v, w)$  denotes the contribution by a person for food per day, where the first variable  $v$  denotes the percentage of contribution for food in Manali and the second variable  $w$  denotes the percentage of contribution for food in Kasol. Answer the following questions based on the given information.

1 point

Choose the set of correct options.

☐

$$T(x, y) = 30x + 16y \quad T(x, y) = 30x + 16y$$

☐

$$T(x, y) = 15x + 8y \quad T(x, y) = 15x + 8y$$

☐

$$T'(v, w) = 20v + 12w \quad T'(v, w) = 20v + 12w$$

☐

$$T'(v, w) = 40v + 24w \quad T'(v, w) = 40v + 24w$$

**No, the answer is incorrect.**

**Score: 0**

**Accepted Answers:**

$$T(x, y) = 15x + 8y \quad T(x, y) = 15x + 8y$$

$$T'(v, w) = 20v + 12w \quad T'(v, w) = 20v + 12w$$

1 point

Choose the set of correct options.

☐

Suppose Ayesha contributes for herself and also on behalf of Sabya. Then the contribution per day by Ayesha is given by  $T(x_1 + x_3, y_1 + y_3)$   $T(x_1 + x_3, y_1 + y_3)$  and  $T'(v_1 + v_3, w_1 + w_3)$   $T'(v_1 + v_3, w_1 + w_3)$ , for accommodation and food, respectively.

☐

The total contribution (for the whole trip) for the accommodation by Pritha is given by  $2T(x_2, y_2)$   $2T(x_2, y_2)$ , which is equal to  $T(2x_2, 2y_2)$   $T(2x_2, 2y_2)$ .

☐

The total contribution (for the whole trip) for the accommodation by Pritha is given by  $2T(x_2, y_2)$   $2T(x_2, y_2)$ , which is not equal to  $T(2x_2, 2y_2)$   $T(2x_2, 2y_2)$ .

☐

Suppose Pritha contributes for herself and also on behalf of Wang for food. Then the contribution per day by Pritha for food is given by  $T'(v_2, w_2) + T'(v_4, w_4)$   $T'(v_2, w_2) + T'(v_4, w_4)$ , which is not equal to  $T'(v_2 + v_4, w_2 + w_4)$   $T'(v_2 + v_4, w_2 + w_4)$ .

☐

Suppose Pritha contributes for herself and also on behalf of Wang for food. Then the contribution per day by Pritha for food is given by  $T'(v_2, w_2) + T'(v_4, w_4)$   $T'(v_2, w_2) + T'(v_4, w_4)$ , which is equal to  $T'(v_2 + v_4, w_2 + w_4)$   $T'(v_2 + v_4, w_2 + w_4)$ .

**No, the answer is incorrect.**

**Score: 0**

**Accepted Answers:**

Suppose Ayesha contributes for herself and also on behalf of Sabya. Then the contribution per day by Ayesha is given by  $T(x_1 + x_3, y_1 + y_3)$   $T(x_1 + x_3, y_1 + y_3)$  and  $T'(v_1 + v_3, w_1 + w_3)$   $T'(v_1 + v_3, w_1 + w_3)$ , for accommodation and food, respectively.

The total contribution (for the whole trip) for the accommodation by Pritha is given by  $2T(x_2, y_2)$   $2T(x_2, y_2)$

$2T(x_2, y_2)$ , which is equal to  $T(2x_2, 2y_2)$ .

Suppose Pritha contributes for herself and also on behalf of Wang for food. Then the contribution per day by Pritha for food is given by  $T'(v_2, w_2) + T'(v_4, w_4)$ , which is equal to  $T'(v_2 + v_4, w_2 + w_4)$ .

1 point

The total contribution (accommodation and food) per day can be denoted by:

☐

$f(x, y, v, w) = T(x, y) + T'(v, w)$  which is a linear mapping.

☐

$f(-4x, -4y, -4v, -4w) = (-4)^4 f(x, y, v, w)$

☐

$f(x, y, v, w) = T(x, y) + T'(v, w)$  which is not a linear mapping.

☐

$f(-4x, -4y, -4v, -4w) = -4f(x, y, v, w)$

**No, the answer is incorrect.**

**Score: 0**

**Accepted Answers:**

$f(x, y, v, w) = T(x, y) + T'(v, w)$  which is a linear mapping.

$f(-4x, -4y, -4v, -4w) = -4f(x, y, v, w)$

[Check Answers](#)

Your score is: 0/10