Overview | **Question** | Test Cases | Code

This Assignment will not be considered for Course participation Marks after 24th march 2024

Instructions for Extended Match Questions
Use this slide to understand how to answer an EMQ

Instructions:
1. For each question, enter all the options which you find is the answer to that question as "**comma separated values**".
2. Enter the options in **ascending order** of option number.
3. An option can also be an answer to more than one question, or may not be an answer to any of the questions.
4. Please click here to view a sample template file for answering.
5. Please note that if you give an incorrect answer there will be a negative marking for the incorrect option.

List of Options:
1.$dim(V)$ = 1dim(V) = 1
2.$dim(V)$ = 2dim(V) = 2
3.$dim(V)$ = 3dim(V) = 3
4.VV is not a vector space
5.VV a vector subspace of R^3R3
6.{(1, 0, 1), (0, 1, 1)}{(1, 0, 1), (0, 1, 1)} is a basis of VV .
7.{(1, 0, 1), (0, 1, − 1)}{(1, 0, 1), (0, 1, −1)} is a basis of VV .
8.{(1, 1, 0), (1, 0, 1)}{(1, 1, 0), (1, 0, 1)} is a basis of VV .
9.{(− 1, 1, 0), (1, 0, 1)}{(−1, 1, 0), (1, 0, 1)} is a basis of VV .

List of Questions:

Q1. Consider the set $V = \{(a, b, c) \mid a + b = c \text{ and } a, b, c \in R\}$V = {(a, b, c) | a + b = c and a, b, c ∈ R} with usual coordinate-wise addition and scalar multiplication. Which of the above options is(are) true for VV ?
Q2. Consider the set $V = \{(a, b, c) \mid a = b + c \text{ and } a, b, c \in R\}$V = {(a, b, c) | a = b + c and a, b, c ∈ R} with usual coordinate-wise addition and scalar multiplication. Which of the above options is(are) true for VV ?
Q3. Consider the set $V = \{(a, b, c) \mid a + b = 1 - c \text{ and } a, b, c \in R\}$V = {(a, b, c) | a + b = 1 − c and a, b, c ∈ R} with usual coordinate-wise addition and scalar multiplication. Which of the above options is(are) true for VV ?